

गोदावरी नगरपालिकाको  
ज्याला तथा निर्माण  
सामग्रीहरूको  
दररेट

आ.व. २०७५ / २०७६

गोदावरी नगरपालिका  
गोदावरी नगर कार्यपालिकाको कार्यालय  
ललितपुर

## निर्णय : १

आ.व. ०७५/७६ को लागि गोदावरी नगरपालिका भित्र श्रमिकहरूको दैनिक ज्याला दररेट तथा निर्माण सामग्री ढुवानीको दररेट निम्नानुसार कायम गर्ने निर्णय गरियो ।

सि. नं.	विवरण	एकाई	मुल्य अभिवृद्धि कर(भ्याट वाहेक)			कैफियत
			आ.व.	आ.व.	आ.व.	
			०७३/७४	०७४/७५	०७५/७६	
१	ज्यामी ( श्रमिक )	जवान	635.00	666.75	700.00	
२	भरिया ( ४० के.जी. तौल सम्म )	"	635.00	666.75	700.00	
३	दक्ष (डकर्मी, सिकर्मी, नकर्मी, चित्रकार, वज्रकर्मी, प्लम्बर, ब्लाकस्मीथ, इलेक्ट्रीसियन आदि)	"	865.00	908.25	953.00	
४	अर्धदक्ष डकर्मी, सिकर्मी, नकर्मी, चित्रकार, प्लम्बर, ब्लाकस्मीथ, इलेक्ट्रीसियन आदि	"	715.00	750.75	788.00	
५	मेकानिक्स	"	665.00	665.00	698.00	
६	हेल्पर मेकानिक्स, लाइट भेहिकल ड्राइभर, अफिस असिस्टेन्ट, सर्भे हेल्पर	"	585.00	585.00	614.00	
७	हेभी भेहिकल ड्राइभर, ट्रक ड्राइभर	"	665.00	665.00	698.00	
८	हेभी इक्विपमेन्ट: एकस्काभेटर, रोलर अप्रेटर,	"	665.00	665.00	698.00	
९	सहायक परिचालक	"	530.00	530.00	556.00	
१०	आरावाला	"	735.00	771.75	810.00	
११	ढुङ्गा र काठ बुट्टा काट्ने साधारण मूर्तिकार	"	865.00	908.25	953.00	
१२	साइक्लोस्टाइल ट्रेसिङ्ग, एमोनिया प्रिन्टीङ्ग फोरमेन	"	635.00	635.00	666.00	
१३	निर्माण कार्यको क्याम्प वर्कर, सुपरभाइजर, ब्लास्टर, मेकानिक्स, कालिगढ, ड्रिलर, फोटोग्राफिक्स, फोरमेन, सेक्युरेटी गार्ड, नाइट वाचमेन, रोड लेन्थ वर्कर	"	585.00	614.25	644.00	
१४	सर्भेयर	"	865.00	865.00	908.00	
१५	चेन म्यान, टेप म्यान, स्टाफ म्यान, ड्रिल हेल्पर, ट्रक हेल्पर, सयस	"	585.00	585.00	614.00	
१६	स्वीपर, मेहत्तर	जवान	530.00	556.50	584.00	
१७	साधारण मेसिन अप्रेटर, वायर बाइण्डर	"	665.00	698.25	733.00	
१८	वेल्डर सहायक	"	585.00	614.25	644.00	
१९	इन्जिनियर सुपरभाइजर	"	1030.00	1030.00	1081.00	
२०	सब इन्जिनियर, ड्राफ्ट मेन, अमिन,	"	865.00	865.00	908.00	
२१	असिस्टेन्ट सब इन्जिनियर, ड्राफ्टमेन, अमिन,	"	715.00	786.50	825.00	
२२	पिच स्प्रेयर	"	654.50	687.23	721.00	
२३	पिच व्यायलर	"	654.50	687.23	721.00	
२४	माली	"	530.00	556.50	584.00	
२५	धोवी	"	530.00	556.50	584.00	
२६	ल्याव टेक्निसियन	"	764.50	764.50	802.00	
२७	ल्याव असिस्टेन्ट	"	665.00	665.00	698.00	
२८	वन हेरालु, चौकिदार	"	530.00	530.00	556.00	
२९	चित्रकार, आर्टिस्ट	"	835.00	876.75	920.00	
३०	सिनियर टाईपिष्ट/कम्प्युटर अप्रेटर	"	835.00	835.00	876.00	
३१	जुनियर टाईपिष्ट/कम्प्युटर अप्रेटर	"	764.50	764.50	802.00	
३२	खंदेल (खानी सम्बन्धी काम गर्ने कामदार)	"	635.00	666.75	700.00	
३३	रनर	"	585.00	614.25	644.00	
३४	अवाले	"	800.00	840.00	882.00	

सि. नं.	विवरण	एकाई	मुल्य अभिवृद्धि कर(भ्याट वाहेक)			कैफियत
			आ.व.	आ.व.	आ.व.	
			०७३/७४	०७४/७५	०७५/७६	
३५	लोडर/अनलोडर कामदार	„	635.00	666.75	700.00	
३६	सिनियर सुपरभाइजर	„	764.50	764.50	802.00	
३७	जुनियर सुपरभाइजर	„	735.00	764.50	802.00	
३८	कृषि मजदुर	„	530.00	530.00	556.00	
३९	ढल सफा गर्ने कामदार	„	764.50	802.73	842.00	
४०	नदी निरीक्षक	„	735.00	735.00	771.00	
४१	बाराही नाइके		800.00	840.00	882.00	
४२	अन्य बाराही		750.00	787.50	826.00	
४३	बोशी		500.00	525.00	551.00	
	<b>सडकको कामको लागि</b>					
४४	प्याच वर्कर (दिउसो को समयमा काम गर्ने)	„	635.00	666.75	700.00	
४५	प्याच वर्कर ( रात्री समयमा काम गर्ने )	„	855.00	897.75	942.00	
४६	प्याच वर्कर (दिउसो को समयमा काम गर्ने)सुपरभाइजर सरह	„	665.00	698.25	733.00	
४७	प्याच वर्कर (रात्री समयमा काम गर्ने ) सुपरभाइजर सरह	„	880.00	924.00	970.00	
४८	सामाजिक परिचालक		645.00	645.00	677.00	
४९	गणक, Enumerator (न्युनतम एस.एल.सी वा सो सरह)		585.00	585.00	614.00	
	<b>सजिलो सामान ढुवानी कार्य</b>					
५०	टकवाट पिच बाटोमा ढुवानी गर्ने	क्वी./कि.मी.	3.05	3.05	3.20	
५१	टकवाट कच्ची बाटोमा ढुवानी गर्ने	„	4.25	4.25	4.46	
५२	ट्याक्टर । मिनी टक वाट पिच बाटोमा ढुवानी गर्ने	„	3.40	3.40	3.57	
५३	ट्याक्टर। मिनी टकवाट कच्ची बाटोमा ढुवानी गर्ने	„	4.60	4.60	4.83	
५४	भरिया बाट ( पैदल )सामान ढुवानी	के.जी./कि.मि	2.80	2.94	3.08	
	<b>असजिलो सामान ढुवानी कार्य (HDP , u PVC ,GI , PP-R , CPVC , Steel , Iron Pipes, Reinforcement Bars , Rcc Rings ,Glasses ,CGI sheet , I- Beams , Pole, Gabion box , Barbared wire, Bridge Special material etc.)</b>					
५५	टकवाट पिच बाटोमा ढुवानी गर्ने	क्वी./कि.मी.	4.35	4.35	4.56	
५६	टकवाट कच्ची बाटोमा ढुवानी गर्ने	„	5.00	5.00	5.25	
५७	ट्याक्टर । मिनी टक वाट पिच बाटोमा ढुवानी गर्ने	„	5.00	5.00	5.25	
५८	ट्याक्टर। मिनी टकवाट कच्ची बाटोमा ढुवानी गर्ने	„	5.45	5.45	5.72	
५९	भरिया बाट ( पैदल )सामान ढुवानी	के.जी./कोष	3.70	3.89	4.07	
	<b>अती-असजिलो सामान ढुवानी कार्य ( Hume Pipe, Electric pole, फुटने औषधी etc.)</b>					
६०	टकवाट पिच बाटोमा ढुवानी गर्ने	क्वी./कि.मी.	6.10	6.10	6.40	
६१	टकवाट कच्ची बाटोमा ढुवानी गर्ने	„	7.35	7.35	7.71	
६२	मिनी टक वाट पिच बाटोमा ढुवानी गर्ने	„	6.75	6.75	7.08	
६३	मिनी टकवाट कच्ची बाटोमा ढुवानी गर्ने	„	8.00	8.00	8.40	
	<b>सामान लोड (चढाउने) गर्ने</b>					
६४	सजिलो समान	प्रति क्वी.	10.00	10.00	10.50	
६५	असजिलो समान	„	12.50	12.50	13.12	

सि. नं.	विवरण	एकाई	मुल्य अभिवृद्धि कर(भ्याट वाहेक)			कैफियत
			आ.व.	आ.व.	आ.व.	
			०७३/७४	०७४/७५	०७५/७६	
६६	अति-असजिलो समान	„	15.00	15.00	15.75	
	सामान अनलोड (उतार्ने) गर्ने					
६७	सजिलो समान	„	10.00	10.00	10.50	
६८	असजिलो समान	„	12.50	12.50	13.12	
६९	अति-असजिलो समान	„	15.00	15.00	15.75	
	हयुम पाईपको ढुवानी भाडा दर (पाईपको मुल्यको आधारमा)					
७०	पाहेलो १० किमी सम्म	पाईप मुल्यको प्रतिसेत	8.00	8.00	8.40	
७१	१० किमी देखि माथि सम्म	"	13.00	13.00	13.65	
७२	२० किमी देखि माथि सम्म	"	18.00	18.00	18.90	
	सिनियर- : T.S.L.C वा सो सरह गरि कम्तिमा ३ वर्षको अनुभव प्राप्त वा सम्बन्धित विषयमा प्रविणता प्रमाणतह उतिर्ण ।					
	जुनियर :- T.S.L.C वा सो सरह वा सम्बन्धित विषयमा अनुभव प्राप्त ।					
	<b>घर र जग्गा भाडा तथा क्षतिपूर्ति/मुआब्जा निर्धारण</b>					
७३	भित्री काँचो, बाहिरी पाँको इटामा माटोको जोडाइ छाना, जस्ता, भिँगटी, टायल,एसवेसटस	ब.फि.	1092.00	1201.00	1201.00	overhead वाहेक
७४	भित्री बाहिर पाको इटामा ऐ ऐ.	ब.फि.	1403.00	1543.00	1543.00	
७५	ऐ ऐ भित्र बाहिर सिमेन्ट प्लाटर	ब.फि.	1561.00	1717.00	1717.00	
७६	ऐ ऐ भई छाना आर सि.सि, आर बि सी	ब.फि.	1641.00	1805.00	1805.00	
७७	ऐ ऐ बज्रको जोडाइमा छाना, जस्ता, भिँगटी, टायल एसवेसटस	ब.फि.	1602.00	1762.00	1762.00	
७८	सि.नं. ५ बमोजिम सिमेन्ट प्लाटर	ब.फि.	1742.00	1916.00	1916.00	
७९	सि.नं. ६ बमोजिम भई छाना आर बि सी तथा आर सि सि.	ब.फि.	1813.00	1994.00	1994.00	
८०	सिमेन्ट जोडाई छाना, जस्ता, टाइल एसवेसटस	ब.फि.	1756.00	1932.00	1932.00	
८१	सि.नं. ८ बमोजिमको छाना आर सि सि वा आर. बि. सी.	ब.फि.	1818.00	2000.00	2000.00	
८२	आर सि सि फ्रेम स्टक्चर	ब.फि.	1920.00	2112.00	2112.00	
८३	काठैकाठको घर छाना, जस्ता, टायल, भिँगटी वा एसवेसटस	ब.फि.	1680.00	1848.00	1848.00	

**नोट:****क वर्ग :-**

- भवनको भित्र बाहिर दुवैतर्फ Plaster of paris (POP) भएको ।
- भवनको भित्र बाहिर दुवैतर्फ Weather Coat painting भएको ।
- Lift जडान भएको ।
- विद्युत तथा धारामा उच्चस्तरिय सामग्रीको प्रयोग भएको ।
- प्यासेज, भ-याङ्गमा मार्बल/पार्किङ्ग भएको ।
- शौचालयमा टायल/मार्बल उच्चस्तरिय सामग्री भएको ।
- अग्नी नियन्त्रण प्रविधि जडान भएको ।
- मुख्य पिचसंग जोडिएको र पार्किङ्ग सहित सबै सुविधा भएको ।
- उल्लेखित माथिका सबै सुविधा भएको भए 'क' वर्ग, र उल्लेखित मध्ये कम्तीमा ५ गोटा सुविधा भएको 'ख' वर्ग अन्यथा
- सि.नं. ११ अनुसारको वर्गीकृत गरिएको भवनको हकमा निम्नानुसारको दर कायम हुने छ
  - 'ग' वर्गको भवनकोहकमा उपरोक्त अनुसारको दर मानिने छ ।
  - 'ख' वर्गको भवनकोहकमा उपरोक्त अनुसारको दरमा २० प्रतिशत थप गरिने छ ।
  - 'क' वर्गको भवनकोहकमा उपरोक्त अनुसारको दरमा ४० प्रतिशत थप गरिने छ ।

<b>Table of Contents</b>			
S.No.	Description	Page no.	
		From	To
<b>क</b>	<b>सीभील ( CIVIL PART )</b>		
1	विभिन्न किसिमको ईटा	1	1
2	क्ले टायलहरु	1	2
3	ढुंगाको काम	2	2
4	विभिन्न प्रकारको बालुवा	2	2
5	क्रसरबाट उत्पादित रोडा	2	2
6	फुटालेको ढुङ्गाको गिट्टी	2	2
7	सडकको Sub-base/base course का लागि प्रयोग गरिने निर्माण सामग्री	2	3
8	सडक कालो पत्रे गर्ने कामको लागि	3	3
9	विभिन्न कम्पनीबाट उत्पादित सिमेन्टहरु	3	3
10	Ready made Premix Concrete	3	4
11	फलामको डण्डीहरु :	4	4
12	विभिन्न किसिमका काठहरु	4	4
13	साधारण, वाटर प्रुफ गरिएको	4	4
14	कुदिएको काठको काम तयारी	4	5
15	Wooden Parquet Flooring	5	5
16	विभिन्न मोटाईको प्लाइउडहरु	5	6
17	Ready made Door	6	7
18	Prelaminated Particle Board	7	8
19	Other HardBoard/ Sunmica & Formaica)	8	9
20	Iron Square Pipe/Black Pipe/Channel/ Angle/I-Beam/Black Sheet/MS Plate	9	10
21	G.I. Wire	10	10
22	मेशिनबाट बुनिएका, mechanically selvedged double Twist wire mesh को गेवियन वाकस	10	11
23	Barbed Wire (काँढेतार)	11	11
24	सादा तथा रंगिन जस्ता पाता (Plain/Corrugated Galvanized/Colour Iron Sheet)	11	13
25	Carbon Fibre UPVC Roofing Sheet	13	14
26	एल्मुनियम प्लेन सिट	14	14
27	विभिन्न प्रकारको जालीहरु (Netting)	14	14
28	फलामबाट निर्मित सामानहरु	14	15
29	Glass सीसा	15	16
30	Corrugated/Plain Fiber Glass Sheet	16	16
31	भ्याल ढोकामा लाग्ने Fixture हरु	16	19

	Description	Page no.	
32	बिबिध सामाग्रीहरु	19	20
33	स्टेनलेस स्टील पाइप	20	20
34	मार्बल चिप्स	21	21
35	मार्बल (Marble)	21	21
36	Porcelain Glazed/Terrazo Mosaic Tiles	21	22
37	Plaster of Parish (POP) रंगरोगनका सामानहरु	22	27
38	Wall Paper	27	27
39	Gypsum board	27	27
40	Calcium Silicate Board supplying & fitting all complete work	27	28
41	Interlocking Cement Concrete Block	28	30
42	छानामा टाइलको बुट्टा काट्ने र पानी पट्टी कार्य	30	30
43	Heritage Wall Surface Texture (Interior and Exterior)	30	30
44	UPVC Profile Door and Window/ Wall partition	30	32
45	Aerocon/Rapicon prefab Panel for Partition wall	32	34
46	Aluminium & Steel Door & Windos	34	36
47	Aluminium Composite Panel Sheet supplying & and fitting all complete work	36	37
48	Water proofing (chemicals & Tretment)works	37	43
49	परम्परागत निर्माण सामाग्रीहरु :-	43	46
50	Security System	46	48
51	Bridge Materials	48	48
52	Sheet pilling work	49	49
53	ReadymadeRCC Door/Window	49	49
54	V Panel Board	49	49
55	Non Destructive Test For Forensic Engineering	49	50
56	भु संरक्षण सम्बन्धी कार्य	50	51
57	बन कार्यालयबाट सम्पादन गरिने कार्यहरु(काठ लोड अनलोड तथा ढुवानीआदि)	51	54
58	जिल्ला कृषी कार्यालयबाट सम्पादन गरिने कार्यहरु	54	55
59	डोजर बाट सबैप्रकारको माटो काट्ने कार्य	55	55
60	Equipment Hired Rate Based on DoR	55	55
61	Road furniture/goods/other materials from DoR	55	55
62	Japneses Flat Plug Cement Admixture	55	55
<b>ख</b>	<b>SANITARY WORK</b>		
1	Porcelain Clay Sanitaryware (Hindware, Paryware, Somany, cera or eqv. कम्पनीका सामानहरु)	1	3
2	PVC Cistern Set	3	4
3	Stainless Steel Accessories etc.	4	6

	Description	Page no.	
4	Modern Sanitaryware:Grohe, Hansgrohe, American Standard or eqv.	6	6
5	European Pattern C.P. Grab Bar for disable	6	6
6	C.P. Accessories( jaquar, somany, essel or equivalent)	6	8
7	Electric & Solar Geyser	8	8
8	C.I. Manhole Cover including frame.	8	10
9	G.I. Water Tank (17 Gauge)	10	11
10	Water Pumps/Hand Pumps	11	11
11	PPR Pipe (Poly propylene random co- polymer pipe Panchakanya , Nepatop or Eqv.)	12	17
12	CPVC Pipes & Fittings for hot and cold water distribution system	17	21
13	MS SEAMLESS PIPES	21	22
14	GEBERIT	22	22
15	PVC Lead Free White Pipes SCHEDULE 40	22	27
16	Rainwater Collection System sintex or Prince Brand Roof)	27	30
17	ASTRAL "DWV" UPVC DRAIN, WASTE & VENT SYSTEM	30	32
18	FOAMCORE PIPING SYSTEMS (UNDER GROUND) GOLDEN BROWN COLOR	32	34
19	Multilayer Composite Pipe (Sanghai, or eqv.)	34	38
20	R.C.C. Hume Pipe & Hume Pipe Collar	38	40
21	High Density Polythene Pipe NS-40	40	42
22	UPVC (Pipe NS 206/046	42	43
23	UPVC fittings :	43	44
24	G.I Pipe threaded , 6 m. length With Cap	44	45
25	G.I. Pipe fittings ISI or NS Standard	45	52
26	Supplying of Rcc ring for construction of well	52	53
27	ईनार खन्नको लागि R.C.C. रिङ्ग आपूर्ती गरि माटो खन्ने ,आवश्यक फील्टर सामग्री राख्ने तथा जडान समेतको सबै कार्यहरु (२० देखि २५फीट सम्म को गहीराइमा ढक्कन बाहेक)	53	53
28	२५ फीट देखि माथीको गहीराइ भएमा	53	53
29	Accessories for Deep boring works by machine .	53	54
30	Sanitary Tools	54	56
31	Anaerobic treatment for waste water ( sintex/ equivalent)As per ASTM-D-2583	56	56
32	Irrigation Works excluding pipes including installation ( Rainbird or equivalent)	56	57
33	Miscellaneous	57	58
ग	<b>Electrical Works</b>		

	Description	Page no.	
1	Dyana White Plate series SWITCH SOCKET ANCHOR / CPL /NG/Flux OR ISI EQUIVALENT		
2	Modular Type Switch Socket set ' LEGRAND/PHILIPS/NORTH-WEST/' NORYSIS' /ABB /'SCHNIEDER KOLORS/INDO ASIAN/ GOLD MEDAL/ANCHOR WOODS/ANCHOR ROMA/VIMAL WAVE or ISI Equivalent		
3	Flush mounting galvanized Metal box for modular type switch & socket		
4	PVC Junction Box Ankur metal or Equivalent		
5	PVC Listy Double Lock { 6'length =1 no.(गोट)}		
6	PVC Conduit Pipe BEC MAKE		
7	Listy Pipe Accessories		
8	Distribution board (DB) Ankur metal or Equivalent		
9	PVC Box for MCB		
10	Miniature Circuits Breaker (MCB) , LEGRAND/LS or equivalent		
11	Residual Current Circuit Breaker (RCCB) abb, siemens, hager, legrend, north-west INDO ASIAN/C&S/DELTON/SHIP/AECO MEFA/RATHI/VIMAL/SKN BENTEX or equivalent		
12	Manual Changeover Panel Type		
13	Dome light Make Homedec, Decon, Fumagalli OR equivalent		
14	Roadway light luminaires <b>Wipro, Philips or Equivalent</b>		
15	CEILING FANS & EXHAUST Fans, BAJAJ/KHAITAN/ORIENT/CROMPTON/POWERPACK or equivalent		
16	BELL INDICATOR		
17	Materials For Earthing & Lightening Protection ( <b>sp.gr. copper =8930kg/m<sup>3</sup></b> )		
18	STEEL TUBELAR POLE / WOODEN POLE		
19	Modular ceiling Luminaries		
20	Down Light Fiam Make		
21	LUMINARIES Accessories ( PHILIPS, HIMSTAR, BAJAJ, HAVELLS, OSRAM, GE, CROMPTION, MIDEA, ORIENT, RATHI, PREMIER, WIPRO, OHMS or ISI/CE Eqv.)		
22	COPPERCONDUCTOR /WIRE /CABLE (PER COIL=90 RM) NS marked		
23	Multistrand Flexible wire for house wiring (90meter per coil ) NS marked Eqv.		
24	Concentric cable NS marked Eqv.		



	Description	Page no.	
25	Telephone Drop wire/pair cable NS marked Eqv.		
26	Other Accessories		
27	Panel board double door type with locking arrangement with 2 coat of red oxide metal prime & 3 stage quality paint before final coat of enamel paint (Three phase, Neutral link, earth link ) TPNE copper busbar including necessary accessories for internal wiring at the board .) (Rates of MCCB / MCB & measuring instrument are not included here .) Ankur metal or Equivalent		
28	Panel Board measurement instrument		
29	Trailing Protected Industrial Plug IP44		
30	Access Controller with record using card and pin, Having capacity 1000 cards and 25000events,responding distance 5 cm to 15 cm, dimensin 120 x88 x18 mm built in two relay operating door		
31	Access Controller with record using card and pin, Having capacity 1000 cards and 25000events,responding distance 5 cm to 15 cm, dimension 120 x88 x18 mm built in two relay operating door (Chinese)		
32	CABLE SHOE		
33	Copper Conductor Armoured Power Cables NS marked or eqv.		
34	Copper Conductor Unarmoured Power Cables NS marked or Eqv.		
35	e) 4-core Copper Conductor Unarmoured		
36	Aluminum conductor Armoured (Power) cable NS marked or eqv.		
37	Aluminium conductor unarmoured (power) cable NS marked or eqv.		
38	<b>Security Gate System</b>		
39	General Lightig ANCHOR, C/G, Eqv.		
40	GEWISS PVC Conduit product of Italy		
41	GEWISS Cable Tray with Cover and Accessories BRN Range		
42	Intrusion Detection System		
43	Earth Quake Detector( JDS Inc, USA)		
44	Automatic Motor Operator for water motor		
45	CCTV System		
46	Indoor high speed Dome Integrated CAMERA		
47	Rates for ELC & IGC Equipments.		

	Description	Page no.	
48	Mechanical Works at Micro-Hydropower		
49	Electrical Equipments for micro hydropower		
50	AMF with ATS palel for DG Ankur metal or Equivalent		
51	Solar system\Backup Power		
52	Angel Eyes solar street light absorb energy		
53	MCB/ISOLATOR ORIENT or equivalent		
54	Solar component		

निर्णय नं. : - २

आ.व. २०७५/७६ को लागि गोदावरी नगरपालिका भित्रको लागि सिभिल, स्यानिटरी तथा इलेक्ट्रिकल कार्यहरूको लागि आवश्यक निर्माण सामग्रीहरूको दर (रेट) निम्नानुसार कायम गर्ने निर्णय गरियो ।

**सिभिल कार्यहरू (Civil works )**

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)बाहेक			कैफीयत
			आ.व ०७३/०७४	आ.व ०७४/०७५	आ.व ०७५/०७६	
<b>1</b>	<b>विभिन्न किसिमको ईटा</b>					
	क) मेशिनबाट उत्पादित ईटा (१-नं.)	हजार	15300	15300	15300	
	ख) चिमनी भट्टाको ईटा	„	14000	14000	14000	
	ग)तराई को १ नं.ईटा	„	17500	17500	17500	
	दुक्रा ईटा	घ.मि.			2500	
	घ) सिमेन्ट को ईटा					
	BK108N	हजार	15000	15000	15450	
	BK118As	„	15800	15800	16274	
	<b>३ Concrete block</b>					
	size (40*15*20 ) cm	गोटा	37	37	37	
	size ( 40*10*20 ) cm	गोटा	32	32	32	
	size ( 39*14*19 ) cm( Ocm or equivalent )	गोटा	50	50	50	
	Cellular light weight concrete(CLC) block					
	Size 24**8**4"	गोटा	148	153	162	
	Size 24**8**6"	„	215	222	233	
	<b>Autoclaved Aerated Concrete (AAC) Light Block</b>					
	Density (>3.5MPA)					
	24**8**4"	गोटा	114	114	121	
	24**8**6"	गोटा	171	171	181	
	24**8**8"	गोटा	228	228	244	
	Density (>4.5MPA)					
	24**8**4"	गोटा	126	126	126	
	24**8**6"	गोटा	189	189	189	
	24**8**8"	गोटा	252	252	252	
	Density (>6.5MPA)					
	24**8**4"	गोटा	138	138	138	
	24**8**6"	गोटा	207	207	207	
	24**8**8"	गोटा	276	276	276	
<b>2</b>	<b>क्ले टायलहरू</b>					
	<b>छानामा छाउने</b>					
	क) मेशिनबाट उत्पादित टायल	गोटा	18	18	18	
	ख) चिमनी भट्टाको टायल	„	16	16	16	
	ग) मेशिनबाट उत्पादित धुरी	„	32	32	32	
	घ) चिमनी भट्टाको धुरी	„	26	26	26	
	<b>भुईँमा/ कौसीमा छाप्ने टायल:</b>					

## सिभिल कार्यहरू (Civil works )

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)बाहेक			कैफियत
			आ.व ०७३/०७४	आ.व ०७४/०७५	आ.व ०७५/०७६	
	क) मेशिनबाट उत्पादित क्ले टायल	गोटा	10	10	10	
	ख) चिमनी भट्टाको क्ले टायल	„	9	9	9	
<b>3</b>	<b>ढुंगाको काम (Stone work )</b>					
	<b>Rubble Stone</b>					
	(क) ठुलो साइजको खानीको ढुंगा (Quarry stone)	घ.फि.	70	70	70	
	(ख) ठुलो साइजको खोलाको ढुंगा (River Stone)	„	-	-	-	
	(ग) स्थानीय ढुङ्गा (Av. Lead 500 m. सम्मको)	„	60	60	60	
	(घ) कोसीखोला(चेहेरे)को एकनासे गोलो ढुङ्गा ( River round Pavel)	„	89	89	89	
	<b>छापने ढुङ्गा (Flag stone)</b>					
	क) १” सम्म बाक्लो सर्फस ड्रेस गरेको छापने ढुङ्गा	व.फि	81	89	89	
	ख) १ <sup>1</sup> / <sub>२</sub> ” सम्म बाक्लो „ „	„	95	104	104	
	ग) २” सम्म बाक्लो ढुङ्गा „ „	व.फि	110	110	110	
	घ) २ <sup>1</sup> / <sub>२</sub> ” सम्म बाक्लो ढुङ्गा „ „	„	120	132	132	
	ड) २ <sup>1</sup> / <sub>२</sub> ” - ३” सम्म बाक्लो ढुङ्गा „	„	149	164	164	
<b>4</b>	<b>विभिन्न प्रकारको बालुवा</b>					
	क) खानीको बालुवा (Quarry sand)	घ.फि.	79	79	79	
	ख) खोला/नदीको बालुवा (River sand)	„	79	79	79	
<b>5</b>	<b>क्रसरबाट उत्पादित रोडा</b>					
	(क) ६-१० मी. मी. साइजका	घ.फि.	65	72	72	
	(ख) १०-२० मी. मी. साइजका	घ.फि.	75	77	77	
	(ग) २०-४० मी. मी. साइजको	घ.फि.	70	75	75	
	(घ) ६ मि.मि. down	घ.फि.	65	72	72	
<b>6</b>	<b>फुटालेको ढुङ्गाको गिट्टी</b>					
	क) सबै साइजको गिट्टी	„	70	72	72	
<b>7</b>	<b>सडकको Sub-base/base course का लागि प्रयोग गरिने निर्माण सामग्री</b>					
	क) महादेव वेसीको खोलाको ग्राभेल	घ.फि.	55	55	55	
	ख)मेलम्ची खोलाको ग्राभेल	„	55	55	55	
	ग)भकुन्डेवेसी ,टिकाभैरव को ग्राभेल	„	50	50	50	
	(घ) खोला/खानीको स्थानीय ग्राभेल	„	45	45	45	
	(ड) Granular sub base material (Crosser run material size 63mm down ) ग्राभेल	„	60	60	60	
	(च) Base-course को लागि मिक्स सोलिड (WBM) गर्ने काय	घ.फि.	65	67	67	
	(छ) ढुंगाको धुलो (Stone dust)	घ.फि.	30	30	30	

## सिभिल कार्यहरू (Civil works )

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)बाहेक			कैफियत
			आ.व ०७३/०७४	आ.व ०७४/०७५	आ.व ०७५/०७६	
<b>8</b>	<b>सडक कालो पत्रे गर्ने कामको सामग्रीहरू</b>					
	i) ८०/१०० ग्रेडको विटुमीन	के.जी	68.00	67.60	74.62	
	ii)CRMB-DIGO 55 Bitumen	,,	77.00	72.90	75.82	
	iii) Packed bitumen emulsion को काम		-			
	छिटो जम्ने (RS 60%)	,,	64.00	63.00	67.82	
	छिटो जम्ने (RS 65%)	,,	68.00	66.80	71.72	
	छिटो जम्ने (RS 70%)	,,	72.00	70.50	75.62	
	मध्यम जम्ने (MS 60%)	,,	65.00	63.80	68.62	
	मध्यम जम्ने (MS 65%)	,,	70.00	63.80	72.62	
	ढीलो जम्ने (SS60%)	,,	66.00	68.50	69.82	
	Slurry Seal with 60% bitumen	,,	73.00	64.90	74.92	
	Hi - seal Redymix	,,			98.52	
	Polymer Bitumen	,,			109.52	
	iv) सडक कालोपत्रे गर्दा विटुमीन नउष्कीनको लागी प्रयोग गर्ने सामान Anti stripping	,,	323.50	323.50	328.02	
	v) कालोपत्रेमा विटुमीन कम प्रयोग गर्नको लागी राखिने Rubber Asphalt Modifier	,,	-	-		
	vi) कालोपत्रे सडक Pot hole टाल्नको लागी प्रयोग गरिने Pre-coated Aggregate सामग्री	,,	30	30.00	30.00	
	vii) कालोपत्रे सडकमा रेखांकन गर्न प्रयोग गरिने Therom Plastic Road marking सामग्री					
	a) B.S. Grade	के.जि	170	170	170	
	b) Most Grade	,,	188	188	188	
	c) Glass beads	,,	154	154	154	
<b>9</b>	<b>विभिन्न कम्पनीबाट उत्पादित सिमेन्टहरू</b>					
	नेपालबाट उत्पादित बिभिन्न ओ.पि.सि सिमेन्ट NS #49 ( प्रति बोरा ५० के.जि)	ब्याग	797.00	797.00	841.00	
	नेपालबाट उत्पादित बिभिन्न पि.पि.सि सिमेन्ट NS #385 ( प्रति बोरा ५० के.जि)	,,	765.00	715.00	743.00	
	(च) सेतो सिमेन्ट (40kg/bag)	,,	1055	1055	1118	
	छ) लोड अनलोड चार्ज	,,	10	10	10	
<b>10</b>	<b>Ready made Premix Concrete</b>					
	Panchakanya, MAW or equivalent					
	M 15	घ. मि	13205	13205	13865	
	M 20	,,	13725	13725	14411	
	M 25	,,	14375	14375	15094	
	M 30	,,	15240	15240	16002	

## सिभिल कार्यहरु (Civil works )

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT)बाहेक			कैफियत
			आ.व ०७३/०७४	आ.व ०७४/०७५	आ.व ०७५/०७६	
	M 35	”			17600	
	M 40	”			19000	
<b>11</b>	<b>फलामको डण्डीहरु :</b>					
	<b>(क) विभिन्न साइजका TMT Bar</b>					
	a) 8mm dia.	के.जी	72.00	76.00	83.60	
	b) 10-20mm dia.	”	69.00	73.00	80.30	
	c) 25-32mm dia.	”	72.00	76.00	83.60	
	<b>(ख) विभिन्न साइजको TOR Steel</b>					
	a) 8mm dia	”	75.00	77.85	85.64	
	b) 10-20mm dia.	”	74.00	76.85	84.54	
	c) 25-32mm dia.	”	76.00	79.35	87.29	
	<b>(ग) विभिन्न साइजका TORKARI Steel</b>					
	a) 4.75, 7 mm dia	”	75.00	77.65	85.42	
	<b>(घ) Binding Wire (डण्डी बाँध्नेतार)</b>	”	84.00	87.22	95.94	
<b>12</b>	<b>विभिन्न किसिमका काठहरु</b>					
	<b>काठ</b>					
	(क) ३' देखि ८' सम्मको सालकाठ	घ. फि	5500	5500	5500	
	(ख) ८' देखि १२' सम्मको सालकाठ	”	5700	5700	5700	
	(ग) १२ फिट देखि माथिको साल काठ	”	6300	6300	6300	
	(घ) साज काठ	”	2425	2425	2425	
	(ङ) जामुन काठ	”	2239	2419	2419	
	(च) सल्लाको काठ	”	1100	1100	1100	
	(छ) सिसौ काठ	”	2414	2608	2608	
	(ज) जंगली सिसौ काठ ,,	”	5529	5971	5971	
	भ) उतीस को काठ	”	623	673	673	
	(ञ) स्थानीय कुकाठ (फर्मा प्रयोजनको लागि Mixed wood)	घ. फि	1260	1260	1260	
	(ट) काठ दाउरा	के.जी	20	20	20	
	३८ मि.मि. मोटाईको केमिकल्ली ट्रिटेट मेसिनमेड वाटरप्रुफ, बोरर फि सोलीडकोर फ्लसडोर सटर					
<b>13</b>	<b>साधारण</b>					
	Plain	व.फि			235	
	Ordinary-one side teak water proof	व.फि			280	
	Both side teak water Proof	व.फि			325	
	<b>वाटर प्रुफ गरिएको</b>					
	Plain	व.फि			245	
	One side teak	व.फि			288	
	Both side teak	व.फि			333	
<b>14</b>	<b>कुँदिएको काठको काम तयारी</b>					
	i) भन्याङ्को रेलिङ तथा बार्दली आदिमा कुँदिएको स्थानीय सीसौ काठको हुक्का (2'-6"x3"x3")	गोटा	797	836	878	
	ii) भन्याङ्को रेलिङ तथा बार्दली आदिमा कुँदिएको जंगली स्पेशल सीसौ काठको हुक्का (2'-6"x3"x3")	”	869	912	958	

## सिभिल कार्यहरु (Civil works )

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT)बाहेक			कैफियत
			आ.व ०७३/०७४	आ.व ०७४/०७५	आ.व ०७५/०७६	
	iii) भन्ज्याङ्गको रेलिङ्ग तथा बार्दली आदिमा कुँदिएको सीसौ काठको हेण्ड रेल (3"x4")	र.फि.	724	760	760	
	iv) भन्ज्याङ्गको रेलिङ्गको घुम्ने ठाउँमा कुँदिएको सीसौ काठको गोलो हेण्ड रेल (3"x4")	गोटा	3186	3346	3346	
	v) देवी देवताको मुर्ति कुँदिएको ४' देखि ५' लामो (३"x ८") साल काठमा टुँडाल बनाउने काम	„	10139	10646	11177	
	vi) देवी देवताको मुर्ति कुँदिएको ६' देखि ७' लामो ( ३"x ८") साल काठमा टुँडाल बनाउने काम	„	11587	12166	12774	
	vii) विभिन्न बूट्टा तथा देवी देवताको मुर्ति कुँदिएको साल काठको भ्याल ढोका बनाउने काम (खापाको माटाई ४० मि.मि. देखि ५० मि.मि. सम्म )	व.फि.	2173	2281	2395	
	viii) घोडाको आकृति गरि कुँदिएको ४"x ५" साइजको ३' देखि ४' लामो साल काठको तयारी टुँडाल बनाउने काम	गोटा	5069	5323	5588	
	ix) सामान्य प्रकारको कुँदिएको सालको काठको आँखी भ्याल तयारी	व.फि.	724	760	798	
	x) मध्यम प्रकारको कुँदिएको सालको काठको आँखी भ्याल तयारी	„	1014	1065	1117	
	xi) विशेष प्रकारको कुँदिएको सालको काठको आँखी भ्याल तयारी लक सहीत	„	2173	2281	2395	
	विशेष प्रकारको कुँदिएको सालको काठको आँखी भ्याल तयारी लक नभएको	„	1376	1445	1516	
	xii) ३"x १.५" साइजको सालको काठको कुँदिएको पत्ती तयारी गर्ने काम	र.फि.	507	532	558	
	xiii) कुँदिएको विभिन्न बूट्टा राखी बनाएको साल काठको ४"x ५"को कार्नेस विम आदि तयारी गर्ने कार्य	„	869	912	958	
	xiv) ४"x ५"को साल काठको नाग बूट्टा कुँद तयारी गरी जडान गर्ने कार्य	„	724	760	798	
	<b>15 Wooden Parquet Flooring</b>					
	i)Shisam wood 150mm*30mm*8mm	व.फि.	174	174	183	
	ii)Wall panelling ( with wood frame) sisam wood. (75mm*16mm)	„	580	580	580	
	<b>16 विभिन्न मोटाईको प्लाइउडहरु</b>					
	<b>Commercial</b>					
	(क) ३ मी.मी	व.फि.	19	19	20	
	३.५ मी.मी.	„	22	22	23	
	(ख) ४ मी.मी	„	23	23	24	
	(ग) ६ मी.मी	„	37	37	39	
	(घ) ८ मी.मी	„	41	41	43	
	(ङ) १२ मी.मी	„	62	62	65	
	(च) १९ मी.मी B/B	„	90	90	95	
	छ) १८ मी.मी PLY	„	93	93	97	

## सिभिल कार्यहरू (Civil works )

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)बाहेक			कैफीयत
			आ.व ०७३/०७४	आ.व ०७४/०७५	आ.व ०७५/०७६	
	<b>P/F. Water Proof</b>					
	क) ४ मी.मी	व.फि	39	39	41	
	ख) ६ मी.मी	व.फि	53	53	56	
	ग) ८ मी.मी.	„	58	58	61	
	घ) ९ मी.मी.	„	64	64	67	
	(ङ)१२ मी.मी	„	74	74	77	
	च) १९ मी.मी PLY		121	121	127	
	छ) १९ मी.मी B/B	„	102	102	107	
	<b>Natural Teak Plywood</b>					
	<b>One side lamination</b>					
	(क) ३ मी .मी	व.फि	56	56	48	
	(ख) ४ मी. मी (Group Match of in 5 pcs)	„	74	74	69	
	४ मी. मी (Regular)	„	64	64	60	
	४ मी. मी (Crown)	„	43	43	43	
	४ मी. मी (Beri)	„	49	49	49	
	४ मी. मी (Whitest line)	„	39	39	39	
	४ मी. मी (Beach)	„	46	46	46	
	४ मी. मी (Recon 18 No.)	„	36	36	37	
	<b>DECORATIVE (THICKER)</b>					
	6 OST	व.फि	-	-	126	
	6 BST	„	-	-	160	
	9 OST	„	-	-	140	
	9 BST	„	-	-	173	
	12 OST	„	-	-	153	
	12 BST	„	-	-	187	
	19 B/B OST	„	-	-	165	
	19 B/B BST	„	-	-	200	
	18 OST	„	-	-	187	
	18 BST	व.फि	-	-	221	
<b>17</b>	<b>Ready made Door</b>					
	<b>38 mm th. Redimade solid core door shutter</b>					
	Plain	व.फि	226	226	226	
	One side teak	„	254	254	254	
	Both side teak	„	285	285	285	
	One side teak waterProof	„	278	278	278	
	Both side teak waterProof	„	308	308	308	
	<b>Ready made Teak wood Doors (Seasoned and Poisoned treated ) (excluding the cost of fitting, transportation, Painting)</b>					
	Readymade door shutter Recon, ordinary (1 side teak)	Sqft	178	178	178	
	Readymade door shutter Recon, Special (1 side teak)	„	241	241	241	



## सिभिल कार्यहरू (Civil works )

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)बाहेक			कैफियत
			आ.व ०७३/०७४	आ.व ०७४/०७५	आ.व ०७५/०७६	
	<b>If Oneside water proof ply fitting</b>					
	Readymade door shutter Recon, ordinary (1 side teak)	”	203	203	203	
	Readymade door shutter Recon, Special (1 side teak)	”	273	273	273	
	<b>Wooden Listy</b>					
	1/2" wide	र.फि.	14	14	14	
	3/4" wide	”	17	17	17	
	1.5" wide	”	28	28	28	
	Decorative	”	39	39	39	
	<b>Infill Material Shera or equivalent</b>					
	Frame C - Studs( 0.55mm*0.75mm*3m)	गोटा	418	418	418	
	Frame U - Studs( 0.55mm*0.75mm*3m)	”	418	418	418	
	Board 9 mm	”	2450	2450	2450	
	Fiber mess tape (for 90mm/roll)	”	330	330	330	
	PU sasuage rod	”	1980	1980	1980	
<b>18</b>	<b>Prelaminated Particle Board</b>					
	<b>Plain Particle Board (Exteriors Grade)</b>					
	(क) ९ मी .मी	व.फि	36	36	38	
	(ख) १२ मी. मी.	”	40	40	43	
	(ग) १८ मी.मी.	”	52	52	55	
	(घ) २५ मी.मी	”	69	69	74	
	<b>One side lamination Melamined faced (Exteriors Grade)</b>					
	(क) ९ मी .मी	व.फि	72	72	77	
	(ख) १२ मी. मी.	”	81	81	86	
	(ग) १८ मी.मी.	”	95	95	102	
	(घ) २५ मी.मी	”	123	123	132	
	<b>Both side lamination Melamined faced (Exteriors Grade)</b>					
	(क) ९ मी .मी	व.फि	81	81	84	
	(ख) १२ मी. मी.	”	92	92	96	
	(ग) १८ मी.मी.	”	107	107	111	
	(घ) २५ मी.मी	”	135	135	140	
	<b>Plain Particle Board (Interiors Grade)</b>					
	(क) ९ मी .मी	व.फि	27	27	28	
	(ख) १२ मी. मी.	”	30	30	31	
	(ग) १८ मी.मी.	”	44	44	46	
	(घ) २५ मी.मी	”	58	58	60	
	<b>One side lamination Melamined faced (Interiors Grade)</b>					
	(क) ३ मी .मी	व.फि	39	39	40	

## सिभिल कार्यहरू (Civil works )

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)बाहेक			कैफियत
			आ.व ०७३/०७४	आ.व ०७४/०७५	आ.व ०७५/०७६	
	(ख) ६ मी .मी	”	55	55	58	
	(ग) ९ मी .मी	”	63	63	66	
	(घ) १२ मी. मी.	”	72	72	75	
	(ङ) १८ मी.मी.	”	83	83	87	
	(च) २५ मी.मी	”	104	104	108	
	<b>Both side lamination Melaminated faced (Interiors Grade)</b>					
	(क) ३ मी .मी	व.फि	44	44	46	
	(ख) ६ मी .मी	”	60	60	62	
	(ग) ९ मी .मी	”	72	72	74	
	<b>One side lamination Melaminated faced (Interiors Grade)MDF</b>					
	(क) ३ मी .मी	व.फि	45	45	47	
	(ख) ४ मी .मी	”	51	51	53	
	(ग) ६ मी .मी	”	63	63	65	
	(घ) ९ मी .मी	”	83	83	86	
	(ङ.) १२ मी .मी	”	92	92	96	
	(च) १८ मी .मी	”	119	119	124	
	(छ)२५ मी .मी	”	164	164	170	
	<b>Both side lamination Melaminated faced (Interiors Grade)MDF Century &amp; equivalent</b>					
	(क) ३ मी .मी	व.फि	51	51	53	
	(ख) ४ मी .मी	”	57	57	59	
	(ग) ६ मी .मी	”	70	70	73	
	(घ) ९ मी .मी	”	89	89	92	
	(ङ.) १२ मी .मी	”	98	98	102	
	(च) १८ मी .मी	”	124	124	129	
	(छ)२५ मी .मी	”	168	168	175	
	<b>Alstone Hybrid Board (WPC Board) Century &amp; equivalent</b>					
	(क) ६ मी .मी ( १२२० X २४४० )	व.फि	163	163	170	
	(ख) १२ मी .मी	”	261	261	271	
	(ग) १८ मी .मी	”	395	395	411	
	<b>Other HardBoard/ Sunmica &amp; 19 Formaica)</b>					
	(क) सनमाईका (4' X 8')	पाता	472	472	486	
	(ख) फोरमाईका	व.फि	73	73	75	
	(ग) हार्डबोर्ड (Hard board) 12 mm thick	”	42	42	44	
	<b>Alstone Hybrid Board</b>					

## सिभिल कार्यहरु (Civil works )

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT)बाहेक			कैफियत
			आ.व ०७३/०७४	आ.व ०७४/०७५	आ.व ०७५/०७६	
	४ मी.मी बाक्लो ज्यदचष्म चयबचम १ध्त्र चयबचम०	व.फि			84	
	(क) ६ मी .मी size ( 1220*2440) mm	व.फि	158	158	120	
	(ख) १२ मी .मी size ( 1221*2440) mm	"	298	298	221	
	(ग)१८ मी .मी size ( 1222*2440) mm	"	415	415	305	
	६ मी.मी बाक्लो Hybrid Board (WPC Art Jali)	व.फि			370	
	१२ मी.मी बाक्लो Hybrid Board (WPC Art Jali)	व.फि			553	
	१८ मी.मी बाक्लो Hybrid Board (WPC Art Jali)	व.फि			713	
	WPC door framme 100*50 mm upto ht 7 ft	व.फि			380	
	WPC door shutter 30 mm th. (7*3) size	व.फि			540	
	18 mm th. WPC OLIGO (colour)	व.फि			575	
	<b>Alstone Hybrid Board (WPC Board) ,</b> Rucca Eco-Wood, Femiuha, Century & equivalent					
	६ मी .मी size ( 1220*2440) mm	व.फि			168	
	१२ मी .मी size ( 1221*2440) mm	व.फि			319	
	१८ मी .मी size ( 1222*2440) mm	व.फि			444	
	<b>Fiber cement board (infield wall 8+75+8)</b>	ब.मि				
	3.2 MM (2'x2')	व.फि.			26	
	3.2 MM (4'x8')	व.फि.			28	
	3.5 MM (4'x8')	व.फि.			32	
	4MM (4'x8')	व.फि.			33	
	6MM (4'x8')	व.फि.			47	
	8MM (4'x8')	व.फि.			63	
	9MM (4'x8')	व.फि.			71	
	10MM (4'x8')	व.फि.			80	
	12MM (4'x8')	व.फि.			89	
	<b>Fiber Cement Board</b>					
	8MM (3"x9'-10") 9'-10"Rft	व.फि.			32	
	8MM (6"x9'-10") 9'-10"Rft	व.फि.			50	
	8MM (8"x9'-10") 9'-10"Rft	व.फि.			68	
	Fiber cement board (infield wall 10+75+10)	ब.मि			6370	
	Vinyl Laminated gypsum ceiling board (7 mm thick)	व.फि.			90	
<b>20</b>	<b>Iron Square Pipe/Black Pipe/Channel/ Angle/I-Beam/Black Sheet/MS Plate</b>					
	i) Iron Square Pipe	के.जी	79	79	70	
	ii) विभिन्न साइजको MS Angle	"	85	85	81	
	iii) विभिन्न साइजको Black Pipe	"	79	79	81	
	iv) विभिन्न साइजको Channel	"	86	86	83	
	v) विभिन्न साइजको I-Beam	"	87	87	82	

## सिभिल कार्यहरू (Civil works )

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)बाहेक			कैफियत
			आ.व ०७३/०७४	आ.व ०७४/०७५	आ.व ०७५/०७६	
	vi) विभिन्न साइजको MS plate	”	84	84	88	
	vii) विभिन्न साइजको MS Square solid bar up to 16mm	के.जी	85	85	85	
	viii) विभिन्न मोटाइको Black sheet	”	79	79	83	
<b>21</b>	<b>G.I. Wire</b>					
	<b>i) 8 gauge</b>					
	a) light class	के.जी	-			
	b) medium class	”	88	88	92	
	c) heavy duty	”	93	93	98	
	d)Comercial wire	”	83	83	87	
	<b>ii) 10 gauge</b>					
	a) light class	के.जी	-	-		
	b) medium class	”	88	88	92	
	c) heavy duty	”	93	93	98	
	d)Comercial wire	”	83	83	87	
	<b>iii) 12 gauge</b>					
	a) light class	के.जी	-	-		
	b) medium class	”	88	88	92	
	c) heavy duty	”	93	93	98	
	d)Comercial wire	”	83	83	87	
<b>22</b>	<b>मेशिनबाट बुनिएका, Mechanically selvedged double Twist wire mesh को गेवियन वाकस तयारी</b>					
	मेशिनबाट बुनिएका, Mechanically selvedged double Twist wire mesh को हेवि जिङ्ग कोटेड तयारी गेवियन वाकस mesh size-100x120mm , mesh wire-3.0 mm , selvedge wire-3.9mm and lacing wire-2.4mm	व.मि.			220	
	मेशिनबाट बुनिएका, Mechanically selvedged double Twist wire mesh को हेवि जिङ्ग कोटेड तयारी गेवियन वाकस mesh size-60x80mm , mesh wire-2.2 mm , selvedge wire-2.7mm and lacing wire-2.2mm	व.मि.			254	
	मेशिनबाट बुनिएका, Mechanically selvedged double Twist wire mesh को हेवि जिङ्ग र पि.भि.सि.कोटेड तयारी गेवियन वाकस mesh size-60x80mm , mesh wire-2.2 mm , selvedge wire-2.7mm and lacing wire-2.2mm	व.मि.			415	
	मेशिनबाट बुनिएका, Mechanically selvedged double Twist wire mesh को हेवि जिङ्ग र पि.भि.सि.कोटेड तयारी जम्बो गेवियन वाकस mesh size-100x120mm , mesh wire-3.0 mm , selvedge wire-3.9mm and lacing wire-2.4mm	व.मि.			274	

## सिभिल कार्यहरू (Civil works )

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)बाहेक			कैफियत
			आ.व ०७३/०७४	आ.व ०७४/०७५	आ.व ०७५/०७६	
	मेथिनबाट बुनिएका, Mechanically selvedged double Twist wire mesh को हेवि जिङ्ग र पि.भि.सि.कोटेड तयारी जम्बो गेवियन वाकस mesh size-100x120mm , mesh wire-2.70mm , selvedge wire-3.40 mm and lacing wire-2.20mm	व.मि.			247	
<b>23</b>	<b>Barbed Wire (काँढेतार)</b>					
	12 guage commercial,Medium duty	के.जी	95	95	97	
	U-hook for barbed wire fencing	गोटा	0.74	0.74	0.75	
	<b>Fabrication of chain link mesh of size</b>					
	1"x1" 12 guage	वर्ग मी.	697	697	697	
	1.5"x1.5" 12 guage	"	652	652	652	
	2"x2" 10 guage	"	517	517	517	
	3"x3" 10 guage	"	423	423	423	
	4"x4" 10 guage	"	337	337	337	
<b>24</b>	<b>सादा तथा रंगिन जस्ता पाता (Plain/Corrugated Galvanized/Colour Iron Sheet)</b>					
	<b>(क) सेतो सादा जस्तापाता (G P Sheet)</b>					
	0.2 mm (30 guage light)	वण्डल	3708	3708	4078	
	0.22 mm (30 guage Medium)	"	4062	4062	4468	
	0.24 mm (30 guage Heavy)	"	4336	4336	4769	
	0.26 mm (28 guage light)	"	4566	4566	5023	
	0.28 mm (28 guage Medium)	"	4867	4867	5353	
	0.31 mm (28 guage Heavy)	"	5319	5319	5850	
	0.35 mm (26 guage light)	"	5894	5894	6483	
	0.38 mm (26 guage Medium)	"	6186	6186	6804	
	0.41 mm (26 guage Heavy)	"	6779	6779	7456	
	0.45 mm (24 guage light)	"	7354	7354	8089	
	0.50 mm (24 guage Medium)	"	8088	8088	8897	
	0.52 mm (24 guage Heavy)	"	8372	8372	9208	
	0.75 mm	"	12018	12018	13219	
	<b>(ख) रंगिन जस्तापाता</b>					
	0.2 mm (30 guage light)	वण्डल	4867	4867	5353	
	0.22 mm (30 guage Medium)	"	5186	5186	5704	
	0.24 mm (30 guage Heavy)	"	5487	5487	6035	
	0.26 mm (28 guage light)	"	5779	5779	6356	
	0.28 mm (28 guage Medium)	"	6115	6115	6726	
	0.31 mm (28 guage Heavy)	"	6575	6575	7232	
	0.35 mm (26 guage light)	"	7265	7265	7992	

## सिभिल कार्यहरू (Civil works )

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)बाहेक			कैफियत
			आ.व ०७३/०७४	आ.व ०७४/०७५	आ.व ०७५/०७६	
	0.38 mm (26 guage Medium)	„	7628	7628	8391	
	0.41 mm (26 guage Heavy)	„	8257	8257	9082	
	0.45 mm (24 guage light)	„	8858	8858	9744	
	0.50 mm (24 guage Medium)	„	9628	9628	10591	
	0.52 mm (24 guage Heavy)	„	9956	9956	10951	
	0.75 mm	„	13973	13973	15370	
	<b>(ग) ग्याल्भानाइज्ड कोरुगेटेड जस्तापाता (CG I Sheet)</b>					
	0.2 mm (30 guage light)	वण्डल	3708	3708	4078	
	0.22 mm (30 guage Medium)	„	4018	4018	4419	
	0.24 mm (30 guage Heavy)	„	4292	4292	4721	
	0.26 mm (28 guage light)	„	4513	4513	4964	
	0.28 mm (28 guage Medium)	„	4814	4814	5295	
	0.31 mm (28 guage Heavy)	„	5265	5265	5792	
	0.35 mm (26 guage light)	„	5850	5850	6434	
	0.38 mm (26 guage Medium)	„	6142	6142	6755	
	0.41 mm (26 guage Heavy)	„	6726	6726	7398	
	0.45 mm (24 guage light)	„	7301	7301	8030	
	0.50 mm (24 guage Medium)	„	8035	8035	8838	
	0.52 mm (24 guage Heavy)	„	8319	8319	9150	
	0.75 mm	„	12018	12018	13219	
	<b>(घ)जस्ता पाता को धुरी (Ridge Cover) Specified thickness are thickness of base metal.</b>					
	0.20 mm	वण्डल	1265	1265	1392	
	0.22 mm	„	1381	1381	1518	
	0.24 mm	„	1469	1469	1615	
	0.26 mm	„	1540	1540	1693	
	0.28 mm	„	1646	1646	1810	
	0.31 mm	„	1788	1788	1966	
	0.35 mm	„	1982	1982	2180	
	0.38 mm	„	2080	2080	2287	
	0.41 mm	„	2274	2274	2501	
	<b>(ङ) ४ फिट * ८ फिट को जि.आई. प्लेन सिट</b>					
	1.1 mm	पिस	2566	2566	2823	
	0.90 mm	„	2124	2124	2336	
	0.80 mm	„	1920	1920	2112	
	0.75 mm	„	1805	1805	1985	

## सिभिल कार्यहरू (Civil works )

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)बाहेक			कैफियत
			आ.व ०७३/०७४	आ.व ०७४/०७५	आ.व ०७५/०७६	
	0.70 mm	„	1681	1681	1849	
	0.62 mm	„	1504	1504	1654	
	0.55 mm	„	1354	1354	1489	
	0.50 mm	„	1230	1230	1353	
	0.48 mm	„	1186	1186	1304	
	0.45 mm	„	1124	1124	1236	
	0.40 mm	„	1009	1009	1109	
	0.37 mm	„	938	938	1031	
	0.35 mm	„	894	894	983	
	0.30 mm	„	788	788	866	
	0.28 mm	„	743	743	817	
	<b>च)४ फिट * ८ फिट को रङ्गिन प्लेन सिट</b>					
	0.90 mm	पिस	2336	2336	2569	
	0.80 mm	„	2115	2115	2326	
	0.75 mm	„	2018	2018	2219	
	0.70 mm	„	1920	1920	2112	
	0.62 mm	„	1726	1726	1898	
	0.55 mm	„	1558	1558	1713	
	0.50 mm	„	1434	1434	1576	
	0.48 mm	„	1363	1363	1499	
	0.45 mm	„	1319	1319	1450	
	0.42mm	„			1513	
	0.40 mm	„	1204	1204	1323	
	0.37 mm	„	1115	1115	1226	
	0.35 mm	„	1071	1071	1177	
	0.30 mm	„	947	947	1041	
	0.28 mm	„	903	903	992	
	<b>GI EXPANDED METAL MESH</b>					
	1.20 mm मोटाई र 3' चौडाई भएको जाली	र.मि.	115	115	121	
	1.20 mm मोटाई र 4' चौडाई भएको जाली	„	159	159	167	
	1.00 mm मोटाई र 3' चौडाई भएको जाली	„	97	97	102	
	1.00 mm मोटाई र 4' चौडाई भएको जाली	„	133	133	139	
	0.90 mm मोटाई र 3' चौडाई भएको जाली	„	88	88	93	
	0.90 mm मोटाई र 4' चौडाई भएको जाली	„	398	398	159	
<b>25</b>	<b>UPVC Roofing Sheet Sunrise or Equivalent brand (3mm thick )</b>					

## सिभिल कार्यहरू (Civil works )

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)बाहेक			कैफियत
			आ.व ०७३/०७४	आ.व ०७४/०७५	आ.व ०७५/०७६	
	UPVC Roofing Sheet with PMMA coating & Mesh ( Regular )	व.मि.	1398	1398	1506	
	UPVC Roofing Sheet with PMMA coating & Mesh ( Tile )	„	1452	1452	1200	
	Ridge cover Regular Profile 1.10 R.m.	र.मि.	1250	1250	1313	
	Ridge cover Tile Profile 0.78 R.m.	„	1250	1250	1313	
	UPVC Clip	गोटा	25	25	26	
	self tapping screw 3"	„	25	25	26	
	self tapping screw 2.5"	„	10	10	11	
	self tapping screw 2"	„	10	10	11	
	self tapping screw 1.5"	„	8	8	8.5	
	<b>Eco-UPVC Roofing Sheet (Ultra Modern Technology )</b>					
	Corrugated sheets(2mm)	व.फि.			66	
	Corrugated ridge (2mm) (3'*1.4')	गोटा			745	
	Corrugated ridge side(2mm)(3'*1.4')	गोटा			448	
	Spanish tile without fiber mesh(3mm)	व.फि.			102	
	Spanish tile with fiber mesh(3mm)	व.फि.			111	
	Spanish ridge(3mm)(3'*1.4')	गोटा			1343	
	Spanish ridge side(3mm)	गोटा			745	
	Spanish tile tripod(3mm)	गोटा			996	
	Clip Set	गोटा			9	
<b>26</b>	<b>एल्युमिनियम प्लेन सिट</b>					
	(क) २६ गेज	व.फि.	28	28	29	
	(ख) ३० गेज	„	26	26	27	
<b>27</b>	<b>विभिन्न प्रकारको जालीहरू (Netting)</b>					
	(क) मसिनो खालको Mosquito proof जाली	व.मी	116	116	116	
	(ख) बालुवा चाल्ने जाली	„	121	121	121	
	(ग) कुखुरे जाली (Chicken wire mesh)	„	74	74	74	
	(घ) ब्रास क्रसिङ्ग जाली	„	189	189	189	
	ड. स्टील जाली (crossing )	„	152	152	152	
	च मसिनो खालको steel Mosquito proof जाली	„	263	263	263	
<b>28</b>	<b>फलामबाट निर्मित सामानहरू</b>					
a	M.S. Grill बनाई जडान गर्ने काम	के.जी	140	140	140	
b	कोल्याप्सीबल गेट बनाई जडान गर्ने	व.फि.	500	500	500	
c	१६-१८ गेजको फलामे रोलिङ्ग सटर बनाई जडान गर्ने	व.फि.	350	350	350	
d	फलामे रोलिङ्ग सटर १६-१८ गेज जडान सहित स्टीप सटर प्वाल भएको	„	440	440	440	
e	फलामे रोलिङ्ग सटर डण्डी प्रयोग गरी बनाइको साथै जडान गर्ने समेत	„	500	500	500	



## सिभिल कार्यहरू (Civil works )

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)बाहेक			कैफियत
			आ.व ०७३/०७४	आ.व ०७४/०७५	आ.व ०७५/०७६	
f	१६ गेज पातावाट कम्पाउण्ड वालको गेट बनाई जडान गर्ने (५० X ५०X ५ mm) को फ्रेम समेत)	„	650	650	650	
g	३“-४“ व्यासको Iron Black Pipeमा एङ्गल र पट्टि राखी खुडकिला सहितको घुम्ने भन्ज्याङ्ग (Spiral Staircase)तयार गरी जडान समेत (भन्ज्याङ्गको नापी गर्दा floor to floor height लिने)	र.फि.	3050	3050	3050	
h	फलामे सामग्रीको फेब्रिवेशन तथा जडान कार्य	के.जी.	45	45	45	
i	All type of general MS structural works	व.फी.	170	170	170	
j	Truss & roofing works Plain sheet 26 gauge	„	200	200	200	
k	Truss & roofing works colour sheet 26 gauge	„	235	235	235	
l	Black Pipe Tubular Truss fitting & fixing work	के.जी.	190	190	190	
m	Mild Steel Props for Concreting 2" dia 3.5 mm thick 3.5 m- 4.0 m length	गोटा	1940	1940	1940	
n	Steel Structural (Light guage ) frame work for building ( as 90mm X 38mm wide SS C C-channel , 0.55mm thick , weight per square feet 2 kg with fabrication rebet,screw erection fitting and essembly charges ) all complete work Panchakanya or equivalent company	व.फि.	770	770	770	
<b>29</b>	<b>Glass सीसा</b>					
	<b>Plain सादा (सेतो)</b>					
	(क) ३ मी.मी.	व.फि.	50	50	50	
	(क१) ३.५ मी.मी.	व.फि.	56	56	56	
	(ख) ४ मी.मी.	व.फि.	64	64	65	
	(ग) ५ मी.मी.	„	86	86	86	
	(घ) ६ मी.मी.	„	100	100	100	
	(ङ) ८ मी.मी.	„	168	168	168	
	१० मी.मी.	„			190	
	१२ मी.मी.	„			220	
	<b>Printed Glass (बुट्टेदार सिसा)</b>					
	(क) ३ मी.मी.	„	46	46	48.41	
	(ख) ४ मी.मी " "	„	53	53	56.65	
	<b>Poly Fibre Glass</b>					
	(क) ०६ मी.मी.	„	146	146	154.50	
	<b>Black Color Glass</b>					
	(क) ३ मी.मी.	व.फि.	86	86	91	
	(ख) ४ मी.मी.	„	93	93	98	

## सिभिल कार्यहरू (Civil works )

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)बाहेक			कैफियत
			आ.व ०७३/०७४	आ.व ०७४/०७५	आ.व ०७५/०७६	
	(ग) ५ मी.मी.	"	106	106	112	
	(घ) ६ मी.मी.	"	146	146	153	
	(ङ) ८ मी.मी.	"	213	213	223	
	(च) १० मी.मी	"	305	305	321	
	(छ) १२ मी.मी	"	345	345	363	
	<b>Tinted Float glass बाहिर बाट नदेखिने भित्रबाट देखिने</b>					
	(क) ५ मि.मि बाक्लो	व.फि.	104	104	109	
	<b>छानामा प्रयोग गरिने बुट्टेदार ऐना Itching Glass with simple shade and texture</b>					
	(क) ४ मी.मी. बाक्लो	व.मि.	5585	5585	5865	
	<b>विभिन्न रंगको Reflector Glass (शिशा)</b>					
	५ मी.मी मोटो	व.फि.	166	166	174	
	Note: ४ फिट * ८ फिट भन्दा बढी साइजको सिसा भएमा ५० % थप रकम लाग्ने छ।					
	<b>Corrugated/Plain Fiber Glass</b>					
<b>30</b>	<b>Sheet</b>					
	(क) ०.८ मी. मी. मोटो प्लेन	व.फि.	109	109	115	
	०.८ मी. मी. मोटो कोरोगेटेड	व.फि.	121	121	127	
	(ख) १.२ मी.मी. मोटो प्लेन	"	121	121	127	
	१.२ मी.मी. मोटो कोरोगेटेड	"	139	139	146	
	(ग) २ मी.मी. मोटो प्लेन	"	206	206	216	
	२ मी.मी. मोटो कोरोगेटेड	"	243	243	255	
	(घ) ३ मी. मी. मोटो प्लेन	"	279	279	293	
	३ मी. मी. मोटो कोरोगेटेड		364	364	382	
	<b>ASP Corrugated roofingSheet (L-6,8,10,12,14,16,18 ft W-3ft</b>					
	Corrugated steel Sheet-Thickness-1.mm , Weight-5.5Kg/sqm)	व.मिटर			1076	
	Ridge Cover corrugated	र.मिटर			1550	
	Self tapping screw 75mm with clip set	गोटा			20	
	विभिन्न साइजको जे-हुक, यु-हुक	केजी			137	
	२" साइज रुफिङ्ग नेल्स	गोटा			7	
	३" साइज रुफिङ्ग नेल्स	गोटा			10	
	(ङ) Fiber Glass छानाको लागि Alumunium strip (25 mm x 1.5 mm)	Rm	67	67	67	
	(च) Fiber Glass छानाको लागि Ribet nut	no.	7	7	7	
<b>31</b>	<b>भ्याल ढोकामा लाग्ने Fixture हरू</b>					
	<b>Iron बाट बनेका</b>					
	<b>Hinge (कब्जा)</b>					
	(क) ३" साइज	गोटा	15	15	15	

## सिभिल कार्यहरू (Civil works )

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)बाहेक			कैफियत
			आ.व ०७३/०७४	आ.व ०७४/०७५	आ.व ०७५/०७६	
	(ख) ४" साइज	"	27	27	28	
	(ग) ५" साइज	"	42	42	43	
	(घ) ६" साइज	"	55	55	56	
	<b>Locking Set (L-drop)</b>					
	300 mm	गोटा	252	252	260	
	225 mm	"	221	221	227	
	150 mm	"	189	189	195	
	<b>Aluminum बाट बनेका</b>					
	<b>Towerbolt (छेस्कीनी)</b>					
	(क) ३" लामो	गोटा	20	20	20	
	(ख) ४" लामो	"	39	39	40	
	(ग) ६" लामो	"	65	65	67	
	(घ) ८" लामो	"	78	78	80	
	(ङ) १०" लामो	"	91	91	94	
	(च) १२" लामो	"	103	103	107	
	<b>Handle (हतकल)</b>					
	Ordinary	गोटा	31	31	32	
	Special	"	46	46	47	
	<b>Brass बाट बनेका</b>					
	<b>Hinge (कब्जा)</b>					
	2"× 1/2"	गोटा	61	61	63	
	2 1/2× 3/4"	"	69	69	71	
	3" × 3/4"	"	84	84	87	
	2" × 3/4"	"	69	69	71	
	2 1/2"× 3/4"	"	77	77	79	
	3"× 3/4"	"	84	84	87	
	3"× 1"	"	184	184	189	
	4"× 1"	"	276	276	284	
	5"× 1"	"	368	368	379	
	6"× 1"	"	444	444	458	
	<b>Towerbolt (छेस्कीनी)</b>					
	(क) ३" लामो	गोटा	138	138	142	
	(ख) ४" लामो	"	184	184	189	
	(ग) ६" लामो	"	276	276	284	
	(घ) ८" लामो	"	368	368	379	
	(ङ) १०" लामो	"	459	459	473	
	(च) १२" लामो	"	551	551	568	
	<b>Handle (हतकल)</b>					
	6" Brass handle	गोटा	146	146	150	

## सिभिल कार्यहरु (Civil works )

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT)बाहेक			कैफियत
			आ.व ०७३/०७४	आ.व ०७४/०७५	आ.व ०७५/०७६	
	8" Brass handle	"	444	444	458	
	10" Brass handle	"	919	919	947	
	Brass 5"	"	138	138	142	
	Brass 6"	"	214	214	221	
	<b>Locking Set (L-drop)</b>					
	(क) ८" लामो	गोटा	919	919	947	
	(ख) १०" लामो	"	1516	1516	1562	
	(ग) १२" लामो	"	1685	1685	1735	
	<b>Special Fittings</b>					
	<b>एल ड्रप :-</b>					
	८" लामो .....	गोटा	1031	1031	1062	
	१०" लामो .....	"	1164	1164	1199	
	१२" लामो .....	"	1212	1212	1249	
	<b>ह्याण्डल :-</b>					
	८" लामो .....	"	1212	1212	1249	
	<b>टावर बोल्ट :-</b>					
	६" लामो .....	"	218	218	225	
	८" लामो .....	"	291	291	300	
	१०" लामो .....	"	364	364	375	
	<b>डबल कलर (गोल्ड सिल्भर/ब्ल्याक सिल्भर)</b>					
	<b>एल ड्रप :-</b>					
	८" लामो .....	गोटा	866	866	892	
	१०" लामो .....	"	1097	1097	1130	
	१२" लामो .....	"	1212	1212	1249	
	<b>ह्याण्डल :-</b>					
	६" लामो .....	"	243	243	250	
	८" लामो .....	"	364	364	375	
	<b>Mortice Lock</b>					
	Ordinary	गोटा	606	606	625	
	Chinese	"	404	404	416	
	Indian Godrej Company	"	2483	2483	2557	
	Brass		1097	1097	1130	
	<b>Door Spring (Door Closer)</b>					
	Ordinary	गोटा	173	173	178	
	hydraulic	"	1819	1819	1874	
	Other Door/Windows fixtures					
	<b>Window I-hook</b>	गोटा	18	18	18	
	<b>Gate Hook</b>					

## सिभिल कार्यहरू (Civil works )

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)बाहेक			कैफियत
			आ.व ०७३/०७४	आ.व ०७४/०७५	आ.व ०७५/०७६	
	4" Gate hook	गोटा	30	30	31	
	5" Gate hook	"	34	34	35	
	6" Gate hook	"	41	41	42	
	Brass Gate hook		73	73	75	
	<b>Door stopper</b>					
	Diamond	गोटा				
	Butterfly	"	144	144	148	
	Bell catch 2" size	"	190	190	196	
	C.P. handle	"	413	413	425	
	Power coated handle	"	394	394	406	
	Brass coated handle	"	849	849	874	
	Door stopper, single brass stopper	सेट	97	97	100	
	Door stopper double brass stopper	"	173	173	178	
<b>32</b>	<b>बिबिध सामग्रीहरू</b>					
	Hold fast different sizes (7 nos./Kg.)	के.जी.	121	121	125	
	Nails (different sizes)	के.जी.	109	109	112	
	सालका काठको खाधान्न राख्ने पुराना तख्ता(पुनः प्रयोग हुने)	घ.फि.	700	700	700	
	कवाडी फलामे सामानहरू(बन्चरो,घन,छिन्ता आदि फलामे सामान)	के.जी.	25	25	25	
	प्रयोग गर्न नसकिने पुराना मेसीन(टाइपराइटर, डीलीड मेसीन,डीलीड विट)	के.जी.	20	20	20	
	Nut and Bolts	गोटा	28	28	28	
	Nut and Bolts (different sizes)	के.जी.	160	160	165	
	Sandpaper (खान्सी)	गोटा	6	6	6	
	विभिन्न साईजको जे-हुक, यु-हुक	के.जी.	133	133	133	
	२" साइज रुफिङ्ग नेल्स	गोटा	7	7	7	
	३" साइज रुफिङ्ग नेल्स	"	9	9	9	
	<b>Screw Brass</b>					
	20mm	गोटा	2	2	2	
	25mm	"	3	3	3	
	35mm	"	4	4	4	
	50mm	"	12	12	12	
	75mm	"	15	15	15	
	<b>Screw Steel</b>					
	20mm	"	1	1	1	
	25mm	"	2	2	2	
	35mm	"	2	2	2	
	50mm	"	7	7	7	

## सिभिल कार्यहरू (Civil works )

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)बाहेक			कैफियत
			आ.व ०७३/०७४	आ.व ०७४/०७५	आ.व ०७५/०७६	
	75mm	"	7	7	7	
	विटुमीन वासर	गोटा	3	3	3	
	Roofing bitumen (रुफिङ्ग अलकत्रा)	के.जी.	90	90	90	
	५०० गेज प्लाष्टिक सिट	व.मी.	30	30	31	
	ISI Mark Trafelt (२०मी. × १मी.)	रोल	2400	2400	2400	
	Plasticfelt (२०मी. × १मी.)	"	2250	2250	2355	
	१८-२० फिट लामो बाँस	गोटा	198	198	210	
	मैन पालिस	के.जि.	200	200	210	
	अक्रालिक एसिड	"	115	115	118	
	जुट वा पोलिथिनको खाली बोरा	गोटा	17	17	17	
	माटो	घ.मि.	260.00	260.00	267.00	
	सबग्रेडमा राख्ने माटो(In Capping layer Granular soil)	घ.मि.	450.00	450.00	463.00	
	भुस	के.जि.	5.00	5.00	5.00	
	गोवर	"	4.80	4.80	5.00	
	Staircase को 3/4" x 3/4" square pipe मा लगाउने Brass cap	गोटा	90.00	90.00	92.70	
	Staircase को 1" x 1" square pipe मा लगाउने Brass cap	गोटा	95.00	95.00	97.85	
	Tarpoline sheet (तारपोलिन सिट)	व.फि.	9.00	9.00	9.00	
	Water (पानी)					
	३ कि.मी. सम्म को दुरीमा	लिट्र	0.25	0.25	0.25	
	३ कि.मी. देखि माथीको दुरीमा	लिट्र	0.30	0.30	0.30	
<b>33</b>	<b>स्टेनलेस स्टील पाइप (257/kg)</b>					
	३/४" व्यास भएको १६ गेज मोटाई	मी.	189	189	194	
	१" व्यास भएको १६ गेज मोटाई	"	236	236	243	
	१ १/४" व्यास भएको १६ गेज मोटाई	"	300	300	310	
	१ १/२" व्यास भएको १६ गेज मोटाई	"	365	365	376	
	२" व्यास भएको १६ गेज मोटाई	"	493	493	508	
	स्टील रेलिड. steel Raling को बार लगाउने कार्य(२ इन्च पाईपको vertical post & Hand rail तथा १ इन्च व्यासको तीन तह Horizontal pipe )	र.फी.	1250	1313	1313	
	स्टेनलेस स्टील रेलिडको कार्य-२ इन्च पाईपको ठाडो पोष्ट, हेण्डरेल २ इन्च तथा १ इन्च व्यासको दुई तह तेसाँ पाईप राखी तयार गरि जडान गर्ने काम	र.फी.			1050	
	स्टेनलेस स्टील रेलिडको कार्य- १.५ इन्च पाईपको ठाडो पोष्ट, हेण्डरेल २ इन्च तथा १ इन्च व्यासको तिन तह तेसाँ पाईप राखी तयार गरि जडान गर्ने काम	र.फी.			950	

## सिभिल कार्यहरु (Civil works )

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT)बाहेक			कैफियत
			आ.व ०७३/०७४	आ.व ०७४/०७५	आ.व ०७५/०७६	
<b>34</b>	<b>मार्बल चिप्स</b>					
	(क) सेतो रंगको मार्बल चिप्स (२५ के.जि. प्रति बोरा)	बोरा	165	165	165	
	(ख) रंगीन मार्बल चिप्स (२५ के.जि.) प्रति बोरा	"	165	165	165	
	(ग) क्रेजी मार्बल (६ वर्ग फिट प्रति बोरा)	"	176	176	176	
	(घ) मार्बल पाउडर (२५ के.जि. प्रति बोरा)	"	149	149	149	
<b>35</b>	<b>मार्बल (Marble)</b>					
	<b>राजस्थानी मार्बल</b>					
	१३ मी.मी बाक्लो राजस्थानी	व.फि.	153	153	160	
	१६ मी.मी बाक्लो राजस्थानी	"	159	159	175	
	<b>ग्रेनाइट</b>					
	१२ मी.मी बाक्लो ग्रेनाइट	"	289	289	289	
	१६ मी.मी बाक्लो ग्रेनाइट	व.फि.	295	295	310	
	१९ मी.मी बाक्लो ग्रेनाइट	व.फि.	336	336	352	
	<b>Kota Stone</b>					
	1" thick	व.फि.	138	138	142	
	3/4" thick	व.फि.	127	127	130	
	Sand stone ( for rubbing Marble )	गोटा	70	70	72	
<b>36</b>	<b>Porcelain Glazed/Terrazo Mosaic Tiles</b>					
	<b>Porcelain Glazed Tiles</b>					
	ग्लेज टायल्स ( १२ " X ८ " ) सम्मको ।	व.फि.	48	48	48	
	ग्लेज टायल्स ( १२ " X १२ " ) माथिको ।	"	66	66	66	
	Cotto Tiles	"	122	122	122	
	Ordinary Floor and Wall tiles	"			54	
	Kajaria, Vermura,Somany, Orient Tile or equivalent	"	83	83	85	
	Border Tile ( २ " X ८ " )	र.फि.	42	42	43	
	Border Tile ( २ " X ८ " )	व.फि.	173	173	173	
	Indian Ceramic Wall Tile (31*45cm)	"	175	175	180	
	Indian Ceramic Border Tile (31*45cm)	"	175	175	180	
	Indian Ceramic Floor Tile (31*45cm)	"	146	146	150	
	24" x 24" GVT	व.फि.			165	
	24" x 24" GRES Virtified ( Digital Floor)	व.फि.			144	
	12" x 12" GRES homogenous Vertified parking Tile	व.फि.			106	
	24" x 24" Virtified	व.फि.			111	
	Floor tiles-Kajaria, Vermura,Somany, Orient or equivalent					
	16"X16"	व.फि.			98	
	12"x12"	व.फि.			88	
	12"X12" (White / Ivory)	व.फि.			77	
	24"x24" (Digital)	व.फि.			129	
	12"x24" (Walls)	व.फि.			134	

## सिभिल कार्यहरू (Civil works )

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)बाहेक			कैफियत
			आ.व ०७३/०७४	आ.व ०७४/०७५	आ.व ०७५/०७६	
	12"x18"(wall)	व.फि.			103	
	<b>LG Floors Tiles</b>					
	L.G. Deluxe Tiles (300x300x2mm)	„	74	74	74	
	L.G. Deco Tiles (450x450x3mm)	„	300	300	300	
	L.G. Deco Wood (100x920x3mm)	„	112	112	112	
	Fittings for Tiles	„	13	13	13	
	Fittings for Tiles on stairs	„	15	15	15	
	Dendrite for tiles	लि.	361	361	361	
	<b>ELITE / FORBO FLOORING COATING</b>					
	ELITE MICRO FINISH FLOORING (INCLUDED ALL FINISH )	व.फि.	350	350	350	
	ELITE HERMETIC HEAT FLOORING (INCLUDED ALL FINISH )	„	350	350	350	
	ELITE REFLECTOR FLOORING(INCLUDED ALL FINISH)	„	372	372	372	
	SARLON VINYL ACOUSTIC FLOORING	„	415	415	415	
	SCRATCH FABRIC FALSE CEILING	„	225	225	225	
	SINGLE COAT GYP PLASTER UP TO 20MM THICKNESS	„	60	60	60	
	Forbo marmoleum flooring 2mm thick all fitting work	„	391	391	391	
<b>37</b>	<b>Plaster of Parish (POP)</b> cornice and molding making die, casting of cornice as per design and drawing including fixing in position using steel screws on resin glue finishing all complete.					
	a) POP Molding 1" to 1½"	र.मि	231	231	238	
	b) Up to 5" wide	र.मि	277	277	285	
	c) Up to 8" wide	र.मि	382	382	393	
	d) Above 8" wide	र.मि	156	156	161	
	Plaster of paris	कि.ग्रा.			23	
	Wall putty-Normal	कि.ग्रा.			35	
	Wall putty-water proof	कि.ग्रा.			60	
	<b>रंगरोगनका सामानहरू</b>					
	(क) कृषि चुनबाट उत्पादित सेतो चुन	के.जि.	21	21	21	
	(ख) विभिन्न प्रकारको रंगिन चुन	„	39	39	39	
	(ग) विभिन्न प्रकारको भारतीय चुन रंगिन	„	41	41	41	
	(घ) सिमेन्ट पेन्ट (Cement Paints)	के.जि.	79	79	79	
	(थ) सिमेन्ट प्राइमर सेतो	„	286	286	286	
	(छ) उड प्राइमर (Wood Primer)	लिट्र	402	402	402	
	(ड) साधारण सेन्थेटिक इनामेल पेन्ट	लिट्र	560	560	560	
	(च) नेपाल रेडको म्याट फिनिसिङ्ग	लिट्र	540	540	540	
	(ज) कोरुगेटेड रूफ Paint	„	508	508	508	



## सिभिल कार्यहरू (Civil works )

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)बाहेक			कैफियत
			आ.व ०७३/०७४	आ.व ०७४/०७५	आ.व ०७५/०७६	
	(भ) तयारी अल्मुनियम पेन्ट	"	583	583	583	
	(ज) तयारी वार्नेस	"	470	470	470	
	(ट) तयारी वार्नेर सेन्थेटिक	"	363	363	363	
	(ठ) भारतिय थिनर	"	247	247	247	
	ड) उड एण्ड ग्लास पुटिन	के.जी	140	140	140	
	ढ) मेटल पुटिन	"	166	166	166	
	ण) चुना पेन्ट गर्न राख्ने गम	"	217	217	217	
	त) नेपाली थिनर	लिट्र	232	232	232	
	(द) तारपिन तेल	"	229	229	229	
	(ध) रेड अक्साइड पेन्ट (Red oxide Paint)	"	280	280	280	
	(न) उड प्रिजरभेटिव पेन्ट	"	244	244	244	
	(प) Black Japan Paint	"	305	305	305	
	(फ) राम तिलक	के.जि.	60	60	60	
	(ब) गेरु रंग	के.जि.	146	146	146	
	(भ) चप्रा पालिस	के.जि.	978	978	1008	
	स्पीट	लिट्र			87	
	(म) तयारी वासेवल डिस्टेम्पर	लि.	238	238	238	
	य) तयारी प्लास्टिक्स इमल्सन पेन्ट (interior)	लि.	562	562	562	
	य) तयारी वेदरकोट पेन्ट (exterior)	लि.	673	673	673	
	प्लास्टिक इमल्सन पेन्ट	लिट्र			650	
	एक्सडेरियर वेदर कोट	लिट्र			683	
	(र) Road Marking Paint	"	618	618	618	
	(ल) लिनसिड आयल (linsed Oil)	"	210	210	210	
	(व) स्थानीय स्पीट	लि.	126	126	126	
	(स) मोविकल/फेविकल	के.जि.	280	280	280	
	(ष) Tata Red Oxide Paint	"	280	280	280	
	(ह) गट्टा चुन (ईण्डीयन)	"	24	24	24	
	(झ) Wall putty equivalent Asian , Berger & other company.	के.जि.	74	74	74	
	Wall putty- water Proof	के.जि.			60	
	(ञ) Plaster of Parish (POP)	के.जि.	24	24	24	
	wood keeper (chapara type )	लि.	588	588	588	
	Redoxide zink cromate primer For Bridge	लि.	495	495	495	
	Silk Breathless easy	लि.	1240	1240	1240	
	Road divider ( polythene )	गोटा	1654	1654	1654	
	Dust bin ( polythene ) 165 ltr	गोटा	3142	3142	3142	
	<b>Wall putty Epoxy flooring</b>					
	wall plast wall putty (40kg)	Bag	1331	1331	1331	

## सिभिल कार्यहरु (Civil works )

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT)बाहेक			कैफीयत
			आ.व ०७३/०७४	आ.व ०७४/०७५	आ.व ०७५/०७६	
	2mm Epoxy Floor coating with Ultrafresh -OPD ( 4layer & 5 component	व.मी.	2122	2122	2122	
	2mm Epoxy Antistatic Floor coating for OT( ( 4 layer & 9 component	"	3760	3760	3760	
	Epoxy Paint for Operation theater	"	11733	11733	11733	
	<b>Decorative Painting Material Acro &amp; equivalent</b>					
	<b>Specialized paints(Dr. wallz)</b>					
	Acro Bio-guard (Anti bacterial Hospital Paint)	लिट्र	1067.00	1067.00	1067.00	
	Acro Elastocrab (Anti carbonisation paint)	"	739.00	739.00	739.00	
	<b>Texture paints</b>					
	Mediterrano	के.जि	188	188	188	
	Stucco Veneziano	"	1750	1750	1750	
	Velvetino	"	4180	4180	4305.00	
	Travertino	"	400	400	412.00	
	Gtone plaster	"	117	117	121.00	
	Colorato (Multi color)	"	894	894	921.00	
	Pearl skin texture	"	144	144	149.00	
	TS 52 Spray white	"	193	193	199.00	
	Rustic	"	154	154	158.62	
	Rockart	लिट्र	154	154	158.62	
	Manhattan	के.जि	231	231	238.00	
	Sabbia	"	231	231	238.00	
	Sandy Stone	"	169	169	174.00	
	Insulplast	"	229	229	237.00	
	Poly Under White	"	256	256	264.00	
	Antica(Top coat)	"	1220	1220	1267.00	
	T.C 100(Top coat)	"	707	707	728.00	
	Dekorica White	"	2554	2554	2631.00	
	Poly Plaster	"	104	104	107.00	
	Granite tone	"	160	160	165.00	
	Graffiato	"	154	154	159.00	
	Elligance stone	"	183	183	189.00	
	Marmorino Base	"	400	400	412.00	
	Acro fine	लिट्र	175	175	181.00	
	Marmocastro base	के.जि	134	134	139.00	
	Selva Granite	"	209	209	215.00	
	Romart	"	232	232	239.00	
	<b>Weathercoat paints</b>					
	Guard	लिट्र	488	488	503.00	
	Guard -3x	"	570	570	588.00	
	Shield	"	312	312	322.00	
	Acrotex matt	"	545	545	510.00	
	Ext wall Primer	"	231	231	238.00	
	<b>Emulsion Paints</b>					
	silk Emulsion paints	"	506	506	522.00	
	Aqualin Int.Emulsion	"	271	271	280.00	
	pearl Emulsion paints	"	749	749	772.00	
	int. wall Primer	"	167	167	172.00	

## सिभिल कार्यहरू (Civil works )

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)बाहेक			कैफियत
			आ.व ०७३/०७४	आ.व ०७४/०७५	आ.व ०७५/०७६	
	Acrylic Washable Distemper	"	137	137	142.00	
	Acro gold Enamel	"	547	547	512.00	
	Universal primer ( wood primer)	"	303	303	313.00	
	Red oxide metal primer	"	267	267	276.00	
	<b>Construction Chemical / waterproof coating system</b>					
	crack sill	"	376	376	387.00	
	crack fill A+B	"	165	165	170.00	
	<b>Silicon Bases water repellent impregnation</b>					
	Acropreg	"	452	452	466.00	
	Acropreg W	"	601	601	619.00	
	Wall putty	के.जि	42	42	42.00	
	Acro Texture ISO certified 9001-2008 ( Silicone & Ceramic technology / All weather resistance / Fire retardant / Heat reflecting / Algae & Fungi resistant / Ultra violet resistant) for painting works					
	<b>Acro Spanezia maestro finishes texture</b>					
	Mediterrano texture	ब.फि	124	124	128	
	Traventino texture	"	190	190	195	
	Velvetino texture	"	163	163	167	
	Gtone plaster and Colorato texture(Multicolour texture)	"	130	130	133	
	Stucco veneziano texture	"	136	136	140	
	Pearl skin texture	"	117	117	120	
	Marmorino texture	"	151	151	156	
	<b>Acro texture</b>					
	Acro spray flat/Acro spray dewes texture	"	73	73	73	
	Featherglow/Royal touch/Superfine/Ceratex texture	"	71	71	74	
	Rustic texture	"	97	97	99	
	Rockart texture	"	91	91	93	
	Graffiato texture	"	100	100	103	
	Marmocastro texture	"	87	87	90	
	Marmoplast texture	"	88	88	90	
	Sabbia texture	"	109	109	112	
	Manhattan texture	"	109	109	112	
	Sandy stone texture	"	149	149	154	
	Selva Granite texture	"	112	112	116	
	Elligance stone texture	"	104	104	107	
	Granite tone texture	"	95	95	98	
	Romaart texture	"	121	121	124	
	Insulplast texture	"	131	131	135	
	<b>Acro Bio-guard (Hospital Paint)</b>	"	51	51	54	

## सिभिल कार्यहरु (Civil works )

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT)बाहेक			कैफियत
			आ.व ०७३/०७४	आ.व ०७४/०७५	आ.व ०७५/०७६	
	<b>Acro Ellastocarb(anti carbonisation paint)</b>	"	35	35	38	
	<b>Acro fire guard (fire retardent paint)</b>	व.फि.			34	
	<b><u>EXTERIOR SURFACE WEATHERCOAT PAINTS</u></b>					
	1.ACROGUARD 3X	ब.फि	22	22	23	
	2. ACROGUARD	"	21	21	21	
	3. ACROSHIELD	"	17	17	17	
	4. ACROTEX MATT	"	30	30	31	
	<b><u>INTERIOR SURFACE EMULSION PAINTS</u></b>					
	1. ACROPEARL EMULSION PAINTS	ब.फि	23	23	24	
	2. ACROSILK EMULSION PAINTS	"	19	19	20	
	3. AQUALIN EMULSION PAINTS	"	16	16	16	
	4. AQUALIN ACRYLIC WASHABLE DISTEMPER	"	10	10	11	
	5. ACRO GOLD ENAMEL PAINTS	"	18	18	18	
	<b>Pro_Plaster Material</b>	के.जी			32	
	<b>Expansion joint</b>					
	Horizontal Area fixing clips affixed aluminium joint covers VEDA FRANCE Series JDH 5.2.050 standard load.	RM	15000	15000	15000	
	Clips Affixed Mill Finish Aluminium for standard and seismic joint covers VEDA FRANCE CJV-180 Alu.	RM	12500	12500	12500	
	Extruded Aluminium Joint Covers VEDA FRANCE CJE- PF flat.	RM	14500	14500	14500	
	Folded Joint Covers VEDA France Series CJP a silver anodized coating.	RM	17500	17500	17500	
	Vertical Joints Standard and Seismic interior use VEDA FRANCE Series JDV 4.2	RM	25000	25000	25000	
	Vertical Joints Exterior use VEDA FRANCE Series JDV 4.4 flat.	RM	13000	13000	13000	
	Vertical Joints Exterior use VEDA FRANCE Series JDV 4.6 flat.	RM	18500	18500	18500	
	Vertical Joints VEDA FRANCE Series JDV 4.10 / 4.12 flat	RM	28000	28000	28000	
	Suspended Ceiling Joints VEDA FRANCE Series JDV 4.14	RM	12000	12000	12000	
	Floor Joint VEDA FRANCE Series JDH 5.2 standard loads.	RM	20500	20500	20500	
	Floor Joint VEDA FRANCE Series JDH 5.4 standard loads.	RM	32500	32500	32500	
	Floor Joint VEDA FRANCE Series JDH 5.8 standard loads.	RM	35000	35000	35000	

## सिभिल कार्यहरू (Civil works )

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)बाहेक			कैफियत
			आ.व ०७३/०७४	आ.व ०७४/०७५	आ.व ०७५/०७६	
	Floor Joint VEDA FRANCE Series JDH 5.26 heavy loads.	RM	37500	37500	37500	
	CAR Park Joint VEDA FRANCE Series JDH 5.30 standard loads(15 to 35mm)	RM	16000	16000	16000	
	CAR Park Joint VEDA FRANCE Series JDH 5.32 standard loads (40 to70mm)	RM	31000	31000	31000	
	BED Affixed Control Joints VEDA FRANCE Series JF 1700	RM	18750	18750	18750	
	BED Affixed Control Joints VEDA FRANCE Series JF LUXE 2700	RM	28500	28500	28500	
	BED Affixed Control Joints VEDA FRANCE Series JF Deco.	RM	9000	9000	9000	
	Adhesive Affixed Control Joints VEDA FRANCE Series JF 600/1	RM	1500	1500	1500	
	Adhesive Affixed Control Joints VEDA FRANCE Series JF 600/2	RM	2000	2000	2000	
	Adhesive Affixed Control Joints VEDA FRANCE Series JF 1600	RM	15000	15000	15000	
	Stair Nosing VEDA France MDM VD 320/550/1010	RM	9500	9500	9500	
	<b>38 Wall Paper</b>					
	Wall paper (10m.x 0.53m)	रोल	1200.00	1200.00	1,236	
	Fittings for wall paper	व.फि	7.00	7.00	7	
	White glue for wall paper	लि.	105.00	105.00	108	
	<b>39 Gypsum board</b>					
	<b>Supplying and fixing of Thai gypsum board application work</b>					
	i) फल्स सिलिङ्ग गर्ने	व.फि				
	ii)Water resistant false ceiling	„				
	iii)Wall partition	„	116	116	120	
	iv)Wall paneling	„	77	77	80	
	12.5mm thick Gypsum Board False ceiling including all necessary material	„	68	68	71	
	<b>40 Calcium Silicate Board supplying &amp; fitting all complete work</b>					
	<b>Solid Infill wall ( Shera, Everest or Thai Gypsum or equivalent</b>		-	-		
	Solid infill wall 3" with EPS AND Foam concrete	व.मी.	3683.00	3683.00	3683.00	
	Solid Infill wall (Chinese or equivalent)		-	-	-	
	Solid infill wall 3"	व.मी.	1718.00	1718.00	1718.00	

## सिभिल कार्यहरू (Civil works )

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)बाहेक			कैफियत
			आ.व ०७३/०७४	आ.व ०७४/०७५	आ.व ०७५/०७६	
	Solid Infill wall WITH TWO SIDE .5MM MS plate, powder quoted infill with high presurred Polyrethen with 40 kg+-2 kg /cu mtr		-	-		
	Solid infill wall 50mm	व.मी.	3192.00	3192.00	3192.00	
<b>41</b>	<b>Interlocking Cement Concrete Block(</b> Not less than M20 RCC Block )					
	a) Curb stone	र.मि.	1069.20	1069.20	1069.00	
	<b>25 mm thick C.C. Tile (Grey color)</b>					
	Burfi , Round , Bobby Checker	Sqft	41.04	41.04	41.00	
	<b>25 mm thick C.C. Tile (Red color)</b>					
	Burfi , Round , Bobby Checker	Sqft	43.20	43.20	43.00	
	<b>50 mm thick CC Block (Grey color)</b>					
	Cosmix , Hexagon , Threehex , Royal tone Interlock , I-Interlock	Sqft	49.68	49.68	50.00	
	<b>50 mm thick CC Block (Red color)</b>					
	Cosmix , Hexagon , Threehex , Royal tone Interlock , I-Interlock	Sqft	50.76	50.76	51.00	
	<b>60 mm thick CC Block (Grey color)</b>					
	Cosmix , Hexagon , Threehex , Royal tone Interlock , I-Interlock , Plus Interlock	Sqft	51.84	51.84	52.00	
	<b>60 mm thick CC Block (Red color)</b>					
	Cosmix , Hexagon , Threehex , Royal tone Interlock , I-Interlock , Plus Interlock	Sqft	52.92	52.92	53.00	
	<b>70 mm thick CC Block (Red color)</b>					
	Cosmix , Hexagon , Threehex , Royal tone Interlock , I-Interlock	Sqft	59.40	59.40	59.00	
	<b>60 mm thick CC Block ( Ocm or equivalent )</b>					
	Brick type (23*11*6cm)non colour	Nos	10	10	10.00	
	Hexagon (22*22 cm) non colour	,,	22	22	22.00	
	Hexagon (22*22 cm) colour		24	24	24.00	
	Squire paver (30*30*4.5cm)non colour	,,	31	31	31.00	
	Squire paver (30*30*4.5cm)colour		33	33	33.00	
	inter block(24*13*6cm)	,,	14	14	14.00	
	Isave paver (20*16*6cm)	,,	16	16	16.00	
	<b>supply of concrete Block different items United concrete or other Equivailent</b>					
	Hollow Block ( 16*8*6")	Nos	76	76	76.00	
	Hollow Block ( 16*8*4")	,,	67	67	67.00	
	Corner Hollow Block ( 16*8*6")	,,	86	86	86.00	
	Lintel Block ( 16*8*6")	,,	86	86	86.00	

## सिभिल कार्यहरू (Civil works )

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)बाहेक			कैफियत
			आ.व ०७३/०७४	आ.व ०७४/०७५	आ.व ०७५/०७६	
	Pavers Block ( fish or other shape ) 60mm thick	,,	19	19	19.00	
	concrete Brick ( 9"*4"*2.5")	,,	13	13	13.00	
	<b>Concrete block</b>					
	Concrete block size (40*15*20) cm	गोटा			37	
	Concrete block size ( 40*10*20 ) cm	गोटा			32	
	Concrete block size ( 39*14*19 ) cm	गोटा			50	
	Cellular light weight concrete(CLC) block					
	Cellular light weight concrete(CLC) block - 24"*8"*4"	गोटा			162	
	Cellular light weight concrete(CLC) block- 24"*8"*6"	गोटा			299	
	Cellular light weight concrete(CLC) block- 24"x8"x4"	गोटा			114	
	Cellular light weight concrete(CLC) block 24"x8"x6"	गोटा			171	
	Cellular light weight concrete(CLC) block24"x8"x8"	गोटा			228	
	<b>Interlock Concrete Paving Blocks</b>					
	Behaton Interlock I Paver (Grey Color) with Compressive Strength M25 or Above 80MM Thickness.	व.मी			2212	
	Behatone Interlock I Paver (Single Color) with Compressive Strength M25 or Above. 80MM Thickness	व.मी			2744	
	Behaton Interlock I Paver (Multi Color) with Compressive Strength M25 or Above. 80MM Thickness	व.मी			3365	
	Hexagon Interlock Pavers (Grey Color) with Compressive Strength M25 or Above. 60MM Thickness	व.मी			1635	
	Interlock Pavers (Single Color) with Compressive Strength M25 or Above. 60MM Thickness	व.मी			2066	
	Hexagon Interlock Pavers (Multi Color) with Compressive Strength M25 or Above. 60MM Thickness	व.मी			2498	
	Rectangular Interlock Paver (Grey Color) with Compressive Strength M25 or Above. 60MM Thickness	व.मी			1776	
	Rectangular Interlock Paver (Single Color) with Compressive Strength M25 or Above. 60MM Thickness	व.मी			2256	
	Rectangular Interlock Paver (Multi Color) with Compressive Strength M25 or Above. 60MM Thickness	व.मी			2736	

## सिभिल कार्यहरू (Civil works )

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)बाहेक			कैफियत
			आ.व ०७३/०७४	आ.व ०७४/०७५	आ.व ०७५/०७६	
	Half Battered Kerb Stone with Compressive Strength M25 or Above	र.मी			1542	
	Bull Nose Kerb Stone with Compressive Strength M25 or Above	र.मी			1798	
	Matrix Slab (Grey Color) with Compressive Strength M25 or Above. 40MM Thickness	व.मी			1050	
	Matrix Slab (Single Color) with Compressive Strength M25 or Above. 40MM Thickness	व.मी			1260	
	Matrix Slab (Multi Color) with Compressive Strength M25 or Above. 40MM Thickness	व.मी			1635	
<b>42</b>	<b>छानामा टाइलको बुझा काट्ने र पानी पट्टी कार्य</b>					
	(१.४) भागको मिश्रणको सिमेन्ट मसला तयार गरि खट राखि १"बाक्लो प्लाष्टरमा रुफिड टाइलको बुझा काट्ने सामान सहित (तयारी)	व.मि.	-	-	623	
	१"×३" साइजको (१.३) भागको मिश्रणको मसला तयार गरि खट राखि वर्षादको पानी पट्टी बनाउने काम (तयारी)	र.मी	-	-	75	
<b>43</b>	<b>Heritage Wall Surface Texture (Interior and Exterior) including the cost supplying and fitting</b>					
	i) Heritage granular	व.फि	97.00	97.00	97.00	
	ii) Heritage flakes	,,	120.00	120.00	120.00	
	iii) Heritage granite finish	,,	105.00	105.00	105.00	
	iv) Heritage Top coat (plastic lamination)	,,	28.00	28.00	28.00	
<b>44</b>	<b>UPVC Profile Door and Window/ Wall partition</b>					
	Supplying and installation of UPVC Profile: Sliding window frame 50*80mm; sash 58*36mm, Sliding Door frame 52*88; sash 80*42, Casement window frame 60*60mm:sash 60*78mm, Casement Door frame 60*60; sash 60*104mm white colour with reinforcement, 5mm thick clear float glass, insect net, patented standard hardware like: rollers, gaskets, brush seal, moon locks, push locks, drainage cover, etc.					
	<b>UPVC को भ्याल, ढोका तथा wall partition का निर्माण सामग्रीहरू</b>					
	<b>i) Single glazing</b>					
	UPVC Sliding window with net (frame 50*80 mm, sash 58*36 mm, white colour with 5mm glass)	Sqm	7005.00	7005.00	7215.00	



## सिभिल कार्यहरू (Civil works )

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)बाहेक			कैफियत
			आ.व ०७३/०७४	आ.व ०७४/०७५	आ.व ०७५/०७६	
	UPVC Sliding window without net (frame 60*60 mm, sash 66*42 mm, white colour with 5mm glass)	„	6470.00	6470.00	6664.00	
	UPVC Top Hung window (frame 60*60 mm, sash 60*78 mm, white colour with 5mm glass)	„	7275.00	7275.00	7493.00	
	UPVC Casement window (frame 60*60 mm, sash 60*78 mm, white colour with 5mm glass)	„	7275.00	7275.00	7493.00	
	UPVC Single Door with half panel half glass (frame 60*60 mm, sash 60*104 mm, white colour with 5mm glass)	„	7975.00	7975.00	8214.00	
	UPVC Single Door with full panel (frame 60*60 mm, sash 60*104 mm, white colour)	„	8085.00	8085.00	8328.00	
	UPVC Double Door (frame 60*60 mm, sash 60*104 mm, white colour with 5mm glass)	„	8625.00	8625.00	8884.00	
	UPVC Sliding Door with net (frame 52*88 mm, sash 88*42 mm, white colour with 5mm glass)	„	8625.00	8625.00	8884.00	
	UPVC Sliding Door without net (frame 60*60 mm, sash 88*42 mm, white colour with 5mm glass)	„	8355.00	8355.00	8606.00	
	UPVC Swing Door with half glass half uPVC panel (frame 60*60 mm)	„	9700.00	9700.00	9991.00	
	UPVC 88x60mm Sliding white colour window with 5mm glass pannele	Sqm	8375.00	8375.00	8626.00	
	UPVC 60x64mm white colour casement window with 5mm glass pannele	„	9511.00	9511.00	9796.00	
	UPVC110x64mm x9mmthick board and 5mm tjick glass pannel white colour	„	10051.00	10051.00	10353.00	
	UPVC60x60mm x9mmthick white colour partition board with 5mm glass	„	10405.00	10405.00	10717.00	
	UPVC60x60mm white colour swing door with 5mm glass pannel	„	6531.00	6531.00	6727.00	
	<b>ii) Double glazing</b>					
	UPVC Sliding window with net (frame 50*80 mm, sash 58*36 mm, white colour with 5mm double glass)	Sqm	9160.00	9160.00	9435.00	
	UPVC Sliding window without net (frame 60*60 mm, sash 66*42 mm, white colour with 5mm double glass)	„	8675.00	8675.00	8935.00	
	UPVC Top Hung window (frame 60*60 mm, sash 60*78 mm, white colour with 5mm double glass)	„	9435.00	9435.00	9718.00	
	UPVC Casement window (frame 60*60 mm, sash 60*78 mm, white colour with 5mm double glass)	„	9435.00	9435.00	9718.00	

## सिभिल कार्यहरू (Civil works )

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)बाहेक			कैफियत
			आ.व ०७३/०७४	आ.व ०७४/०७५	आ.व ०७५/०७६	
	UPVC Single Door with half panel half glass (frame 60*60 mm, sash 60*104 mm, white colour with 5mm double glass)	„	10135.00	10135.00	10439.00	
	UPVC Double Door (frame 60*60 mm, sash 60*104 mm, white colour with 5mm double glass)	„	10240.00	10240.00	10547.00	
	UPVC Sliding Door with net (frame 52*88 mm, sash 88*42 mm, white colour with 5mm double glass)	„	10780.00	10780.00	11103.00	
	UPVC Sliding Door without net (frame 60*60 mm, sash 88*42 mm, white colour with 5mm double glass)	„	10510.00	10510.00	10825.00	
	Supply & fixing of 80*50 mm white colour casement window	„	9331.00	9331.00	9611.00	
<b>45</b>	<b>Prefab Panel for wall Partition solid wall panel (ESWP) or Equivalent</b>					
	Supply and erection of different mm th. cement base prefabricated Shera, thai gypsum, everest solid wall panel non asbestos including 1.1 mm thick GI channel (50*25*20) mm with necessary accessories and fittings charge in <b>partation wall</b> all complete					
	a)40 mm thick	sqft.	-	-		
	b)50 mm thick	sqft.	225	225	239.00	
	c) 75 mm thick	sqft.	285	285	302.00	
	<b>False ceiling/ partition/ external cladding of everest or equivalent fibre designer board</b>					
	Supplying, making, fixing of false ceiling with everest fibre designer board in E-grid	Sqft	88	88	93.00	
	Supplying, making, fixing of 70mm thick exterior with full height of partirion with everest fibre cemnet board	Sqft	263	263	279.00	
	Supplying, making, fixing of 66mm thick exterior with full height of partirion with everest fibre cemnet board	Sqft	230	230	244.00	
	Supplying, making, fixing of 91mm thick exterior with full height of partirion with everest fibre cemnet board	Sqft	293	293	311.00	
	Supplying, making, fixing of external cladding with 9 mm HD/ 7.5mm everest sliding board	Sqft	258	258	274.00	
	Supplying, making, fixing of 50mm thick full height of partirion with everest RAPICON wall panels	Sqft	205	205	217.00	
	Supplying, making, fixing of 75mm thick full height of partirion with everest RAPICON wall panels	Sqft	271	271	288.00	
	6 mm thick Flex-O- Board (Water proof cement board) 6mm thick for false ceiling	Sqft	-	-	35.00	
	Cement board Aerocon C Board CK Birala , Everest or equivalent					

## सिभिल कार्यहरू (Civil works )

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)बाहेक			कैफियत
			आ.व ०७३/०७४	आ.व ०७४/०७५	आ.व ०७५/०७६	
	6 mm thick	Sqft	32.00	32.00	34.00	
	8 mm thick	Sqft	40.00	40.00	42.00	
	10 mm thick	Sqft	50.00	50.00	53.00	
	12 mm thick	Sqft	60.00	60.00	64.00	
	<b>Supplying and fixing 130 mm thick EVG 3D panel with mesh size 50 x 50 GI wire</b>					
	Supplying and fixing 130 mm thick EVG 3D panel with mesh size 50 x 50 GI wire 2 mm both side 40 mm thick 1:4 cement sand plaster all complete work.	Sqft	370	370	393.00	
	Supplying and fixing 130 mm thick EVG 3D panel with mesh size 50 x 50 GI wire 3 mm both side 40 mm thick 1:4 cement sand plaster all complete work.	Sqft	400	400	424.00	
	Supplying and fixing 130 mm thick EVG 3D panel with mesh size 50 x 50 GI wire 4 mm both side 40 mm thick 1:4 cement sand plaster all complete work.	Sqft	494	494	524.00	
	Joint less false ceiling chanel 0.55mm thick flange of 20 mm and another flange 30mm ( conform to IS 4862 : 2000 ) all complete work Everest or equivalent	Sqft	106	106	112.00	
	Rapicon solid wall panel 50/75 mm thick conform to IS 14862 ( density more than 1200kg /m3) Everest or equivalent					
	50 mm thick	Sqft	248	248	263.00	
	75 mm thick	Sqft	327	327	347.00	
	External cladding with 9mm /7.5 mm siding board and GI steel frame work	Sqft	266	266	282.00	
	<b>Full Height Partition</b> (With 9mm thick Fiber Cement Heavy Duty Wall Board on exterior side and 10mm Standard FCB Interior side and 51mm G.I wall frame system) Exterior cum Interior Wall confirming to IS 14862:2000 & Type A Category IV of ISO 8336:1993	Sqft	270	270	286.00	
	<b>Full Height Partition</b> (With 8mm thick Fiber Cement Wall Board on both side and 51mm G.I wall frame system) Interior Wall confirming to IS 14862:2000 & Type A Category IV of ISO 8336:1993	Sqft	236	236	250.00	
	<b>Full Height Partition</b> (With 9mm thick Fiber Cement Wall Board exterior & 10mm Interior on interior side and 72mm G.I wall frame system) Exterior cum Interior confirming to IS 14862:2000 & Type A Category IV of ISO 8336:1993	Sqft	301	301	319.00	

## सिभिल कार्यहरू (Civil works )

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)बाहेक			कैफियत
			आ.व ०७३/०७४	आ.व ०७४/०७५	आ.व ०७५/०७६	
	<b>False Floor / Cavity Floor</b> (With 15mm thick Heavy Duty Fiber Cement / 20mm Standard FCB Floor Board and Specified M.S frame system for design load) confirming to IS 14862 : 2000	Sqft	338	338	359.00	
	<b>EPS ( Expanded Polystyrene) and Cement Base Light Weight Sandwich Panel with 4.5mm thick Calcium Silicate Board (Non Asbestos ) as face board on both sides (Size 2270*610mm)- excluding installation</b>					
	50mm thickness	Sqft			200	
	60mm thickness	Sqft			275	
	75mm thickness	Sqft			330	
	90mm thickness	Sqft			385	
	120mm thickness	Sqft			465	
	Installation charge	Sqft			50	
<b>46</b>	<b>Aluminium &amp;Steel Door &amp; Window</b>					
	Mention rates are including supplying of necessary chemicals, materials, fittings, labours as per manufacturer's specifications all complete or as per consultant's direction.					
	<b>102 series windows</b>					
	Providing and fixing single panel casement	ब.फि	-	692	692	
	Providing and fixing double panel casement( hinged) door of aluminium section in natural or color anodized/ powder coated color sections size (102*45*1.5mm ) Fitted with 5 mm clear glass or 9 mm both side laminated board ( excluding the cost of handle and door closer )	"	-	761	761	
	Providing and fixing single panel swing door of aluminium section in natural or black anodized/ powder coated color sections size (102*45*1.5mm ) Fitted with 5 mm clear glass or 9 mm both side laminated board ( excluding the cost of handle )	"	-	880	880	
	Providing and fixing double panel swing door	"	-	968	968	
	<b>90 series windows</b>					
	Providing and fixing 2 or 3 panel sliding window	"	-	557	557	

## सिभिल कार्यहरू (Civil works )

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)बाहेक			कैफियत
			आ.व ०७३/०७४	आ.व ०७४/०७५	आ.व ०७५/०७६	
	Providing and fixing 2 or 3 panel sliding windows of aluminium section in naturally anodized or black anodized/powder coated colors section size ( 87*56*1.20mm) fitted with 5 mm clear glas with fly mesh shutter (window size 6'*5' or avg area 30 sqft per window)	"	-	636	636	
	Providing and fixing 2 or 3 panel sliding window with top fixed glass of aluminium section in naturally anodized or black anodized/powder coated colors section size ( 87*65*1.20mm) fitted with 5 mm clear glas without fly mesh shutter (window size 6'*5' or avg area 30 sqft per window)	"	-	601	658	
47.2.d	Providing and fixing 2 or 3 panel sliding window with top fixed glass of aluminium section in naturally anodized or black anodized/powder coated colors section size ( 87*56*1.20mm) fitted with 5 mm clear glas without fly mesh shutter (window size 6'*5' or avg area 30 sqft per window)	"	-	693	693	
	Providing and fixing fixed window of aluminium section in naturally anodized or black anodized/powder coated colors section size ( 87*25+12*1.20mm) fitted with 5 mm clear glas without fly mesh shutter (Average area 5 sq ft per panel)	"	-	451	451	
	Providing and fixing fixed window of aluminium section in naturally anodized or black anodized/powder coated colors section size ( 87*25+12*1.50mm) fitted with 5 mm clear glas without fly mesh shutter (Average area 5 sq ft per panel)	"	-	518	518	
	with stainless steel fly mesh in 90 series for sliding window(section thickness 1 mm)	"	-	198	198	
	<b>102 series partition</b>	"				
	Providing and fixing full height partation of almunium section in natural anodized or black anodized/ powder coated color section size(102*45*1.5 mm) Fitted with 5 mm clear glass & 9 mm BSL board (av. Panel aera 8 sqft)	"	-	546	546	

## सिभिल कार्यहरू (Civil works )

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)बाहेक			कैफियत
			आ.व ०७३/०७४	आ.व ०७४/०७५	आ.व ०७५/०७६	
	Providing and fixing half height partation of almunium section in natural anodized or black anodized/ powder coated color section size(102*45*1.5 mm) Fitted with 5 mm clear glass & 9 mm BSL board (av. Panel aera 6 sqft	"	-	593	593	
	<b>64 series Partition</b>					
	Providing and fixing full height partation of almunium section in natural anodized or black anodized/ powder coated color section size(64*38*1.1 mm) Fitted with 5 mm clear glass & 9 mm BSL board (av. Panel aera 8 sqft	"	-	411	411	
	Providing and fixing low height partation o	"	-	503	503	
	<b>STRUCTURAL GLAZING</b>					
	Providing and fixing structurl glazing of al	"	-	577	577	
	Providing and fixing structurl glazing of aluminum section in natural or color anodized /powder coated color section size( 60*75+13*1.6)m m) fitted with 5 m colour glass (av. Panel area 6 sqft)	"	-	669	669	
	Providing and fixing structurl glazing of al	"	-	814	814	
	<b>GLASS DOOR &amp; PARTITION</b>					
	Providing and fixingfixed glass door of 12	"	-	1325	1325	
	Providing and fixing fixed glass partition of 12 mm clear Toughened glass with stainless steel patches or aluminum frame ( Ground Floor )	"	-	860	860	
	Providing and fixing fixed glass partition o	"	-	1425	1425	
<b>47</b>	<b>Aluminium Composite Panel</b>					
	composite panel cladding on wall ( exterior) 3 mm th.ACP( 0.25mm aluminum PVDF core) on 25*38mm aluminum tube framing.	"	-	350	350	
	composite panel cladding on wall ( exterior) 4 mm th.ACP( 0.25mm aluminum PVDF core) on 25*38mm aluminum tube framing.	"	-	470	470	
	<b>Steel Door &amp; Windows</b>					

## सिभिल कार्यहरू (Civil works )

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)बाहेक			कैफियत
			आ.व ०७३/०७४	आ.व ०७४/०७५	आ.व ०७५/०७६	
	Supplying and Fixing of 50 mm steel Door with frame size (90*80*1 mm )and both side 0.5 mm thick steel and honey comb paper in between steel in shutter including peep hole 3pcs 130mm size hinges heavy duty lock ( in five place and all other necessary accessories all complete.	व.फि	-	-		
<b>48</b>	<b>Water proofing (chemicals &amp; Treatment)works</b>		-			
	<b>CONCRETE ADMIXTURES (Chemical)</b>					
	Form Oil	लिटर			100.00	
	Polymer for M35, M 40 or higher concrete	लिटर			350.00	
	Epoxy Bonding agent for old and new construction	लिटर			2000.00	
	डैम्प प्रूफ तथा हार्डेनिङ कम्पाउण्ड सेफ माईट (Damp proof, Anti Termite , Anti Fungal, Anti Saltpetre and benefit of High Compressive Strength)	लिटर			235.00	
	Waterproof Coating With Latex	Kg.			350.00	
	Waterproof Coating with Polymer	Kg.			450.00	
	Water Reducing Admixture Concrete & Mortar [ Lignosulphonate Based] Std. Conformance : ASTM C 494 - 1981 (Type A) / IS 2645 Dose 0.3 to 1.1 % by.wt. cement	Kg.	181.50	181.50	150.00	
	High Range Water Reducing Super Plasticizer for Concrete & Mortar [ Naphthalene Formladehyde Based] Std. Conformance : ASTM C 494 - 1981 (Type F) / IS 9103 -1999 Dose 0.2 to 3 % by wt of cement	Kg.	272.25	272.25	250.00	
	Ultra High Range Water Reducing Super Plasticizer for Concrete & Mortar [ Polycarboxylate Ether Based] Std. Conformance : ASTM C 494 - 1981 (Type F) Dose :0.2 to 1.6 % by wt of cement	Kg.	544.50	544.50	450.00	
	Integral Waterproofing Additive for Concrete & Plaster Std. Conformance : ASTM C 494 - 1981 (Type G), IS 9103 -2007, IS 2645 Dose :0.4 to 2% by wt of cement	Kg.	332.75	332.75	300.00	
	Integral Crystalline Waterproofing Powder Admixture Std. Conformance : ASTM C 494, IS 3085 -1997, DIN 1048 - 1991 Part 5 Dose : 0.5 to 2% by wt of cement	Kg.	1028.50	1028.50	1000.00	

## सिभिल कार्यहरू (Civil works )

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)बाहेक			कैफियत
			आ.व ०७३/०७४	आ.व ०७४/०७५	आ.व ०७५/०७६	
	Integral Crystalline Waterproofing Liquid Admixture Std. Conformance : ASTM C 494, IS 3085 -1997, DIN 1048 - 1991 Part 5 Dose : 0.5 to 2% by wt of cement	Kg.	1028.50	1028.50	1000.00	
	Integral Waterproofing Powder Admixture Std. Conformance : ASTM C 494, IS 3085 - 1997, DIN 1048 - 1991 Part 5 Dose :0.2 to 2 % by wt of cement	Kg.	1512.50	1512.50	1250.00	
	Integral Waterproofing Powder Admixture for Mortars Std. Conformance : ASTM C 494, IS 3085 -1997, DIN 1048 - 1991 Part 5 Dose : 0.2 to 1 % by wt of cement	Kg.	181.50	181.50	180.00	
	Accelerator & Spray Shotcrete / Concrete Plasticizer [ Silicate Based]	Kg.	302.50	302.50	250.00	
	Accelerator & Spray Shotcrete / Concrete Liquid Plasticizer [ Alkali Free]	Kg.	423.50	423.50	350.00	
	Accelerator & Spray Shotcrete / Concrete Powder Plasticizer [ Alkali Free]	Kg.	363.00	363.00	350.00	
	Retarding Superplasticizer for Concrete [ Napthalene Based] Std. Conformance : ASTM C 494 - 1981 (Type G / D), IS 9103 - 2007 Dose 0.2 to 3 % by wt of cement	Kg.	272.25	272.25	250.00	
	Retarding Superplasticizer for Concrete [ Polycarboxylate Ether Based] Std. Conformance : ASTM C 494 - 1981 (Type G) Dose : 0.2 to 2.2 % by wt of cement	Kg.	544.50	544.50	450.00	
	Resin ,Multi /polycarboxylate ether cholride free less alkali super plasticizer and micro siloica in one ASTM C494 Dose :0.5 to 2.1 % by wt of cement	kg	650.00	650.00	650.00	
	<b>CONCRETE ADMIXTURES (Mineral)</b>					
	Silica Cement Admixture (Volcanic Product Inorganic)	Kg.			330.00	
	Silica Fume / Silica Cement Admixture / Micro Silica for High Performance Concrete Std. Conformance : ASTM C 1240 - 2005, IS 15388 - 2003 Dose :5 to 15 % by wt of cement	Kg.	289.00	289.00	110.00	
	Processed FA Based Mineral Additives Dose :5 to 20 % by wt of cement	Kg.	102.85	102.85	85.00	
	<b>JOINT SEALANTS &amp; SYSTEMS</b>					
	Two Component Gun Grade Polysulphide Sealant for Vertical Surfaces	Kg.	2178.00	2178.00	1800.00	
	Two Component Pour Grade Polysulfide Sealant for Horizontal Surfaces	Kg.	2178.00	2178.00	1800.00	
	One Component Low Viscosity Primer For Polysulfide Sealant	Kg.	3630.00	3630.00	3000.00	
	Two Component Pour Grade Polyurethane Sealant for Joints	Kg.	2420.00	2420.00	2000.00	
	Low Viscosity Primer For Polyurethane Sealant	Kg.	3630.00	3630.00	3000.00	
	High Performance Hybrid Silyl Sealant (290 ml per set)	set	1452.00	1452.00	1200.00	



## सिभिल कार्यहरू (Civil works )

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)बाहेक			कैफियत
			आ.व ०७३/०७४	आ.व ०७४/०७५	आ.व ०७५/०७६	
	HOT APPLIED Bituminous Sealing Compound Sealent [TYPE A]	Kg.			350.00	
	HOT APPLIED Bituminous Sealing Compound Sealent [TYPE B]	Kg.			450.00	
	Butyl Tape for various Applications	RM	151.25	151.25	125.00	
	Waterproofing Joint Tape [ 120 mm]	RM	605.00	605.00	550.00	
	Waterproofing Joint Tape [ 200 mm]	RM	786.50	786.50	750.00	
	NBR based Waterproofing Joint Tape [ 200 mm]	RM	4840.00	4840.00	4000.00	
	Joint Tape Epoxy Adhesive	Kg.	3630.00	3630.00	3000.00	
	Glass Fiber Joint Tape	RM.	332.75	332.75	275.00	
	Waterproofing / Expansion Joint Tape [100 mm]	RM.	1815.00	1815.00	1500.00	
	Waterproofing / Expansion Joint Tape [200 mm]	RM.	3267.00	3267.00	2700.00	
	Construction Joint Tape [ 100 mm]	RM.	786.50	786.50	800.00	
	Cross Linked Premoulded Compressive Joint Filler [25 mm]	Sq. M.	2964.50	2964.50	2450.00	
	Cross Linked Premoulded Compressive Joint Filler [50 mm]	Sq. M.	5868.50	5868.50	4850.00	
	Closed Cell Polymerbased Joint Filler [25 mm]	Sq. M.	968.00	968.00	800.00	
	Closed Cell Polymerbased Joint Filler [50 mm]	Sq. M.	1815.00	1815.00	1500.00	
	Compressable Resilint Non- Extrudible Joint EXJO FILLER [12 mm {4' X 4'}]	Sq. M.			2500.00	
	Compressable Resilint Non- Extrudible Joint EXJO FILLER [18 mm {4' X 4'}]	Sq. M.			3500.00	
	Compressable Resilint Non- Extrudible Joint EXJO FILLER [25 mm {4' X 4'}]	Sq. M.			4500.00	
	<b>INDUSTRIAL FLOORING SOLUTIONS</b>					
	Hardwearing, abrasion resistant monolithic industrial flooring compound [ Metallic]	Kg.	133.10	133.10	133.10	
	Liquid Concrete Hardener & Dust Proofer	Kg.	453.75	453.75	453.75	
	Anti Bacterial Floor & Wall Coating [ Epoxy]	Kg.	2722.50	2722.50	2722.50	
	Anti Bacterial Floor & Wall Coating [ Polyurethane]	Kg.	3025.00	3025.00	3025.00	
	Anti bacterial Floor & Wall Coating [ Acrylic]	Kg.	2420.00	2420.00	2420.00	
	Self Levelling Flooring System [ Epoxy]	Kg.	1210.00	1210.00	1270.50	
	Self Levelling Flooring System [ Polyurethane]	Kg.	1815.00	1815.00	1905.75	
	Self Levelling Cementitious Flooring System	Kg.	363.00	363.00	381.15	
	<b>ENGINEERING GROUTS</b>					
	General Purpose High Strength Free Flowing, Non Shrink Cementitious Grout [ M40]	Kg.	133.10	133.10	110.00	
	Ultra High Strength Free Flowing, Non Shrink Cementitious Grout [M60]	Kg.	151.25	151.25	125.00	
	Hard wearing cementitious tile grout	Kg.	193.60	193.60	160.00	
	Hard wearing epoxy based tile grout	Kg.	1210.00	1210.00	1000.00	
	Super Plasticizer, Shrinkage Compensating Grout Admixture	Kg.	605.00	605.00	500.00	

## सिभिल कार्यहरू (Civil works )

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)बाहेक			कैफियत
			आ.व ०७३/०७४	आ.व ०७४/०७५	आ.व ०७५/०७६	
	High Strength Precision Grade, Non Shrink Structural Epoxy AnchorgROUT	Kg.	3025.00	3025.00	2500.00	
	Epoxy Acrylate High Strength Precision Grade, Non Shrink Structural Grout [ 400 MI Cartridge]	ml	5445.00	5445.00	4500.00	
	Low Viscosity Injection Epoxy Grout	Kg.	7865.00	7865.00	7500.00	
	Low Viscosity Polyurethane Injection Grout Dose : 231 cubic inchec per gallon	Kg.	16940.00	16940.00	12500.00	
	Low Viscosity Acrylate Gel Injection Grout	Kg.	10285.00	10285.00	8500.00	
	Low Viscosity Soil Stabilization Injection Grout	Kg.	16940.00	16940.00	14000.00	
	Low Viscosity Soil Stabilization Hydrophobic, water reactive, solvent and phthalate free Injection Grout	Kg.			9500.00	
	Resin Capsule (32*300mm)	पिस			130.00	
	Cement Capsule(32*300mm)	पिस			60.00	
	Microfine Cement (MFC)	Kg.			250.00	
	<b>BONDING ADHESIVES (Polymer &amp; Epoxy Resin)</b>					
	Acrylic Bonding Agent For Concrete & Mortar	Kg.	786.50	786.50	750.00	
	Versatile SBR Latex for Bonding, Grouting & Repair Mortars	Kg.	1028.50	1028.50	950.00	
	High Performance Pure Acrylic Polymer for Concrete & Mortar Modification' & Bonding Adhesive	Kg.	1452.00	1452.00	1200.00	
	Two Component Epoxy Resin Bonding Agent [ For bonding new to old concrete]	Kg.	2178.00	2178.00	1800.00	
	<b>FIBERS (Steel &amp; Polypropylene)</b>					
	FIBERMESH MF [Monofilament PP Fibers]	Kg.	1210.00	1210.00	1200.00	
	FIBERMESH FB [Collated PP Fibers]	Kg.	1573.00	1573.00	1500.00	
	FIBERMESH MACRO [Structural PP Fibers]	Kg.	2420.00	2420.00	2000.00	
	Loose steel Fibers	Kg.	302.50	302.50	250.00	
	Glued Steel Fibers	Kg.	423.50	423.50	350.00	
	Crimped Steel Fibers	Kg.	245.00	245.00	250.00	
	<b>SURFACE TREATMENT</b>					
	Protective, Decorative Anti Carbonation Coating	Kg.	1452.00	1452.00	1200.00	
	Protective, Decorative Insulating Anti Carbonation Coating	Kg.	1633.50	1633.50	1350.00	
	Concrete Penetrating Corrosion Inhibitor	Kg.	5445.00	5445.00	4500.00	
	Protective Acrylic Sealer	Kg.	1815.00	1815.00	1500.00	
	Protective Polyurethane Sealer	Kg.	2178.00	2178.00	1800.00	
	Water Based Fire Retardant Coating	Kg.	1452.00	1452.00	1500.00	
	High Performance Water Repellent Paint	Ltr.	10890.00	10890.00	900.00	
	Concentrated & Emulsified Chemical Mould Release Agent	Ltr.	605.00	605.00	500.00	
	Ready to use Chemical Mould Release Agent	Ltr.	484.00	484.00	500.00	
	Concrete Curing Aid	Kg.	484.00	484.00	450.00	
	Resin,silica based multi function, water proofing and curing compound Dose :cover area: 0.15kg/m2	kg	700.00	700.00	700.00	
	<b>CONCRETE REPAIRS</b>					

## सिभिल कार्यहरू (Civil works )

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)बाहेक			कैफियत
			आ.व ०७३/०७४	आ.व ०७४/०७५	आ.व ०७५/०७६	
	Rust Remover & Passivator	Ltr.	1210.00	1210.00	1000.00	
	Corrosion Inhibitor	Kg.	1210.00	1210.00	1200.00	
	Micro Concrete [ M55] for Permanant Repairs	Kg.	169.40	169.40	140.00	
	Single Component Polymer Modified Cementitious Repair Mortar	Kg.	211.75	211.75	175.00	
	Two Component Polymer Modified Cementitious Repair Mortar	Kg.	302.50	302.50	250.00	
	Cementitious, Waterproof Crack Repair Mortar	Kg.	242.00	242.00	200.00	
	Acrylic Based Crack Filling Putty	Kg.	1452.00	1452.00	1200.00	
	Resin ,Polycoboxylate Base For ultra High Strenth Concrete Repairing Dose : Admixture 10% By Wt of Cement	Kg	700.00	700.00	700.00	
	<b>PREPACKED MORTARS</b>					
	Tile, Mabrble, Granite etc. Adhesive	Kg.	90.75	90.75	85.00	
	Marble & Granite etc. Adhesive	Kg.	423.50	423.50	350.00	
	Coarse and water resistant Readymix plastring Mortar	Kg.	90.00	90.00	85.00	
	High Performanace Polymer Based Wall Putty (Skim Coat)	Kg.	70.00	70.00	73.50	
	High Performanace Polymer Based Insulting Wall Putty (Skim Coat)	Kg.	90.00	90.00	90.00	
	<b>WATERPROOFING SYSTEMS</b>					
	<b>INTEGRAL</b>					
	Integral Waterproofing Additive for Concrete & Plaster	Kg.	300.00	300.00	275.00	
	Silica Cement Admixture / Microsilica / Silica Fume	Kg.	315.00	315.00	330.75	
	<b>LIQUID APPLIED</b>					
	Single Pack Polymer Modified Flexible Waterproof Coating System	Kg.	423.50	423.50	444.68	
	Two Component Polymer Modified Flexible Acrylic Elastomeric Waterproof Coating System Dose :cover Area :5 Sqft- 7 Sqft/Kg 2 coats	Kg.	605.00	605.00	500.00	
	Two Component Polymer Modified Flexible Elastomeric Waterproof & Thermal Insulating Coating System Dose :consumption: 1.5 kg/m2	Kg.	907.50	907.50	750.00	
	Heavy duty reinforced elastomeric acrylic water proof coating for terrace Dose :cover area: 6 sqft/litre 3 coat	Ltr.	750.00	750.00	787.50	
	Arcylic elastomeric exterior water proof coating for exterior wall Dose :35 sqft/litre 2 coat	Ltr.	700.00	700.00	750.00	
	Crystalline Based Waterproofing Systems	Kg.	363.00	363.00	350.00	
	Fast Setting Plugging Compound for stopping running water	Kg.	423.50	423.50	400.00	
	Polyurethane based Waterproofing Coating System	Kg.	1815.00	1815.00	1650.00	
	Polymer Modified Bitumen based Waterproofing Coating System	Kg.	1452.00	1452.00	1250.00	
	Epoxy Resin based Waterproofing Coating System	Kg.	1815.00	1815.00	1815.00	

## सिभिल कार्यहरू (Civil works )

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)बाहेक			कैफियत
			आ.व ०७३/०७४	आ.व ०७४/०७५	आ.व ०७५/०७६	
	Efflorescence Resistance Penetrating Primer Dose :Cover Area: 80 Sq ft /lt 1 coat	kg	600.00	600.00	600.00	
	<b>PREFORMED</b>					
	Fiber Reinforced Polymer Modified Bituminous Membranes [3mm Plain]	Sq. M.	2178.00	2178.00	1800.00	
	Fiber Reinforced Polymer Modified Bituminous Membranes [3mm Mineral / Sand Finish]	Sq. M.	2420.00	2420.00	2000.00	
	Polymer Modified Self Adhesive Bituminous Membranes [1mm]	Sq. M.	1210.00	1210.00	1050.00	
	Polymer Modified Self Adhesive Bituminous Membranes [ 2mm]	Sq. M.	1815.00	1815.00	1500.00	
	Polymer Modified Self Adhesive Bituminous Membranes with Aluminium Cover	Sq. M.	1815.00	1815.00	1500.00	
	1.2 mm High Polymer PVC Membranes	Sq. M.	2420.00	2420.00	2000.00	
	PVC Adhesive	Kg.	3025.00	3025.00	2500.00	
	1.2 mm EPDM Membranes	Sq. M.	2420.00	2420.00	2500.00	
	EPDM Adhesive	Kg.	3025.00	3025.00	2500.00	
	EPDM Primer	Kg.	3630.00	3630.00	3000.00	
	2mm TPO Membranes	Sq. M.	4235.00	4235.00	3500.00	
	Polythene & Polypropylene Polymer Compound Waterproof Membrane	Sq. M.	968.00	968.00	800.00	
	100% Synthetic Rubber Roof Coating	Kg.	5445.00	5445.00	4500.00	
	<b>SPECIALTY</b>					
	Antistripping Agent for Bitumen	Kg.	484.00	484.00	508.20	
	Anti Termite [ Imidacloprid 30.5% ]	Kg.	9075.00	9075.00	9528.75	
	Expanding Concrete Joint WATERSTOP	RM.	2420.00	2420.00	2420.00	
	WB ADHESIVE Primer for Expanding Waterstop	2500	9075.00	9075.00	7500.00	
	Swellable WATERSTOP	RM.	3025.00	3025.00	2500.00	
	SEALGUARD PVC WATERSTOP - PVC Waterstops	RM.	3025.00	3025.00	2500.00	
	Nodular Drain with Geotextile Roof Garden	Sq. M.	2420.00	2420.00	2500.00	
	SEALGUARD GEOTEX [P] -Polyester Geotextile	Sq. M.	121.00	121.00	110.00	
	THERMOSEAL XPS - Extruded Polystyrene Boards [ 25 mm]	Sq. M.	1331.00	1331.00	1397.55	
	THERMOSEAL XPS - Extruded Polystyrene Boards [ 40 mm]	Sq. M.	2420.00	2420.00	2541.00	
	Cold Applied Multi Purpose Modified Bituminous Compound in semi Liquid Creamy for Bonding	Kg.			225.00	
	Cold Applied Viscous Heavy Duty Modified Bituminous Protective water Barrier Coating for Below Ground Structures (Raft / Pile / Footings etc)	Kg.			525.00	
	Bituminous based Aluminized Heat Reflective Paint	Kg.			650.00	
	Cold Applied Sealing & Calking Compound	Kg.			1250.00	
	ROAD REPAIR PRE-MIX	Kg.			1000.00	
	ANTI CORROSIVE PIPE WRAP 2 mm	Kg.			750.00	
	ANTI CORROSIVE PIPE WRAP 4 mm	Kg.			1000.00	
	<b>STRUCTURAL STRENGTHENING &amp; SEISMIC RETROFITTING</b>					

## सिभिल कार्यहरू (Civil works )

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)बाहेक			कैफियत
			आ.व ०७३/०७४	आ.व ०७४/०७५	आ.व ०७५/०७६	
	Carbon Laminate [50 mm Wide 1.4 mm Thick]	R. M.	9680.00	9680.00	8500.00	
	Carbon Laminate [75 mm Wide 1.4 mm Thick]	R. M.	12100.00	12100.00	10000.00	
	FRP [ Fiber Reinforced Polymer] CARBON FiberWRAP Sheet 200 GSM	Sq. M.	12100.00	12100.00	8000.00	
	FRP [ Fiber Reinforced Polymer] CARBON FiberWRAP Sheet 400 GSM	Sq. M.	18150.00	18150.00	12000.00	
	FRP [ Fiber Reinforced Polymer] CARBON FiberWRAP Sheet 600	Sq. M.	24200.00	24200.00	16000.00	
	FRP [ Fiber Reinforced Polyer] GLASS FiberWRAP Sheet 900 GSM	Sq. M.	18150.00	18150.00	12000.00	
	EPOXY PRIMER	Kg.	4235.00	4235.00	3500.00	
	SATURANT	Kg.	3630.00	3630.00	3500.00	
	LAMINATE ADHESIVE	Kg.	2420.00	2420.00	2500.00	
	EPOXY TOPCOAT	Kg.	3630.00	3630.00	3500.00	
	POLYURETHANE TOPCOAT	Kg.	4840.00	4840.00	4500.00	
	Fiber anchor system 5to 10 mm	R. M.	2420.00	2420.00	2500.00	
	Carbon Laminate [50 mm Wide 2 mm Thick]	R. M.	9680.00	9680.00	10000.00	
	Carbon Laminate [75 mm Wide 2 mm Thick]	R. M.	12100.00	12100.00	12000.00	
	<b>Soil Stabiliser / Admixture</b>					
	Resin, sulfate resistant, admixture for medium strength concrete and for mud road / gravel road / eco brick tiles, hollow blocks production Dose :0.25 to0.4 % by wt of cement	kg	650.00	650.00	650.00	
	<b>Concrete curing compound</b>					
	<i>Concrete Curing Aid</i>	Kg.	484.00	484.00	484.00	
	Resin,silica based multi function, water proofing and curing compound <b>Dose</b> :cover area: 0.15kg/m2	kg	700.00	700.00	700.00	
<b>49</b>	<b>परम्परागत निर्माण सामग्रीहरू :-</b>					
	<b>मठमन्दिरमा प्रयोग हुने ढुङ्गाका विभिन्न सामग्रीहरू</b>					
1	कालो ढुंगाको बुटा सहितको थाम ६"× ९"× ६०"	प्रति गोटा			70000.00	
2	कालो ढुंगाको बुटा सहितको थाम ६"× ९"× ६.६"	प्रति गोटा			105000.00	
3	कालो ढुंगाको बुटा सहितको थाम १२"× १२"× ७.६"	प्रति गोटा			240000.00	
4	४" बाक्लो पेट्टी ढुंगा (१०"× ४")	फिट			800.00	
5	४" बाक्लो नागोल ढुंगा (१०"× ४")	फिट			900.00	
6	४" बाक्लो बुटेदारी कांसमो, कार्नेस र फ्यो (१०"× ४")	फिट			3700.00	
7	कालो साइडल ढुंगा (इल्हो) (३०" × ३०"× १८")	प्रति गोटा			40000.00	
8	Peti kuna Dhunga(19.9**9**18")	प्रति गोटा			2720.00	
9	Peti kuna Dhunga(10**10**14")	प्रति गोटा			1900.00	
10	Bichako naykha nhu	प्रति गोटा			950.00	
11	Dhungey dhara	प्रति गोटा			1360.00	
12	Peti Dhunga 4"	प्रति गोटा			2450.00	
13	Peti Dhunga 5"	मिटर			2990.00	
14	Shree Ganesh/Kumar Dhunga ko Murti	प्रति गोटा			1360.00	

## सिभिल कार्यहरू (Civil works )

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)बाहेक			कैफियत
			आ.व ०७३/०७४	आ.व ०७४/०७५	आ.व ०७५/०७६	
	ढुँँ धारा	गोटा			1155.00	
	माटो बाट निर्मित परम्परागत निर्माण सामग्रीहरू					
	१) दचि अपा ठूलो ८"×२-३/८"×५"	गोटा	20.00	20.00	21.00	
	२) दचि अपा सानो ८३/८"×२-१/८"×४-१/४"	,,	16.00	16.00	16.00	
	३) दचिअपा ठूलोको कुँ	,,	24.00	24.00	24.00	
	४) दचिअपा सानोको कुँ अपा	,,	20.00	20.00	20.00	
	५) माँ अपा ठूलो ८-७/८"×२-१/४"×५-३/४"	,,	18.00	18.00	18.00	
	६) माँ अपा ठूलो 241x60x158 mm	,,	23.00	23.00	23.00	
	७) मा अपा सानो ८-३/८"×२"×५"	,,	15	15	15	
	८) धुरी चाङ्ग ठूलो ९-३/८"×५-१/२"×३/४	,,	22	22	22	
	९) धुरी 230x295x25 mm	,,				
	१०) धुरी चाँङ्ग सानो	,,	17	17	17	
	११) भिगटी नयाँ ८-३/४"×४"	गोटा	11	11	11	
	१२) भिगटी पुरानो	गोटा	7	7	7	
	१३) ढुकु	गोटा	39	39	39	
	१४) Snake body brick traditional	गोटा	24	24	24	
	१५) Snake neck brick ,,	गोटा	72	72	72	
	१६) Snake head brick ,,	गोटा	141	141	141	
	क)साना	,,	110	110	110	
	ख)ठूलो	,,	220	220	220	
	१७) पेटीकोलागि ढुङ्गा					
	क) १८"×१०"×४"	,,	660	660	660	
	१८) नागोल ईटा	गोटा	19	19	19	
	१९)९"X ९"X १८ इन्च कुना ढुङ्गा	१ मि.	2200	2200	2200	
	२०) फ:ल्होह अपा ठूलो 375x225x100mm	गोटा	165	165	165	
	२१) फ:ल्होह अपा सानो 254x229x102mm	,,	138	138	138	
	२२) तीनकुनै तेलिया ईटा (९"×९"×२-१/४"	,,	13	13	13	
	२३) तीनकुनै तेलिया ईटा (६"×६"×२-१/४"	,,	10	10	10	
	२४) चारकुनै तेलिया ईटा (८"×८"	,,	19	19	19	
	२५) तेलिया ईटा (६"×६"	,,	13	13	13	
	२६) बुट्टेदारी कर्निश इटा (काशीमोहरु)	,,	28	28	28	
	२७) बुट्टेदारी कर्निश इटा कुना	,,	41	41	41	
	२८) बुट्टेदारी कर्निश इटा ठूलो 222x273x76mm	,,	165	165	165	
	२९) भ्याल माथिको कर्निश ईटा बुट्टेदारी	,,	33	33	33	

## सिभिल कार्यहरू (Civil works )

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)बाहेक			कैफियत
			आ.व ०७३/०७४	आ.व ०७४/०७५	आ.व ०७५/०७६	
	३०) काठको कर्निश माथिको इटा ११×६×२.५"	„	55	55	55	
	३१) कर्नर स्टोन : १०"×१०"×१४"	„	1540	1540	1540	
	३२) क) विचको न्याहाकल्लै १०"×७"×१४"	„	1045	1045	1045	
	३३) नागोल ढुङ्गा १८"×१०"×५	„	770	770	770	
	३४) भौ प्वा	गोटा	220	220	220	
	३५) तामा पाता.( नेपाली)	केजी	1045	1045	1045	
	तामा पाता (Indian)	केजी	1210	1210	1210	
	३६) पित्तल पाता	केजी	825	825	825	
	३७) पारो	ग्राम	165	165	165	
	३८) सूर्कि इटा कुटि धुलो बनाएको ।	टन	1320	1320	1320	
	३९) Wind bell हवा घण्टी ४"	गोटा	453	453	453	
	४०) न्हकंलो बीचको	१ गोटा	1650	1650	1650	
	४१ ) पेटीढुङ्गा ४"	१ मि.	1980	1980	1980	
	४२)पेटीढुङ्गा ५"	१ मि.	2420	2420	2420	
	४५)श्री गणेश	गोटा	1100	1100	1100	
	४६)कुमार	गोटा	1100	1100	1100	
	४७) ढुङ्गे धारा	गोटा	1100	1100	1100	
	४८) ल्हाकै सेट	गोटा	2200	2200	2200	
	४९)नागबेली बुट्टा	गोटा	24	24	27	
	४९)नागबेली बुट्टा कुना	गोटा	36	36	40	
	५०)स्वा बुट्टा	गोटा	24	24	24	
	५१)चीर बुट्टा	गोटा	24	24	24	
	५२) कार्नेसफयो	गोटा	21	24	24	
	५३)कार्नेस गजुर पली	गोटा	33	24	24	
	५५)ठुलो कलश	गोटा	165	24	24	
	५६)मसीनो सूर्कि	केजि	13	24	24	
	५७ )खस्रो सुर्कि	केजि	7.5	24	24	
	५८ )गट्टा चुन	के.जि.	24	24	24	
	५९) मा अपा (साइज 200x50x130)	गोटा	15	24	24	
	६०) दाँच अपा (साइज 200x55x100)	„	17	24	24	
	६१) त्वा अपा (साइज 110x55x180)	„	17	24	24	
	६२ )गोल अपा (साइज 120x55x80)	„	17	24	24	
	६३)गणेश अपा (साइज 200x250x35)	„	330	24	24	
	६४)कुमार अपा (साइज 200x250x35)	„	330	24	24	
	६५)तारा अपा (साइज 200x250x55)	„	330	24	24	
	६६)पञ्च बुद्ध अपा (साइज 170x230x55)	„	330	24	24	
	६७)कलस अपा (साइज 100x140x40)	„	55	24	24	
	६८)नागोल अपा (साइज 140x52x120)	„	19	24	24	
	६९)कसिमो अपा (साइज 230x55x100)	„	28	24	24	

## सिभिल कार्यहरू (Civil works )

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)बाहेक			कैफियत
			आ.व ०७३/०७४	आ.व ०७४/०७५	आ.व ०७५/०७६	
	७०)सकली अपा (साइज 140x55x115)	,,	24	24	24	
	७१)पानबुट्टा अपा (साइज 140x55x115)	,,	24	24	24	
	७२)सानो फ बुट्टा अपा (साइज 180x55x30)	,,	28	24	24	
	७३)ठूलो फ बुट्टा अपा (साइज 230x55x110)	,,	28	24	24	
	७४)नयां फ बुट्टा अपा (साइज 230x55x110)	,,	28	24	24	
	७५)साना ग बुट्टा अपा (साइज 140x50x110)	,,	24	24	24	
	७६)ठूलो ग बुट्टा अपा (साइज 230x55x90)	,,	28	24	24	
	७७)पुम्हा बुट्टा अपा (साइज 180x55x70)	,,	28	24	24	
	७८)तिनकुने स्वाँ अपा (साइज 200x550x30)	,,	28	24	24	
	७९)तिनकुने पलि अपा (साइज 200x550x90)	,,	28	24	24	
	८०)साना स्वाँ अपा (साइज 140x50x110)	,,	24	24	24	
	८१)ठूलो स्वाँ अपा (साइज 2300x55x90)	,,	28	24	24	
	८२)नाग टाउको दांयावांयाँ (साइज 100x150x50)	,,	138	24	24	
	८३)नाग घटी दांयावांयाँ (साइज 140x60x70)	,,	72	24	24	
	८४)नाग जीउ (साइज 140x60x70)	,,	24	24	24	
	८५)नाग कन्या/पुरुष (साइज 180x380x55)	,,	550	24	24	
	८६)खाल नागोल (साइज 130x55x120)	,,	19	24	24	
	८७)खाल फयो (साइज 130x55x135)	,,	19	24	24	
	८८)लहरा बुट्टा (साइज 125x45x140)	,,	24	24	24	
	८९)नाग बेली (साइज 140x55x120)	,,	24	24	24	
	९०)मिखाफुसी (साइज 140x55x120)	,,	33	24	24	
	९१)पलियो दायां/बायां (साइज 130x55x120)	,,	24	24	24	
	९२)नयां पलिफो (साइज 185x52x80)	,,	28	24	24	
	९३)सिधा पलिफो (साइज 190x55x90)	,,	28	24	24	
	९४)२" सिह (साइज 95x5010)	,,	33	24	24	
	९५)२"गरुड (साइज 95x50x100)	,,	33	24	24	
	९६)घलिख्वा (साइज 95x50x100)	,,	33	24	24	
	९७)श्रीयन्त्र (साइज 70x700x80)	,,	44	24	24	
	९८)त्वा फयो (साइज 140x55x120)	,,	19	24	24	
	९९)तारा बुट्टा पुरानो (साइज 180x55x80)	,,	24	24	24	
	१००)तारा बुट्टा नयां (साइज 230x70x90)	,,	28	24	24	
	१०१)स्वाँफो तारां (साइज 220x55x90)	,,	28	24	24	
	१०२)सिक्री बुट्टा (साइज 220x55x80)	,,	28	24	24	
	१०३)न्हाय बुट्टा सानो (साइज 140x65x130)	,,	28	24	24	
	१०४)न्हाय बुट्टा ठूलो (साइज 140x100x130)	,,	28	24	24	
	१०५)नगोल नगोल (साइज 2000x55x90)	,,	19	24	24	
	१०६)ठी बुट्टा (साइज 210x55x75)	,,	28	24	24	
	१०७)सानो/ठूलो (साइज	,,	28	24	24	
<b>50</b>	<b>Security System</b>					
	<b>Steel Security Gate supply</b>					



## सिभिल कार्यहरू (Civil works )

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)बाहेक			कैफियत
			आ.व ०७३/०७४	आ.व ०७४/०७५	आ.व ०७५/०७६	
	Metal detector (black Scorpion Company)	गोटा	16500.00	16500.00	16995.00	
	Access Controller (Taiwanese )	गोटा	28000.00	28000.00	28840.00	
	Access Controller (Chainese )	गोटा	13500.00	13500.00	13905.00	
	<b>Steel Security Door</b>					
	Single leaf :- 50 mm, 70 mm, 100mm	Sqm	8430.00	8430.00	8683.00	
	Half leaf : - 50 mm, 70 mm, 100mm	Sqm	9641.00	9641.00	9930.00	
	Double leaf : - 50 mm, 70 mm, 100mm	Sqm	10116.00	10116.00	10419.00	
	<b>Security System</b>					
	i) Short range wireless intruder Alarm (including Host Unit-1, PIR motion detector-1, Door Sensor-1, Remote Controller -2) (घर कम्पाउण्ड सुरक्षा प्रविधि)	गोटा	33333.00	33333.00	34333.00	
	iii) Access Controller with record using Card and Pin ( with 10 piece RFID Card.)	गोटा	20000.00	20000.00	20600.00	
	iv) Access Controller without record using Card and Pin ( with 5 piece RFID Card.)	गोटा	12500.00	12500.00	12875.00	
	v) Finger print access system with software	गोटा	35000.00	35000.00	36050.00	
	vi) Security from Panic Alarm	गोटा	35000.00	35000.00	36050.00	
	vii) GPS (Global Positioning System) Device with software	गोटा	24999.00	24999.00	24999.00	
	<b>CCTV System</b>					
	Out door high speed Dome Integrated CAMERA Multi Protocal ,480 TVL,128 preset points , automatic surveillance,360 degrees horizontal rotation , AC 240V power supply , integrated heating system , highest angle speed 360 degree/ sec ,weather resistance, water resistance, robust type.					
	Integrated camera chip, normal colour, 23 times optical Zoom, 10 times digital zoom	सेट			56650.00	
	Integrated camera chip, day & night, 23 times optical Zoom, 10 times digital zoom	सेट			58916.00	
	<b>Indoor high speed Dome Integrated CAMERA</b>					
	CANON Integrated camera chip, normal colour, 23 times optical Zoom, 10 times digital zoom	सेट			54384.00	
	CANON Integrated camera chip, day & night, 23 times optical Zoom, 10 times digital zoom	सेट			56650.00	
	VISTA Box camera with adaptor, IR view distance 25mm Mirror shutter;with mirror image switchable,white balance; auto,Horizontal resolution ; 480 TV line , system signal; NTSC/PALBlacklight compression :ON/OFF(Switchable) , AGC; ON/OFF	सेट			15450.00	
	7" Sphirical Shilded with bracket included chip excluded Camera				8364.00	

## सिभिल कार्यहरू (Civil works )

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)बाहेक			कैफियत
			आ.व ०७३/०७४	आ.व ०७४/०७५	आ.व ०७५/०७६	
	8 Channel DVR MJPEG Compression Type 8 Channel input 2 Channel output USB2.0Interface , Hard Disc > 200G, Multi-Record ,Motion Detector Function , Remote Control	सेट			33990.00	
	6 Channel Alarm input , 16 Channel Record 8 channel Alarm output , Internate Explore, MPG-4 Record	सेट			50985.00	
	17" LCD Monitor	सेट			10815.00	
<b>51</b>	<b>Bridge and Trail Bridge Materials</b>					
	<b>Elastomeric Bearing Pad</b>					
	Free Type	NOS	19955	19955	21247	
	Fix end Dowel Type	,,	47077	47077	47077	
	<b>Expansion Joint Works</b>					
	Single strip seal	Rm	9056	9056	9316	
	Slab seal(320*50)	,,	18716	18716	18716	
	<b>Thimbles</b>					
	Φ 13 mm thimble	Pc	70.00	70.00	72.00	
	Φ 26 mm thimble	Pc	350.00	350.00	361.00	
	Φ 32 mm thimble	Pc	600.00	600.00	618.00	
	Φ 36 mm thimble	Pc	1200.00	1200.00	1236.00	
	Φ 40 mm thimble	Pc	1500.00	1500.00	1545.00	
	<b>Bulldog grip</b>					
	Φ 13 mm Bulldog grip	Pc	70.00	70.00	70.00	
	Φ 26 mm Bulldog grip	Pc	350.00	350.00	350.00	
	Φ 32 mm Bulldog grip	Pc	525.00	525.00	525.00	
	Φ 36 mm Bulldog grip	Pc	650.00	650.00	650.00	
	Φ 40 mm Bulldog grip	Pc	650.00	650.00	650.00	
	Wire mesh netting -10 SWG 50x50 mesh size	m <sup>2</sup>	365.00	365.00	383.25	
	Sign Board with Fittings (Size - 60cm X 90cm)	Pc	6500.00	6500.00	6695.00	
	Bolts, Nuts & Washers (Galvanised 4.6 grade)	Kg	250.00	250.00	262.50	
	Bolts, Nuts & Washers (Hotdip friction Grip)	Kg	350.00	350.00	370.00	
	High tensile friction grip nut bolts	kg	325.50	325.50	350.00	
	Hot deep galvinazation	kg			48.00	
	<b>Galvanization</b>					
	Zinc Above 98.5% purity	kg	295.00	295.00	295.00	
	Premix of Zinc amonium chloride	kg	577.00	577.00	577.00	
	Hydraucloric acid	Lit	39.00	39.00	39.00	
	Red oxide zinc chromate	Lit	231.00	231.00	231.00	
	Polyurethine enamel	Lit	463.00	463.00	463.00	

## सिभिल कार्यहरू (Civil works )

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)बाहेक			कैफियत
			आ.व ०७३/०७४	आ.व ०७४/०७५	आ.व ०७५/०७६	
	Coaltar	Lit	252.00	252.00	252.00	
52	<b>Sheet pilling work :</b> Providing, preparing and installing of <b>piling of ms pipe</b> and sheets false work including necessary supports and removing after completion for foundation ,basement and shear wall	Sq.m.	3020.85	3020.85	3020.85	
53	Readymade RCC Door & windows frame (4"*2.75" of 1:1:1 concrete mixdesign safety plate all complete work.	Rft	225.00	225.00	225.00	
	" Ventilation	„	225.00	225.00	225.00	
	" Arc frame semi circular	„	450.00	450.00	450.00	
54	<b>V- Panel Board and V board cement fabric board supplying, fixing, making coplete works</b>					
	V-panel board 50mm thick solid panel board	Sq. ft	231	231	231	
	V-panel board 6mm thick cement fabric board	Sq. ft	80	80	80	
	V-panel board 8mm thick cement fabric board	Sq. ft	92	92	92	
	V-panel board 10mm thick cement fabric board	Sq. ft	146	146	146	
	V-panel board 12mm thick cement fabric board	Sq. ft	181	181	181	
	V-panel board 16mm thick cement fabric board	Sq. ft	205	205	205	
	V-panel board 18mm thick cement fabric board	Sq. ft	231	231	231	
55	<b>NON DESTRUCTIVE TEST FOR FORENSIC ENGINEERING</b>					
	Surface Hardness	Element			1000.00	
	Cover Survey/ Rebar Orientation	Element			4000.00	
	Homogeneity	Element			5000.00	
	Crack Depth Measurement	Element			5000.00	
	E-Modulus Calculation Test	Element			5000.00	
	Resistivity	Element			2500.00	
	Curing Efficency Test	Element			2500.00	
	Corrosion Mapping	Element			15000.00	
	Half Cell Potential	Element			7000.00	
	Sonic Echo/ Void Detection Test	Element			10000.00	
	Pulloff Test/ Bond Test	Element			7000.00	
	Concrete Tensile Strength Test	Element			7000.00	
	Moisture Content	Element			4500.00	
	Core Extraction					
	32 mm Dia	Element			7500.00	

## सिभिल कार्यहरू (Civil works )

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)बाहेक			कैफियत
			आ.व ०७३/०७४	आ.व ०७४/०७५	आ.व ०७५/०७६	
	52 mm Dia	Element			8000.00	
	75 mm Dia	Element			8500.00	
	100 mm Dia	Element			1000.00	
	150 mm Dia	Element			12500.00	
	200 mm Dia	Element			15000.00	
	250 mm Dia	Element			17500.00	
	300 mm Dia	Element			20000.00	
	350 mm Dia	Element			25000.00	
	Rapid Chloride Penetration Test	Element			15000.00	
	Anchor Pullout Test	Element			20000.00	
	Infrared Thermography	Element			3500.00	
	Low Strain Pile Integrity Test	Element			11000.00	
	High Strain Dynamic Pile Load Test	Element			500000.00	
	Fresh Concrete Resistivity (Smart Box)	Element			4000.00	
	Fine/ Coarse Aggregate Moisture Content	Element			3500.00	
	Fresh Concrete Moisture Content (W/C Ratio)	Element			3500.00	
	Cross Hole Sonic Logging	Element			12500.00	
	Impulse Echo	Element			10000.00	
	Maturity Meter Test	Element			35000.00	
	Chloride Profile	Element			12500.00	
	Carbonation Depth Detection Test	Element			2500.00	
	Boroscope	Element			35000.00	
	Videoscope	Element			85000.00	
	Ground Penetrating Radar	Element			50000.00	
	CAPO Test	Element			12500.00	
	Permeability Test	Element				
	Air				30000.00	
	Water				40000.00	
	Concrete Cutting Services	R. M.			30000.00	
	Wall Cutting Services	R. M.			50000.00	
	Impact Echo	Element			10000.00	
	Mortar Strength Test (Penetrometer)	Element			5000.00	
	ASR Detection Test	Element			10000.00	
	Moisture Content Test					
	Concrete	Element			2000.00	
	Brick	Element			2000.00	
	Masonry	Element			2000.00	
	Wood	Element			2500.00	
<b>56</b>	<b>भु संरक्षण सम्बन्धी कार्य</b>					

## सिभिल कार्यहरू (Civil works )

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)बाहेक			कैफियत
			आ.व ०७३/०७४	आ.व ०७४/०७५	आ.व ०७५/०७६	
	<b>Grass Seeds</b>					
	जई	Kg	75.00	75.00	75.00	
	भेच	,,	170.00	170.00	170.00	
	नेपीयर	set	3.00	3.00	3.00	
	बर्सिम	Kg	175.00	175.00	175.00	
	टियोसेन्टी घास बिउ	Kg	160.00	160.00	160.00	
	घाँसको बिउ र ओषधि जिल्ला भित्र ढुवानी गर्दा	,,	1.50	1.50	1.50	
	घाँसको बिउ जिल्ला बाहिरबाट ढुवानी गर्दा	,,	3.00	3.00	3.00	
	<b>Vegetation/Shrubs Cuttings/Slip/Plants/etc.</b>					
	अम्रिसो	set	7.00	7.00	7.00	
	अलैची गानो	,,	11.00	11.00	11.00	
	अलैची बिरुवा	,,	10.00	10.00	10.00	
	हार्डउड कटिङ्गस् (बैस) पेन्सिल साइज	,,	6.00	6.00	6.00	
	नेपीयर कटिङ्गस्	,,	2.50	2.50	2.50	
	NB 21 घाँस	Slip	2.00	2.00	2.00	
	निगालो राईजोम	set	50.00	50.00	50.00	
	बासको बेर्ना (कटीग राईजोम)	,,	350.00	350.00	350.00	
	बाँबियो ताडवानी ढुवो	,,	3.00	3.00	3.00	
	सिजनल फुल ं इन्च पोली	गोटा	25.00	25.00	25.00	
	गुलाफ फुल ं इन्च पोली	,,	150.00	150.00	150.00	
	हेज ं इन्च पोली	,,	30.00	31.50	37.80	
	कार्पेट ढुवो	व.फी.	30.00	31.50	33.00	
	कार्पेट ढुवो को लागी छान्ने कार्यको ज्याला	,,	20.00	21.00	25.20	
	निगालो (जरा सहीत)	गोटा	11.00	11.55	12.00	
	स्थानीय स्तरमा उत्पादीत बिरुवा फलफुल बाहेक	,,	10.00	10.50	11.00	
	गोठे मल तयारी	के.जी.	3.00	3.15	3.47	
	डाले घासको बिरुवा	गोटा	10.00	10.50	11.00	
	मोलाटो बिरुवा	,,	2.00	2.10	2.10	
	नरीवल डोरी	के.जी.	120.00	126.00	132.00	
	नाइलन डोरी	,,	250.00	262.50	280.00	
	लौठ सल्ला नेपाली	गोटा	77.00	80.85	85.00	
	लौठ सल्ला अमेरिकन	गोटा	120.00	126.00	132.00	
	ढूलो साईजको बाँसको बिरुवा (बिउबाट उत्पादित)	गोटा	200.00	210.00	220.00	
<b>57</b>	<b>बन कार्यालयबाट सम्पादन गरिने कार्यहरू(काठ लोड अनलोड तथा ढुवानीआदि)</b>					
	चीरान काठ लोड अनलोड	क्यू.फि.	20.00	21.00	22.05	
	गोलीया काठ लोड अनलोड	,,	25.00	26.25	27.56	
	दाउरा लोड	चट्टा	2700.00	2835.00	3000.00	
	दाउरा अनलोड	,,	1000.00	1050.00	1102.50	

## सिभिल कार्यहरू (Civil works )

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)बाहेक			कैफियत
			आ.व ०७३/०७४	आ.व ०७४/०७५	आ.व ०७५/०७६	
	पोलीथिन ट्यूब ४ प्वाल भएको २०० गेजको विभिन्न साइज	के.जी.	325.00	341.25	375.38	
	ठुला विरुवा रोपन (४ फीट सम्म)		125.00	131.25	137.81	
	ठुला विरुवा रोपन (४ देखि ६ फीट)	प्रती विरुवा	140.00	147.00	154.35	
	अग्ला विरुवा रोपन (६ देखि ८ फीट)	,,	210.00	220.50	231.53	
	<b>दाउरा संकलन, ढुवानी, चट्टा निर्माण (२० फिट x ५ फिट x ५ फिट)</b>					
	संकलन कटान, मुछ्यान	चट्टा	3400.00	340.00	4000.00	
	लोडीङ्ग	,,	2700.00	270.00	2700.00	
	ढुवनी (५ कि.मी.सम्म)	,,	4000.00	400.00	4000.00	
	अनलोडिङ्ग	,,	1400.00	140.00	1400.00	
	चट्टा निर्माण	,,	1400.00	140.00	1500.00	
	<b>पार्क तथा शहरी बृक्षारोपणका लागि</b>					
	ठूलो विरुवा रोपण (४ फिट सम्म)	प्रति विरुवा			140.00	
	ठूलो विरुवा रोपण (४ फिट देखि ६ फिट सम्म)	प्रति विरुवा			155.00	
	ठूलो विरुवा रोपण (६ फिट देखि ८ फिट सम्म)	प्रति विरुवा			240.00	
	<b>४ फिट सम्मका विरुवा</b>					
	असारे	गोटा	600.00	630.00	660.00	
	अप्पीसो(सानो विरुवा)	गोटा	5.00	5.25	6.30	
	अमला	गोटा	550.00	577.50	650.00	
	हरौं	गोटा	550.00	577.50	650.00	
	बरोँ	गोटा	550.00	577.50	650.00	
	वकाईनो	गोटा	550.00	577.50	410.00	
	करविर फूल	गोटा	700.00	735.00	800.00	
	चाँप	गोटा	900.00	945.00	1000.00	
	देवदार	गोटा	2000.00	2100.00	2200.00	
	समी	गोटा	775.00	813.75	975.00	
	रक्तकमल	गोटा	1000.00	1050.00	1260.00	
	वर	गोटा	1000.00	1050.00	1260.00	
	पिपल	गोटा	1000.00	1050.00	1260.00	
	वन सुपारी	गोटा			40.00	
	५ फिट सम्मको करविर विरुवा	गोटा			1200.00	
	५ फिट सम्मको तिकोमा विरुवा	गोटा			1200.00	
	५ फिट सम्मको चापको विरुवा	गोटा			1300.00	
	<b>४ फिट देखि ६ फिट</b>					
	तिकोमा	गोटा			1250.00	
	<b>पाल्मका प्रजाति</b>					
	फिस्टेल पाल्म	गोटा			1250.00	
	रोयल पाल्म	गोटा			1500.00	
	बोटल पाल्म	गोटा			800.00	
	किं पाल्म	गोटा			1500.00	

## सिभिल कार्यहरू (Civil works )

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)बाहेक			कैफीयत
			आ.व ०७३/०७४	आ.व ०७४/०७५	आ.व ०७५/०७६	
	हवाई पाल्म	गोटा			2000.00	
	होचो हुने प्रजाति १ देखि २ फिट सम्म	गोटा				
	साइकस पाल्म	गोटा			1000.00	
	स्याविस पाल्म	गोटा			800.00	
	रेक्सोन पाल्म	गोटा			1000.00	
	फोनिकस पाल्म	गोटा			600.00	
	च्यामडोरा पाल्म	गोटा			600.00	
	सिपेरिया पाल्म	गोटा			400.00	
	फयान पाल्म	गोटा			600.00	
	एरिका पाल्म	गोटा			600.00	
	४ देखि ५ फिट उचाई सम्म					
	हेवि सकस	गोटा			800.00	
	एजेलिया	गोटा			1500.00	
	क्यामेलिया	गोटा			1500.00	
	ग्राउण्ड कमर	गोटा			250.00	
	स्थानिय वास्नादार प्रजाति ४ देखि ६ फिट	गोटा				
	पारिजात	गोटा			1200.00	
	चमेली	गोटा			1000.00	
	जाई	गोटा			800.00	
	वेलपत्र	गोटा			800.00	
	स्थानिय प्रजाति २ देखि ४ फिट	गोटा				
	मालती	गोटा			400.00	
	बगमवेली	गोटा			500.00	
	वेली	गोटा			500.00	
	पेशन फ्लावर	गोटा			600.00	
	मान्डोमिल्ला	गोटा			1000.00	
	फाइकस पुमिला	गोटा			150.00	
	आडीम प्लाण्ट	गोटा			250.00	
	कपुर	गोटा	1150.00	1207.50	770.00	
	रुद्राक्ष	गोटा	1400.00	1470.00	950.00	
	कल्की	गोटा	1000.00	1050.00	660.00	
	जाकारन्डा	गोटा	1000.00	1050.00	660.00	
	असारे	गोटा	1000.00	1050.00	660.00	
	शिरिस	गोटा	550.00	577.50	577.50	
	पैयू	गोटा	550.00	577.50	440.00	
	लप्सी	गोटा	550.00	577.50	440.00	
	धुपी	गोटा	1000.00	1050.00	495.00	
	बगनवेली	गोटा	1150.00	1207.50	660.00	
	काईयो	गोटा	1000.00	1050.00	660.00	
	अम्रीसो(सानो बिरुवा)	गोटा	5.00	5.25	5.78	

## सिभिल कार्यहरू (Civil works )

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)बाहेक			कैफियत
			आ.व ०७३/०७४	आ.व ०७४/०७५	आ.व ०७५/०७६	
	तेजपात	गोटा	750.00	787.50	787.50	
	अमला	गोटा	650.00	682.50	682.50	
	हरौं	गोटा	650.00	682.50	682.50	
	वरौं	गोटा	650.00	682.50	682.50	
	वकाईनो	गोटा	650.00	682.50	682.50	
	करविर फूल	गोटा	1050.00	1102.50	1102.50	
	इनद्रकमल	गोटा	1050.00	1102.50	1102.50	
	लालीगुरास	गोटा	1200.00	1260.00	1260.00	
	स्यालफुसरे	गोटा	1200.00	1260.00	1260.00	
	पुवाले	गोटा	1200.00	1260.00	1260.00	
	देवदार	गोटा	2500.00	2625.00	2625.00	
	<b>बस्ती क्षेत्र भित्रका रुख कटान मुछान गरी गिण्डा पार्ने</b>					
	सामान्य जोखिम भएको	क्यु.फि.	75.00	75.00	75.00	
	मध्यम	क्यु.फि.	125.00	125.00	125.00	
	अति जोखिम	क्यु.फि.	200.00	200.00	200.00	
<b>58</b>	<b>जिल्ला कृषि कार्यालयबाट सम्पादन गरिने कार्यहरू</b>					
	<b>Water Pump</b>					
	4" koshin Robin waterPump(japanese)or Eqv.	set	65000.00	65000.00	65000.00	
	2"kawama polawat(Thailand ) or Equivalent	..	29500.00	29500.00	29500.00	
	3"kawama polawat(Thailand) or Equivalent	..	35500.00	35500.00	35500.00	
	Sunction Pipe 2.3"	Ft.	145.00	145.00	145.00	
	Delevery pipe 2,3"	kg.	245.00	245.00	245.00	
	Cotton Pipe 3"	m.	365.00	365.00	365.00	
	<b>Metal Bin</b>					
	Metal Bin A-Set capacity 262 kg	Set	3004.38	3304.81	3304.81	
	Metal Bin A-Set capacity 245 kg	..	2895.59	3185.14	3185.14	
	Metal Bin A-Set capacity 228 kg	..	2806.00	3086.60	3086.60	
	Metal Bin A-Set capacity 213 kg	..	2793.00	3072.30	3072.30	
	Metal Bin A-Set capacity 198 kg	..	2575.54	2833.09	2833.09	
	Metal Bin B-Set capacity 196 kg	Set	2546.45	2801.09	2801.09	
	Metal Bin B-Set capacity 184 kg	..	2443.98	2688.38	2688.38	
	Metal Bin B-Set capacity 170 kg	..	2356.70	2592.36	2592.36	
	Metal Bin B-Set capacity 160 kg	..	2277.00	2504.70	2504.70	
	Metal Bin B-Set capacity 148 kg	..	2182.13	2400.34	2400.34	
	Metal Bin C-Set capacity 148 kg	Set	2182.13	2400.34	2400.34	
	Metal Bin C-Set capacity 136 kg	..	2087.25	2295.98	2295.98	
	Metal Bin C-Set capacity 124 kg	..	2015.15	2216.66	2216.66	
	Metal Bin C-Set capacity 112 kg	..	1956.96	2152.65	2152.65	
	Metal Bin C-Set capacity 75 kg	..	1592.64	1751.90	1751.90	



## सिभिल कार्यहरू (Civil works )

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)बाहेक			कैफियत
			आ.व ०७३/०७४	आ.व ०७४/०७५	आ.व ०७५/०७६	
	मुसाको खोर	गोटा	253.00	253.00	253.00	
<b>59</b>	<b>Heavy equipment k[ɔf]ju u/L विभिन्न प्रकारको माटो तथा चटान काटने कार्य</b>					
	सबै प्रकारको माटोमा पहिरो हटाउने । कार्य (OS,HS, BMS, MS,SR)	घ.मी.	54	54	55	
	सबै प्रकारको माटो काटने कार्य । (OS,HS, BMS, MS,SR)	घ.मी.	81	81	83	
	मध्यम प्रकारको चट्टान (MR) काटने कार्य।	घ.मी.	485	485	500	
	कडा प्रकारको चट्टान (HR) काटने कार्य ।	घ.मी.	730	730	750	
	नोट: माथि उल्लेख भएको सबै प्रकारको माटो काटने कार्यको abbreviation तपशिलमा उल्लेख गरिएको छ ।					
	OS - Ordinary Soil					
	HS : Hard Soil					
	BMS : Boulder Mixed Soil					
	MS : Marshy Soil					
	SR : Soft Rock					
	MR : Medium Rock					
	HR : Hard Rock					
<b>60</b>	मेसिन, औजार तथा उपकरणको भाडादर सम्बन्धि: मेसिन प्रयोग गरी सडक निर्माण गर्दा वा अन्य कार्य गर्नुपर्दा डोजर, एक्साभेटर, रोलर, ग्रेडर आदिको दर रेट सडक विभागबाट कायम गरिएको प्रतिघण्टाको भाडादर <b>Website of Heavy Equipment Division - www.dor.gov.np</b> अनुसार कायम गर्ने ।					
<b>61</b>	<b>Road furniture/goods/other materials from DoRWebsite of Heavy Equipment Division - www.dor.gov.np</b> अनुसार कायम गर्ने ।					
<b>62</b>	<b>Japanese Flat plug cement admixture</b>					
	Flat plug 1000	Kg.	700.00	700.00	700.00	
	Flat plug 2000	Kg.	650.00	650.00	650.00	
	Flat plug 3000	Kg.	650.00	650.00	650.00	
	Flat plug 4000	Kg.	650.00	650.00	650.00	
	Accelerator	Kg.	650.00	650.00	650.00	

<b>SANITARY WORK</b>						
सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक			कैफियत
			आ.व. ०७३/७४	आ.व. ०७४/७५	आ.व. ०७५/७६	
1	<b>Porcelain Clay Sanitaryware (Hindware, Paryware, Somany, cera or eqv. कम्पनीका सामानहरू)</b>					
	<b>White glazed porcelain pan</b>					
	i)530mm size white glazed without siphon	सेट	2405	2405	2524	
	ii)500 mm size white glazed without siphon	"	2090	2090	2194	
	iii)580 mm size orrisa Pan	"	2339	2339	2456	
	iii)580 mm size white glazed Indian pan	"	1000	1000	1049	
	iv) Siphon 'p' or 's' type	"	562	562	590	
	v) Asian Pan 51x40 Rectangular	"	2405	2405	2524	
	<b>Porcelain Clay Cistern</b>					
	i) white glazed porcelain clay 10 lit cistern complete set (internal part of cistern pvc fittings )	"	3391	3391	3559	
	ii) White glazed porcelain clay 10 lit. Cistern cover only.	"	635	635	667	
	iii) White glazed porcelain clay 12.5 lit. cistern complete set (Brass fittings siphon with plunger plate)	"	3523	3523	3698	
	<b>Commode</b>					
	i) White glaze porcelain clay regular commode with 'p' trap	सेट	1512	1512	1587	
	ii) White glazed porcelain clay EWC regular commode with 's ' \ p trap	"	1739	1739	1825	
	iii)(b) White glazed porcelain clay EWC Constellation commode with 'P ' & 's ' trap and seat cover set.(Hindware, Paryware, Somany, cera or eqv.)	"	17262	17262	18119	
	iv) White glazed porcelain clay One Piece commode with 'P ' & 's ' trap and slow falling seat cover complete set.(Hindware, Paryware, Somany, cera or eqv.)	"	27510	27510	28875	
	iv) White glazed porcelain clay One Piece commode with 'P ' & 's ' trap and slow falling seat cover complete set.(Bolan, Tita, Akwa or eqv.)	"	19425	19425	20389	
	viii)(c) White glazed porcelain clay Ewc wall mounted commode without cistern all complete set..(Bolan, Tita, Akwa or eqv.)	"	5003	5003	5252	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)बाहेक			कैफियत
			आ.व. ०७३/७४	आ.व. ०७४/७५	आ.व. ०७५/७६	
	ix) White glazed porcelain clay Ewc floor mounted commode without cistern all complete set.	”	8247	8247	8656	
	x) 600 to 900 mm Grab bar	”	5775	5775	6062	
	<b>Bidet set</b>					
	i) Porcelain clay white glaze Bidet.	सेट	3517.5	3517.5	3584	
	<b>Urinal set</b>					
	i) Porcelain clay white glaze large flat back urinal 61×41×38 cm size (Hindware, Paryware, Somany, cera or eqv.)	सेट	3976	3976	4174	
	ii) Porcelain clay small Urinal (46.5×35.5×26.5) cm size .(Hindware, Paryware, Somany, cera or eqv.)		1791	1791	1880	
	iv)White glazed porcelain clay corner Urinal (35×35×44)cm size with complete set.(Hindware, Paryware, Somany, cera or eqv.)	”	1542	1542	1619	
	vi) Wall mounted Urinal with sensor complete set.( Duravit, Grohe, American standard and equivalent)	”	95550	95550	100291	
	<b>Porcelain Clay Urinal Squatting Plate</b>					
	i) white glaze squatting plate Small Size (45×35)cm	सेट	1155	1155	1212	
	ii) Porcelain clay white glaze squatting plate large size	”	1386	1386	1455	
	iii) Porcelain clay super color squatting plate large size.	”	2688	2688	2821	
	iv) Urinal Spreader	”	872	872	915	
	<b>Wash basin</b>					
	i) Porcelain clay white glaze wash basin (500×400) cm size regular.	सेट	1044	1044	1095	
	iii) Porcelain clay white glaze wash basin (50×40) cm	”	1411	1411	1481	
	iv) Do but wash basin (45×32)cm	”	1014	1014	1065	
	vi) white glazed porcelain clay Corner basin 40x40 complete set	सेट	1145	1145	1201	
	vii) white glazed porcelain clay U-counter basin complete.(Duravit, Grohe, American standard or equiv)	”	7954	7954	8348	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)बाहेक			कैफियत
			आ.व. ०७३/७४	आ.व. ०७४/७५	आ.व. ०७५/७६	
	ix) white glazed porcelain clay 0-counter wash basin, complete.(Duravit, Grohe, American standard or equiv)	„	13125	13125	13776	
	x)(a) White glazed porcelain clay Semi pedestal large counter wash basin750*500 mm with complete set.(Duravit, Grohe, American standard or equivalent)	„	9975	9975	9785	
	x)(b) White glazed porcelain clay Semi pedestal large counter wash basin750*500 mm with complete set.	„	5938	5938	6232	
	d) White glaze porcelain clay Basin for disable with grab bar all complete	„	19577	19577	20549	
	<b>Pedestal:</b>					
	i) Porcelain clay white glaze pedestal	„	1313	1313	1378	
	iii)White glazed Porcelain clay half pedestal complete set.	„	1591	1591	1670	
	iv) First color glazed Porcelain clay half pedestal complete set.	„	1880	1880	1973	
	<b>Urinal Partition</b>					
	White glaze porcelain clay (68×30)cm division plate	„	1659	1659	1690	
	<b>Lab sink</b>					
	i) Porcelain clay white glaze large size	„	2117	2117	2222	
	ii) Porcelain clay white glaze small size	„	1575	1575	1653	
	iii) Porcelain clay janitor sink 58×71×43.5 size	„	26250	26250	27553	
	<b>Kitchen sink</b>					
	i) Porcelain clay large	सेट	3585	3585	3871	
	ii) Porcelain clay small	„	3248	3248	3401	
	iii) drain board white 53x45	„	1242	1242	1304	
	iii) Soap dish	„	630	630	661	
	iv) White glaze foot rest	„	399	399	419	
	v) White glaze Toilet paper holder	„	1103	1103	1157	
	<b>Super kitchen sink</b>					
	super kitchen sink large size	गोटा			7465	
	super kitchen sink small size	गोटा			6756	
2	<b>PVC Cistern Set</b>					
	i) single flush	सेट	1880	1880	1935	
	ii) Deluxe single flush	„	2100	2100	2163	
	iii) Dual flush 6/3 lit. cistern complete set.	„	2826	2826	2910	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)बाहेक			कैफियत
			आ.व. ०७३/७४	आ.व. ०७४/७५	आ.व. ०७५/७६	
	iv) concealed cistern with plate complete set.( Viega, Geberit, American standard or equivalent)	"	16065	16065	16546	
	v) 32 mm pvc bottel trap set.	पिस	454	454	467	
	vi) 1.5x45 cm pvc pipe connector set.	"	137	137	140	
	vi) Bakelite toilet seat cover set.	"	263	263	270	
	<b>3 Stainless Steel Accessories etc.</b>					
	Stainless steel Deep sink 45×45×30 size	"	17325	17325	17844	
	Stainless steel Orissa pan LP 210 size	"	8085	8085	8327	
	Stainless steel wash basin model 251 12" round size with pedestal	"	12635	12635	13013	
	Stainless steel wash basin 500 mm model 277 with complete set	"	9790	9790	10083	
	Stainless steel commode S trap with self closing complete set	"	16724	16724	17226	
	Wall mixer (single lever) bath faucet with hand shower( Grohe, Hansgrohe, American standard or equivalent)	"	13942	13942	14360	
	Bath tub (single lever )with hand shower( Grohe, Hansgrohe, American standard or equivalent)	"	17560	17560	18087	
	External Shower Wall mixer (single control) bath faucet with hand shower( Grohe, Hansgrohe, American standard or equivalent)	"	24546	24546	25282	
	Wall mixer (single control) bath faucet with hand shower(conceal system)( Grohe, Hansgrohe, American standard or equivalent)	"	15198	15198	15653	
	Wall mixer (single control) shower faucet (conceal system)( Jaquare, Somany, Essel or equivalent)	"	3985	3985	4104	
	conceal mixer faucet( Jaquare, Somany, Essel or equivalent)	"	6150	6150	6334	
	Stainless steel Angle valve( Grohe, Hansgrohe, American standard or equivalent)	"	788	788	811	
	Stainless steel two way Angle valve( Jaquare, Somany, Essel or equivalent)	"	1103	1103	1135	
	Stainless steel bowl 19"×16" diamond board 37" long	"	2546	2546	2622	
	Stainless steel bowl with diamond board 37" long	"	3487	3487	3591	
	Stainless steel bowl with ordinary board 37" long	"	2205	2205	2271	
	Stainless steel double bowl with double drain board 36" * 18 "size	"	13259	13259	13657	
	Stainless steel double bowl with single drain board ordinary	"	5513	5513	5677	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)बाहेक			कैफियत
			आ.व. ०७३/७४	आ.व. ०७४/७५	आ.व. ०७५/७६	
	Stainless steel p trap bottle trap for basin	„	2214	2214	2280	
	Stainless steel Kitchen sink mixture( Jaquar, Somany, Essel or equivalent)	„	8010	8010	8250	
	Stainless steel Kitchen sink faucet( Jaquar, Somany, Essel or equivalent)	„	5301	5301	5460	
	Stainless steel Kitchen sink mixture( Jaquar, Somany, Essel or equivalent)	„	8010	8010	8250	
	Stainless steel 1500mm flexible hose pipe( connection pipe)	„	1393	1393	1435	
	Stainless steel Hose ringer 1200 mm	„	1214	1214	1250	
	Stainless steel commode spray with hose pipe (Grohe, hansgrohe, American standard or equivalent)	„	1713	1713	1763	
	Stainless steel basin mixer( single control)(Grohe, hansgrohe, American standard or equivalent)	„	6615	6615	6813	
	Stainless steel single faucet for basin( Jaquar, Somany, Essel or equivalent)	„	4216	4216	4342	
	Stainless steel Sink 700*450*200	„	23100	23100	23793	
	Stainless steel Sink table top1200*600*300	„	31920	31920	32877	
	Steel Split clamp with washer all complete	„	31920	31920	32877	
	75 mm dia	lk;	315	315	324	
	110 mm dia		420	420	432	
	160 mm dia		735	735	757	
	Stainless steel telephonic shower( Jaquare, Somany, Essel or equivalent)	गोटा	1181	1181	1216	
	Stainless steel shower with sliding bar( Jaquare, Somany, Essel or equivalent)	„	2835	2835	2920	
	Stainless steel shower with sliding bar(Grohe, hansgrohe, American standard	„				
	Stainless steel bottle trap ( Viega, Somany, Jaquar or equivalent)	„	616	616	634	
	Stainless steel towel bar 450 mm	„	1181	1181	1216	
	<b>Stainless steel water tank fitting with all complete set (304 grade steel )</b>					
	Capacity 500 ltr	set	12832	12832	12610	
	Capacity 1000 ltr	„	16814	16814	17655	
	Capacity 1500 ltr	„	23894	23894	25088	
	Capacity 2000 ltr	„	31858	31858	34510	
	Capacity 3000 ltr	„			51770	
	Capacity 4000 ltr	„			69030	
	Capacity 5000 ltr	„			90710	
	<b>Super kitchen sink</b>					
	i) super kitchen sink large size	„	7112	7112	7465	
	ii) super kitchen sink small size	„	6437	6437	6756	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)बाहेक			कैफियत
			आ.व. ०७३/७४	आ.व. ०७४/७५	आ.व. ०७५/७६	
<b>4</b>	<b>Modern Sanitaryware:Grohe, Hansgrohe, American Standard or eqv.</b>					
	iv) Hand dryer Germany	„	18480	18480	19034	
	v) Hand Dryer Chinese	„	6825	6825	7029	
	vi) Indian Mark Brand Flush valve	„	5460	5460	5623	
	xii)Auto sensor for basin - Grohe, hansgrohe, American standard or equiv.	„	33600	33600	34608	
	xv) European pattern liquid soap container stainless steel	„	5775	5775	5948	
	xvii)Looking Mirror Modi guard 450x600mm (18"x 24")	„	1390	1390	1431	
<b>5</b>	<b>European Pattern C.P. Grab Bar for disable</b>					
	a) 30cm long bend type	„	4560	4560	4925	
	b) 45 cm long bend type	„	4775	4775	5157	
	c) 60 cm long bend type	„	6114	6114	6603	
<b>6</b>	<b>C.P. Accessories( jaquar, somany, essel or equivalent)</b>					
	1) Toilet paper holder	„	473	473	473	
	2) Soap dish	„	473	473	473	
	3) Towel rod ½"×18" size	„	473	473	510	
	4) Towel rod ¾" ×24" size	„	525	525	525	
	5) Glass shelf	„	630	630	630	
	6) C.P. bottle trap	„	1155	1155	1155	
	7) 32 mm×60cm long C.P flush pipe	„	473	473	473	
	8) 15 mm flush cock push type	„	1050	1050	1050	
	9) 15 mm dia. C.P. shower arm	„	904	904	904	
	10) 15 mm dia. C.P. spreader	„	872	872	872	
	11) 15 mm dia. C.P. wall mixture	„				
	i) 3" dia. Shower rose , revolving type	„	840	840	840	
	ii) 4" dia. Shower rose , revolving type	„	945	945	945	
	iii) Shower rose ordinary	„	525	525	525	
	iv) Shower rod 12" long	„	263	263	263	
	C.P. 15 mm dia. Angle Valve	„	1153	1153	1153	
	C.P. 15 mm dia Concealed Stop Cock	„	1675	1675	1675	
	C.P 15mm Bib Cock	„			1361	
	C.P. 15 mm dia swan neck Pillar Cock	„	1234	1234	1234	
	C.P. 15 mm dia Stop Cock	„	1234	1234	1234	
	C.P. 15 mm dia Sink Cock	„	1213	1213	1213	
	C.P. 15 mm dia Sink Mixture	„	4144	4144	4144	
	C.P. 32 mm dia Flush Valve	„	5009	5009	5009	
	C.P. 32 mm dia Waste Coupling for basin	„	393	393	393	
	C.P. 32 mm dia Waste Coupling for Urinal	„	638	638	638	
	C.P. Basin Mixture	सेट	4300	4300	4300	
	15 mm dia Bath Tub Spout with Wall Hinge	„	1604	1604	1604	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)बाहेक			कैफियत
			आ.व. ०७३/७४	आ.व. ०७४/७५	आ.व. ०७५/७६	
	C.P. Exclusive Shower Arm with Hinge	”	1867	1867	1867	
	15 mm bath tub spout with bottom attachment of telephonic shower	”	3864	3864	3864	
	15 mm wall mixture lever type telephonic shower of flexible type heavy.	”	6347	6347	6347	
	C.P. flexible pipe	गेटा	168	168	168	
	<b>C.P. Grating</b>					
	i) 4" dia.	”	46	46	46	
	ii) 5" dia.	”	58	58	58	
	C.P. Toilet Paper Holder	”			929	
	C.P. Soap Dish(Polyurethane)	”	781	781	820	
	Towel rod ½"×18" size				510	
	C.P. Towel Rod 18"	”	1463	1463	1578	
	C.P. Towel Rod 24"	”	1523	1523	1663	
	C.P. Glass Shelf 22"	”	2069	2069	2260	
	<b>C.P. बाट निर्मित सामग्रीहरू( jaquar, somany, essel or equivalent)</b>	”				
	C.P. Glass Shelf 22"	”			2260	
	<b>C.P. Angle Cock</b>					
	15mm C.P. Angle Cock	”	859	859	927	
	15 mm C.P. Angle Cock Long Thread	”	914	914	986	
	<b>C.P. Conceal Stop Cock</b>					
	15 mm Reduced body	”	1053	1053	1136	
	15 mm Extra Heavy Body	”	1288	1288	1390	
	<b>C.P. Bib Cock</b>	”				
	15mm C.P. Auto Closing Bib Cock With Aerator	”	2420	2420	2612	
	15mm C.P. Bib Cock	”	882	882	952	
	15mm C.P. Bib Cock with nozzle	”	977	977	1054	
	<b>C.P. Pillar Cock</b>	”				
	15 mm C.P. Pillar Cock With Aerator	”	1171	1171	1263	
	15mm Auto Closing Pillar Cock With Aerator	”	2342	2342	2527	
	15mm C.P. Sink Cock	”	1483	1483	1600	
	C.P. Sink Mixer	”	3675	3675	3966	
	15 mm C.P. Sink Mixer With Revolving Spout	”	3203	3203	3456	
	<b>C.P. Bottle Trap 32mm</b>	”	1717	1717	1852	
	32 mm C.P. Conceal Flush Valve Dual Flow	”	3590	3590	3874	
	<b>C.P. Waste Coupling</b>	”				
	32 mm C.P. Waste Coupling H/T	”	414	414	446	
	32 mm C.P. Waste Coupling F/T	”	414	414	446	
	<b>15 mm Urinal Auto-Closing Valve with Built-in Control Cock</b>	”	2497	2497	2694	
	<b>15 mm C.P. Wall Mixer</b>					



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)बाहेक			कैफियत
			आ.व. ०७३/७४	आ.व. ०७४/७५	आ.व. ०७५/७६	
	15 mm C.P. Wall Mixer With Lower Bend Pipe	"	4136	4136	4463	
	15 mm C.P. Wall Mixer With Upper Bead Pipe	"	4136	4136	4463	
	<b>C.P. Basin Mixer</b>	"				
	15 mm C.P. Basin Mixer Central Hole With 450mm Long Braided Hoses	"	3435	3435	3706	
	15 mm C.P. Basin Mixer Single Lever With 450mm Long Braided Hoses	"	3606	3606	3891	
	<b>15mm Bath Tub Spout with wall flange</b>	"				
	15mm Bath Tub Spout with wall Flange	"	1171	1171	1263	
	15mm Bath Tub Spout with button attachment	"	1873	1873	2021	
	<b>C.P. Casted Shower Arm with Flange</b>	"				
	15 mm Casted Shower Arm Light	"	624	624	673	
	15 mm Casted Shower Arm Heavy	"	1014	1014	1094	
	<b>15 mm Telephonic Hand Shower</b>					
	With 1.50 m. PVC Tube	"	1660	1660	1791	
	With 1.5 Flexible Tube	"	2576	2576	2779	
	<b>7 Electric &amp; Solar Geyser</b>					
	i) 10 lit. cap. electric water heater	गोटा	10710	10710	10914	
	ii) 25 lit cap. " " "	"	16511	16511	16826	
	iii) 35 lit cap " " "	"	20528	20528	20919	
	iv) 50 lit cap " " "	"	24544	24544	25011	
	iv) Gas water heater with cylinder	"	8400	8400	8200	
	v)15.0 Ltr wate heater including copper pipe connector with coupling and other necessary fittings complete American.	सेट	11550	11550	11770	
	<b>8 C.I. Manhole Cover including frame.</b>					
	<b>Square size (in outer dia)</b>					
	<b>Medium Duty</b>					
	i) 10" × 10" (4 Kg.)	सेट	638	638	607	
	ii) 12" × 12" (5 Kg.)	"	797	797	751	
	iii) 14" × 14" (7 Kg.)	"	1116	1116	1122	
	v) 16" × 16" (10 Kg.)	"	1594	1594	1503	
	vi) 18" × 18" (14 Kg.)	"	2391	2391	2338	
	viii) 20" × 20" (16 Kg.)	"	2550	2550	2636	
	ix) 22" × 22" (20 Kg.)	"	3188	3188	3017	
	x) 24" × 24" (24 Kg.)	"	4091	4091	4192	
	xi) 27" × 27" (31 Kg.)	"	4941	4941	5283	
	<b>Heavy Duty</b>					
	i) 14" × 14" (14 Kg.)	"	2231	2231	2298	
	ii) 20" × 20" (16 Kg.)	"			3728	
	iii) 22" × 22" (22 Kg.)	"	3507	3507	3611	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)बाहेक			कैफियत
			आ.व. ०७३/७४	आ.व. ०७४/७५	आ.व. ०७५/७६	
	iv) 27" × 27" (45 Kg.)	"	7173	7173	7387	
	<b>Rounded Manhole Cover (Outer dia.)</b>					
	<b>Medium class</b>					
	Round Manhole cover medium 450mm(22")				4037	
	Round Manhole cover Heavy 450mm(22")				7961	
	Round Manhole cover medium 500 mm(24")				6355	
	Round Manhole cover Heavy 500 mm(24")				9506	
	<b>Rounded Manhole Cover with square frame</b>					
	i) 18" dia. Round Manhole cover with square frame (60 Kg.)	सेट	8662.50	8662.50	8922.00	
	ii) 20" dia. Round Manhole cover with square frame (70 Kg.)	"	11550.00	11550.00	11896.00	
	iii) 20" dia. Round Manhole cover with square frame (100 Kg.)	"	14437.50	14437.50	14870.00	
	iv) 22" dia. Medium class. (125 Kg.)	"	18480.00	18480.00	19034.00	
	v) 22" dia. Heavy class. (208Kg.)	"	27604.50	27604.50	28432.00	
	vi) 24" dia. Medium class. (40 Kg.)	"	5913.60	5913.60	6091.00	
	vii) 24" dia. Heavy class (Load Test 8 Ton) (50 Kg.)	"	7392.00	7392.00	7613.00	
	viii) 24" Round Manhole cover with square frame (IS:1726 ) (70 Kg.)	"	10626.00	10626.00	10944.00	
	ix) 26" Round Manhole cover with square frame (IS:1726 ) (85 Kg.)	"	12936.00	12936.00	13324.00	
	x) 28" Round Manhole cover with square frame (IS:1726 ) (116 Kg.)	"	17094.00	17094.00	17606.00	
	xi) 28" Round Manhole cover with square frame (IS:1726 ) (116 Kg.)	"	17094.00	17094.00	17606.00	
	<b>C.I. Tank Cover Locking Types</b>					
	<b>Round</b>					
	18" (8 Kg.)	सेट	1593.90	1593.90	1641.00	
	20" (12 Kg.)	"	2337.72	2337.72	2407.00	
	22" (14 Kg.)	"	2656.50	2656.50	2736.00	
	24" (16 Kg.)	"	3187.80	3187.80	3283.00	
	28" (24 Kg.)	"	4781.70	4781.70	4925.00	
	<b>Square</b>					
	18" x 18" (13 Kg.)	सेट	2656.50	2656.50	2736.00	
	24" x 24" (50 Kg.)	"	9563.40	9563.40	9850.00	
	<b>Rectangular</b>					
	18" x 24" (27 Kg.)	सेट	5313.00	5313.00	5472.00	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)बाहेक			कैफियत
			आ.व. ०७३/७४	आ.व. ०७४/७५	आ.व. ०७५/७६	
	<b>C.I. Gully Gratings &amp; Jali</b>					
	<b>Round Jali Strip Medium Duty</b>					
	4"	सेट	96	96	98.00	
	5"	"	128	128	131.00	
	6"	"	170	170	175.00	
	10"	"	584	584	601.00	
	<b>Square Jali Strip Medium Duty</b>					
	4" x 4"	सेट	85	85	87.00	
	5" x 5"	"	106	106	109.00	
	6" x 6"	"	128	128	131.00	
	9" x 9"	"	372	372	383.00	
	10" x 10"	"	478	478	492.00	
	12" x 12"	"	691	691	711.00	
	<b>C.I. Gully Gratings</b>					
	i) 15"×18" Medium (18 Kg.)	सेट	3507	3507	3611.00	
	ii) 15"×18" Heavy (25 Kg.)	सेट	4782	4782	4925.00	
	<b>Grit Cover</b>					
	फलामे एङ्गलको फ्रेममा फलामे पत्तिको जाली बनाई फोब्रिकेशन कार्य गरी, एक कोट Red oxide paint लगाई जडान गर्ने काम (विभिन्न साइजमा)	के.जी.	159	159	164.00	
	<b>Aluminum Grating 4" dia.</b>	गोटा	40	40	41.00	
	<b>9 G.I. Water Tank (17 Gauge)</b>					
	i) 100 gls	गोटा	8075/-	8075/-	8075	
	ii) 200 gls	"	12685/-	12685/-	12685	
	iii) 300 gls	"	15955/-	15955/-	15955	
	iv) 400 gls	"	19155/-	19155/-	19155	
	v) 500 gls	"	22365/-	22365/-	22365	
	<b>G.I. Water Tank (16 BWG TATA Sheet)</b>					
	i) 100 gls	गोटा	8517.70	8517.70	8517.70	
	ii) 200 gls	"	12880.53	12880.53	12880.53	
	iii) 300 gls	"	17101.77	17101.77	17101.77	
	iv) 400 gls	"	20491.15	20491.15	20491.15	
	v) 500 gls	"	23880.53	23880.53	23880.53	
	<b>Roof Top PVC Water Tank</b>					
	i) 200 lit – 5000 lit cap.	ली.	11	11	11	
	ii) 5000 lit – 10,000 lit cap	"	12	12	12	
	iii) Horizontal PVC water tank	"	12	12	12	
	<b>10 Water Pumps/Hand Pumps</b>					
	Indian Mark-III , Deep Well Hand Pump					
	6 No. hand pump	गोटा	1536	1536	1582	
	<b>Water Pump :</b>					
	i) ½ H.P. Water Pump (Multi stage pump)	सेट	10568	10568	10885	
	ii) ½ H.P. Water Pump mono block type	"	6075	6075	6258	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)बाहेक			कैफियत
			आ.व. ०७३/७४	आ.व. ०७४/७५	आ.व. ०७५/७६	
	iii) 1.0 H.P. water pump Multistage	॥	13843	13843	14258	
	iv) 1.0 H.P. water pump (mono block type)	॥	9189	9189	9465	
	v) 2.0 H.P. water pump	॥	21929	21929	22587	
	vi) 2.0 H.P. 3 phase water pump	॥	23153	23153	23847	
	vii) 5.0 HP 3 phase water pump	॥	27822	27822	28656	
	<b>Jet Water Pump</b>					
	i) 1.10 H.P.	सेट	21000	21000	21630	
	ii) Double Stage jet 1.10 H.P.		25200	25200	25956	
	ii) 1.5 H.P.	॥	28350	28350	29201	
	<b>Super Sunction</b>					
	i) ½ H.P	सेट	8663	8663	8922	
	ii) 0.75 H.P.	॥	8085	8085	8328	
	iii) 1.0 H.P.	॥	13860	13860	14276	
	<b>Water Pump (Grundfoss, pentair, Pedrello or equiv)</b>					
	i) 1.0 H.P. Single pump set with Boaster (Pressure Pump) with 25 lit. Pressure Tank.	सेट	17672	17672	18202	
	ii) 2 H.P. single pump set " "	॥	28382	28382	29233	
	<b>Fire pump</b>					
	<b>Submersible Pump (Italian)</b>					
	i) 1.0 H.P.	॥	25329	25329	26089	
	ii) 2.0 H.P.	॥	46988	46988	48397	
	<b>Electric Water Pump (Chinese)</b>					
	i) ½ H.P	॥	1654	1654	1703	
	ii) ¾ H.P.	॥	2155	2155	2219	
	iii) 1.0 H.P.	॥	3175	3175	3270	
	<b>Submersible Pump Sarvo/Bimal or equivalent</b>					
	i) ½ H.P open well type	॥	16170	16170	16655	
	ii) 1.1 H.P open well type	॥	23678	23678	24388	
	iii) 1.5 H.P open well type	॥	28875	28875	29741	
	<b>Vertical Submersible Pump Sarvo/Bimal or equivalent</b>					
	i) 1.1 H.P	॥	26460	26460	27254	
	iii) 1.5 H.P	॥	31973	31973	32932	
	<b>Pipes and fittings</b>					
11	<b>PPR Pipe (Poly propylene random co-polymer pipe Panchakanya , Nepatop or Eqv.)</b>					
	<b>1) PP-R Pipe (PN-10)</b>					
	20mm outer, 1.9 mm thick, 0.107 kg/m	र.मि	62	62	47	
	25mm " 2.3 mm thick 0.164kg/m	॥	94	94	72	
	32mm 2.9 mm thick 0.26kg/m	॥	151	151	115	
	40mm 3.7 mm thick 0.412kg/m	॥	238	238	183	
	50mm 4.6 mm thick 0.638kg/m	॥	369	369	284	
	63 mm 8.6 mm thick 0.638kg/m	॥	581	581	449	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)बाहेक			कैफियत
			आ.व. ०७३/७४	आ.व. ०७४/७५	आ.व. ०७५/७६	
	75 mm	”	812	812	627	
	90 mm	”	1169	1169	903	
	110 mm	”	1733	1733	1339	
	<b>2) PP-R Pipe (PN-16)</b>					
	20mm 2.80 mm thick 0.148kg/m	”	85	85	64	
	25mm 3.50 mm thick 0.26kg/m	”	132	132	100	
	32mm 3.7 mm thick 0.230kg/m	”	213	213	159	
	40mm 5.50 mm thick 0.575kg/m	”	332	332	255	
	50mm 6.90 mm thick 0.896kg/m	”	516	516	399	
	63 mm 4.6 mm thick 0.638kg/m	”	812	812	627	
	75 mm	”	1157	1157	893	
	90 mm	”	1653	1653	1276	
	110 mm	”	2477	2477	1913	
	<b>3) PP-R Pipe (PN-20)</b>					
	20mm 3.4 mm thick 0.172 kg/m	”	98	98	76	
	25mm 4.20 mm thick 0.266kg/m	”	153	153	118	
	32mm 5.40 mm thick 0.434kg/m	”	250	250	192	
	40mm 6.70 mm thick 0.671kg/m	”	388	388	298	
	50mm 8.30 mm thick 1.04kg/m	”	599	599	462	
	63mm 8.6mm thick 1.04kg/m	”	950	950	734	
	75 mm	”	1348	1348	1041	
	90 mm	”	1935	1935	1495	
	110 mm	”	2885	2885	2229	
	<b>PP-R Pipe Accessories :</b>					
	<b>Elbow ( 90<sup>0</sup> )</b>					
	20mm	गोटा	12	12	9	
	25mm	”	24	24	19	
	32mm	गोटा	39	39	32	
	40mm	”	81	81	69	
	50mm	”	138	138	115	
	63 mm	”	249	249	202	
	75 mm	”	500	500	380	
	90 mm	”	891	891	642	
	110 mm	”	1600	1600	1196	
	<b>Equal Tee</b>					
	20mm	”	16	16	13	
	25mm	”	29	29	23	
	32mm	”	50	50	40	
	40mm	”	96	96	78	
	50mm	”	159	159	133	
	63mm	”	294	294	243	
	75 mm	”	596	596	423	
	90 mm	”	1061	1061	774	
	110 mm	”	1815	1815	1344	
	<b>Coupler</b>					
	20mm	गोटा	11	11	7	
	25mm	”	14	14	9	
	32mm	”	24	24	19	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)बाहेक			कैफियत
			आ.व. ०७३/७४	आ.व. ०७४/७५	आ.व. ०७५/७६	
	40mm	”	45	45	37	
	50mm	”	72	72	61	
	63 mm	”	132	132	108	
	75 mm	”	261	261	211	
	90 mm	”	456	456	312	
	110 mm	”	808	808	570	
	<b>45 Degree Elbow</b>					
	20 mm	”	16	16	13	
	25 mm	”	27	27	21	
	32 mm	”	41	41	33	
	40 mm	”	77	77	61	
	50 mm	”	132	132	104	
	63 mm	”	209	209	172	
	75 mm	”	490	490	338	
	90 mm	”	885	885	570	
	110 mm		1501	1501	997	
	<b>Union (Plastic)</b>					
	20mm	गोटा	59	59	50	
	25mm	”	101	101	85	
	32mm	”	162	162	138	
	40mm	”	275	275	210	
	50mm	”	653	653	330	
	63mm	”	752	752	393	
	<b>Reducing Coupler</b>					
	25mm*20mm	”	14	14	14	
	32mm*20mm	”	19	19	17	
	32mm*25mm	”	21	21	19	
	40mm*20mm	”	31	31	29	
	40mm*25mm	”	37	37	30	
	40mm*32mm	”	44	44	40	
	50mm*20mm	”	58	58	53	
	50mm*25mm	”	64	64	52	
	50mm*32mm	”	69	69	59	
	50mm*40mm	”	76	76	62	
	63mm*32mm	”	117	117	84	
	63mm*40mm	”	122	122	106	
	63mm*50mm	”	131	131	106	
	75mm*40mm	”	195	195	211	
	75mm*50mm	”	239	239	215	
	75mm*63mm	”	241	241	217	
	90mm*50mm	”	483	483	401	
	90mm*63mm	”	521	521	430	
	90mm*75mm	”	614	614	507	
	110mm*75mm		818	818	710	
	110mm*90mm		949	949	790	
	<b>Reducing Tee</b>					
	25*20*25 mm	”	26	26	25	
	32*20*32 mm	”	42	42	38	
	32*25*32 mm	”	45	45	40	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)बाहेक			कैफियत
			आ.व. ०७३/७४	आ.व. ०७४/७५	आ.व. ०७५/७६	
	40*20*40 mm	”	66	66	53	
	40*25*40 mm	”	69	69	61	
	40*32*40 mm	”	76	76	65	
	50*20*50 mm	”	88	88	92	
	50*25*50 mm	”	93	93	98	
	50*32*50 mm	”	151	151	122	
	50*40*50 mm	”	161	161	126	
	63*32*63 mm	”	199	199	190	
	63*40*63 mm	”	193	193	194	
	63*50*63 mm	”	214	214	200	
	75*50*75 mm	”	439	439	461	
	75*63*75 mm	”	458	458	488	
	90*63*90 mm	”	926	926	802	
	90*75*90 mm	”	993	993	887	
	110*75*110 mm	”	1622	1622	1437	
	110*90*110 mm	”	1700	1700	1479	
	<b>Reducing Elbow</b>					
	25mm*20mm	”	22	22	19	
	32mm*20mm	”	32	32	34	
	32mm*25mm	”	41	41	42	
	<b>High Footed Pipe Clip</b>					
	20mm	गोटा	14	14	10	
	25mm	”	17	17	12	
	32mm	”	22	22	19	
	40mm	”	25	25	21	
	50mm	”	34	34	23	
	63 mm	”	39	39	31	
	<b>Low Footed Pipe Clip</b>					
	20mm	”	7	7	5	
	25mm	”	8	8	6	
	32mm	”	14	14	12	
	40mm	”	19	19	16	
	50mm	”	30	30	26	
	63 mm	”	38	38	33	
	<b>"Y" type Pipe Clip</b>					
	20mm	”	25	25	16	
	25mm	”	25	25	19	
	32mm	”	34	34	23	
	40 mm	”	48	48	48	
	<b>End Plug (short)</b>					
	20mm	”	14	14	5	
	25mm	”	22	22	8	
	32mm	”	34	34	11	
	<b>End Plug with Ring</b>					
	20mm	”	25	25	19	
	<b>End Plug (long)</b>					
	20mm	”	10	10	7	
	<b>End Cap</b>					
	20mm	”	14	14	10	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)बाहेक			कैफियत
			आ.व. ०७३/७४	आ.व. ०७४/७५	आ.व. ०७५/७६	
	25mm	"	22	22	16	
	32mm	"	34	34	25	
	40mm	"	53	53	38	
	50mm	"	88	88	67	
	63 mm	"	164	164	129	
	75 mm	"	246	246	207	
	<b>Cross Tee</b>					
	20mm	"	25	25	22	
	25mm	"	36	36	33	
	32mm	"	64	64	57	
	<b>Short Passover</b>					
	20mm	"	70	70	64	
	25mm	"	99	99	92	
	32mm	"	143	143	144	
	<b>Long Bypass</b>					
	20mm	"	93	93	74	
	25mm	"	135	135	122	
	32mm	"	191	191	179	
	<b>Male Tee</b>					
	20mmx1/2"	"	145	145	122	
	25mmx1/2"	"	142	142	129	
	25mmx3/4"	"	176	176	153	
	32mmx1/2"	"	219	219	186	
	32mmx3/4"	"	224	224	193	
	32mmx1"	"	401	401	337	
	<b>Female Tee</b>					
	20mmx1/2"	"	108	108	99	
	25mmx1/2"	"	122	122	129	
	25mmx3/4"	"	160	160	150	
	32mmx1/2"	"	181	181	147	
	32mmx3/4"	"	200	200	173	
	32mmx1"	"	323	323	291	
	<b>Male elbow</b>					
	20mmx1/2"	"	139	139	117	
	25mmx1/2"	"	143	143	129	
	25mmx3/4"	"	174	174	158	
	32mmx1/2"	"	188	188	194	
	32mmx3/4"	"	205	205	211	
	32mmx1"	"	396	396	350	
	<b>Female elbow</b>					
	20mmx1/2"	"	105	105	96	
	25mmx1/2"	"	148	148	157	
	25mmx3/4"	"	136	136	129	
	32mmx1/2"	"	200	200	172	
	32mmx3/4"	"	229	229	202	
	32mmx1"	"	281	281	284	
	<b>Male Coupling</b>					
	20mmx1/2"	"	136	136	114	



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)बाहेक			कैफियत
			आ.व. ०७३/७४	आ.व. ०७४/७५	आ.व. ०७५/७६	
	20mmx3/4"	"	163	163	120	
	25mmx1/2"	"	130	130	138	
	25mmx3/4"	"	164	164	160	
	32mmx1/2"	"	182	182	144	
	32mmx3/4"	"	23	23	153	
	32mmx1"	"	385	385	309	
	40mmx1-1/4"	"	548	548	523	
	50mmx1-1/2"	"	828	828	788	
	63mmx2"		1201	1201	1040	
	75mmx2-1/2"	"	329	329	2586	
	<b>Female Coupling</b>					
	20mmx1/2"	"	102	102	92	
	20mmx3/4"	"	125	125	109	
	25mmx1/2"	"	114	114	122	
	25mmx3/4"		128	128	123	
	32mmx1/2"	"	123	123	105	
	32mmx3/4"	"	131	131	112	
	32mmx1"	"	300	300	265	
	40mmx1-1/4"	"	482	482	459	
	50mmx1-1/2"	"	626	626	594	
	63mmx2"		922	922	797	
	75mmx2-1/2"	"	1822	1822	1913	
	<b>Male Union</b>					
	20mmx1/2"	"	245	245	258	
	25mmx3/4"	"	352	352	370	
	32mmx1"	"	506	506	544	
	40mmx1 <sup>1/4</sup> "	"	977	977	980	
	50mmx1/2"	"	1342	1342	1310	
	63mmx2"	"	3117	3117	3381	
	<b>Female Union</b>				0	
	20mmx1/2"	"	238	238	248	
	25mmx3/4"	"	346	346	322	
	32mmx1"	"	487	487	521	
	40mmx1 <sup>1/4</sup> "	"	746	746	718	
	50mmx1/2"	"	1253	1253	1228	
	63mmx2"	"	2372	2372	2239	
	<b>Stop Valve</b>					
	a) 20 mm	"	288	288	297	
	b) 25 mm	"	381	381	392	
	c) 32 mm	"	462	462	473	
	d) 40mm	"	610	610	507	
	e)50 mm	"	1013	1013	845	
	f) 63 mm	"	1461	1461	1269	
	<b>Male base elbow</b>					
	20mm x 1/2"	"	139	139	133	
	25mm x 1/2"	गोटा			164	
	25mm x 3/4"	"	180	180	164	
	<b>Female base elbow</b>					

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)बाहेक			कैफियत
			आ.व. ०७३/७४	आ.व. ०७४/७५	आ.व. ०७५/७६	
	20mm x 1/2"	"	147	147	130	
	25mm x 1/2"	"	175	175	161	
	25mm x 3/4"	"	162	162	158	
	<b>Metal Ball valve (double)</b>					
	20mmx1/2"	"	657	657	549	
	25mmx3/4"	"	887	887	805	
	32mmx1"	"	1284	1284	993	
	40mmx1-1/4"	"	3257	3257	2830	
	50mmx1-1/2"	"	4586	4586	3888	
	<b>Metal Ball valve (Single)</b>					
	20mmx1/2"	"	648	648	507	
	25mmx3/4"	"	872	872	811	
	32mmx1"	"	1274	1274	1120	
	<b>Conceal Valve (Lux)</b>					
	20mm	"	755	755	792	
	<b>Conceal Valve (Nor)</b>					
	20mm	"	719	719	798	
	<b>Ball Valve (Plastic)</b>					
	20mm	"	112	112	80	
	25mm	"	151	151	109	
	32mm	"	244	244	190	
	40mm	"	478	478	405	
	50mm	"	614	614	587	
	63 mm	"	1091	1091	993	
	<b>Ball Valve (Brass)</b>					
	20mm	"	311	311	291	
	25mm	"	441	441	359	
	32mm	"	738	738	488	
	40mm	"	1762	1762	807	
12	<b>CPVC Pipes &amp; Fittings for hot and cold water distribution system</b> CPVC means Chlorinated Poly Vinyl Chloride as per ASTM are as per ASTM F 442, CPVC SOLVENT are as per ASTM F-493 2846 (Flowguard : astral, ashivad, ajay, marvel or eqv.					
	<b>CPVC Pipe SDR 13.5 (22.5 Kg/cm2)</b>					
	1/2" dia	Rm	115	115	115	
	3/4" dia	"	160	160	160	
	1" dia	"	210	210	210	
	1-1/4" dia	"	261	261	261	
	1-1/2" dia	"	366	366	366	
	2" dia	"	559	559	559	
	<b>CPVC Pipe SDR 11 (28.1 Kg/cm2)</b>					
	1/2" dia	"	133	133	133	
	3/4" dia	"	178	178	178	
	1" dia	"	248	248	248	
	1-1/4" dia	"	300	300	300	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)बाहेक			कैफियत
			आ.व. ०७३/७४	आ.व. ०७४/७५	आ.व. ०७५/७६	
	1-1/2" dia	”	418	418	418	
	2" dia	”	677	677	677	
	<b>CPVC Pipe SDR 11.0 (Hiltake, Panchakanya, Mangalam flow life or eqv. )</b>					
	1/2" dia	Rm	126	126	126	
	3/4" dia	”	168	168	168	
	1" dia	”	234	234	234	
	1-1/4" dia	”	289	289	289	
	1-1/2" dia	”	402	402	402	
	2" dia	”	679	679	679	
	<b>CPVC Ball Valve (CTS Sockets)</b>					
	1/2"	”	365	365	365	
	3/4"	”	486	486	486	
	1"	”	588	588	588	
	1-1/4"	”	1371	1371	1371	
	1-1/2"	”	1643	1643	1643	
	2"	”	2117	2117	2117	
	<b>CPVC Reducer Brass Coupling</b>	गोटा				
	3/4" X 1/2"	”	138	138	138	
	1" X 1/2"	”	181	181	181	
	<b>CPVC Tee</b>	गोटा				
	1/2"	”	36	36	36	
	3/4"	”	77	77	77	
	1"	”	117	117	117	
	1-1/4"	”	220	220	220	
	1-1/2"	”	320	320	320	
	2"	”	687	687	687	
	<b>CPVC Reducer Tee</b>	गोटा				
	1/2" x 1/2" x 3/4"	”	70	70	70	
	3/4" x 3/4" x 1/2"	”	107	107	107	
	3/4" x 1/2" x 3/4"	”	134	134	134	
	3/4" x 1/2" x 1/2"	”	153	153	153	
	1" x 1" x 3/4"	”	161	161	161	
	1-1/2" x 1-1/2" x 1"	”	251	251	251	
	2" x 2" x 1"	”	436	436	436	
	1-1/4" x 1-1/4" x 1/2"	”	142	142	142	
	1-1/4" x 1-1/4" x 1"	”	153	153	153	
	2" x 2" x 1/2"	”	428	428	428	
	1" x 1" x 1/2"	”	100	100	100	
	<b>CPVC Brass FPT Tee</b>	गोटा				
	1/2" x 1/2" x 1/2"	”	120	120	120	
	3/4" x 3/4" x 1/2"	”	125	125	125	
	1" x 1" x 1/2"	”	139	139	139	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)बाहेक			कैफियत
			आ.व. ०७३/७४	आ.व. ०७४/७५	आ.व. ०७५/७६	
	1-1/4" x 1-1/4" x 1-1/4"	॥	501	501	501	
	1-1/4" x 1-1/4" x 1/2"	॥	272	272	272	
	<b>CPVC Elbow 90°</b>	गोटा				
	1/2"	॥	25	25	25	
	3/4"	॥	52	52	52	
	1"	॥	95	95	95	
	1-1/4"	॥	179	179	179	
	1-1/2"	॥	267	267	267	
	2"	॥	572	572	572	
	<b>CPVC Reducer Elbow 90°</b>					
	3/4" X 1/2"		53	53	53	
	<b>CPVC Brass FPT Elbow 90°</b>	गोटा				
	1/2" x 1/2"	॥	84	84	91	
	3/4" x 1/2"	॥	97	97	106	
	3/4" x 3/4"	॥	111	111	121	
	1" X 1/2"	॥	215	215	234	
	1" X 1"	॥	596	596	471	
	1-1/4" x 1-1/4"	॥	774	774	844	
	<b>CPVC Elbow 45°</b>	गोटा				
	1/2"	॥	30	30	30	
	3/4"	॥	54	54	54	
	1"	॥	77	77	77	
	1-1/4"	॥	136	136	136	
	1-1/2"	॥	197	197	197	
	2"	॥	427	427	427	
	<b>CPVC Male Adapter (CPVC Threads)</b>	गोटा				
	1/2"	॥	22	22	22	
	3/4"	॥	39	39	39	
	1"	॥	59	59	59	
	1-1/4"	॥	106	106	106	
	1-1/2"	॥	149	149	149	
	2"	॥	290	290	290	
	<b>CPVC Reducing Male Adapter (CPVC Threads)</b>	गोटा				
	3/4" x 1/2"	॥	41	41	41	
	<b>CPVC Male Adapters (Brass Threads)</b>					
	1/2"	॥	206	206	206	
	3/4"	॥	267	267	267	
	1"	॥	421	421	421	
	1-1/4"	॥	926	926	926	
	1-1/2"	॥	1080	1080	1080	
	2"	॥	2224	2224	2224	
	<b>CPVC Reducing Male Adapter (Brass Threads)</b>					
	3/4" x 1/2"	॥	229	229	229	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)बाहेक			कैफियत
			आ.व. ०७३/७४	आ.व. ०७४/७५	आ.व. ०७५/७६	
	<b>CPVC Female Adapter (CPVC Threads)</b>					
	1/2"		31	31	31	
	3/4"		51	51	51	
	1"		77	77	77	
	<b>CPVC Female Adapters Brass Threads</b>	गोटा				
	1/2"	„	198	198	198	
	3/4"	„	269	269	269	
	1"	„	349	349	349	
	1-1/4"	„	917	917	917	
	1-1/2"	„	1020	1020	1020	
	2"	„	1994	1994	1994	
	<b>CPVC Caps</b>					
	1/2"	„	13	13	13	
	3/4"	„	25	25	25	
	1"	„	37	37	37	
	1-1/4"	„	72	72	72	
	1-1/2"	„	106	106	106	
	2"	„	225	225	225	
	<b>CPVC Union</b>					
	1/2"	„	270	270	270	
	3/4"	„	398	398	398	
	1"	„	471	471	471	
	1-1/4"	„	862	862	862	
	1-1/2"	„	942	942	942	
	2"	„	1352	1352	1352	
	<b>CPVC Cross Tee</b>					
	1/2"	„	49	49	49	
	3/4"	„	106	106	106	
	<b>CPVC Step Over Bend</b>					
	1/2"	„	63	63	63	
	3/4"	„	104	104	104	
	<b>CPVC Ball Valve (CTS Sockets)</b>					
	1/2"	„	661	661	661	
	3/4"	„	805	805	805	
	1"	„	921	921	921	
	1-1/4"	„	1879	1879	1879	
	1-1/2"	„	2391	2391	2391	
	2"	„	3075	3075	3075	
	<b>CPVC Flow Guard Adhesive Solution</b>					
	50ML	„	199	199	199	
	118ML	„	329	329	329	
	237ML	„	533	533	533	
	473ML	„	838	838	838	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)बाहेक			कैफियत
			आ.व. ०७३/७४	आ.व. ०७४/७५	आ.व. ०७५/७६	
	946ML	”	1471	1471	1471	
	<b>Plastic Strap</b>					
	1/2"	”	5	5	5	
	3/4"	”	5	5	5	
	1"	”	8	8	8	
	1-1/4"	”	11	11	11	
	1-1/2"	”	15	15	15	
	2"	”	18	18	18	
	<b>Metal Strap</b>					
	1/2"	”	13	13	13	
	3/4"	”	16	16	16	
	1"	”	21	21	21	
	1-1/4"	”	25	25	25	
	1-1/2"	”	27	27	27	
	2"	”	29	29	29	
	<b>Tee Holder</b>					
	1/2" X 1/2" X 1/2"	”	5	5	5	
	3/4" X 3/4" X 1/2"	”	8	8	8	
	<b>Elbow Holder</b>					
	1/2" X 1/2"	”	5	5	5	
	1/2" X 3/4"	”	7	7	7	
	<b>Snap Fix Repair Coupling</b>					
	1/2"	”	229	229	229	
	3/4"	”	248	248	248	
	<b>End plug threaded 1/2"</b>	”	11	11	11	
<b>13</b>	<b>MS SEAMLESS PIPES</b>					
	<b>PIPES: ASTM-A-106 Gr.'B'/SA-106-1( Gr.'B'/SA-53/API 5L Gr.'B'/IS:1239 Part)</b>					
	<b>MS PIPE SEAMLESS SIZE OD (MM)</b>	”				
	21.3 mm OD 1/2" SCH.40, 2.77 mm thickness	”	411	411	452	
	26.7mm OD 3/4" SCH.40, 2.87 mm thickness	”	493	493	542	
	33.4 mm OD 1" SCH.40, 3.38mm thickness	”	618	618	680	
	42.2mm OD 1.1/4" SCH.40, 3.56mm thickness	”	763	763	839	
	48.3 mm OD 1.5" SCH.40, 3.68 mm thickness	”	873	873	960	
	60.3mm OD 2" SCH.40, 3.91 mm thickness	”	1121	1121	1233	
	73mm OD 3" SCH.40,5.16 .mm thickness	”	1723	1723	1895	
	88.9mm OD 3.5" SCH.40, 5.49 mm thickness	”	2255	2255	2481	
	101.6mm OD 4" SCH.40, 5.74 mm thickness	”	2914	2914	3205	
	114.3mm OD 5" SCH.40, 6.02 mm thickness	”	3210	3210	3531	
	141.3mm OD 6" SCH.40, 6.557 mm thickness	”	4347	4347	4782	
	168.3mm OD 4" SCH.40, 7.11 mm thickness	”	5643	5643	6207	
<b>14</b>	<b>GEBERIT</b>					

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)बाहेक			कैफियत
			आ.व. ०७३/७४	आ.व. ०७४/७५	आ.व. ०७५/७६	
	<b>Geberit Products</b>					
	Concealled Cisterns 9cm	”	7431	7431	7431	
	Concealled Cisterns Kombo fix 8cm	”	9103	9103	9103	
	Dual Flush Actuator Plate Shiny Chrome	”	3646	3646	3646	
	Concealled Cisterns 12cm	”	9140	9140	9140	
	Dual Flush Actuator Plate Shiny Chrome	”	3646	3646	3646	
	Traps for Wash Basins	”	1004	1004	1004	
	Sensor for Urinal 9V DC	”	25764	25764	25764	
	Sensor for Urinal 230V AC	”	25764	25764	25764	
	control box for urinal sensor	”	7078	7078	7078	
	Sensor Faucet Cold / Mixed water 6V DC	”	32159	32159	32159	
	Sensor Faucet Cold / Mixed water 230V AC	”	32159	32159	32159	
	<b>PVC Lead Free White Pipes</b>					
<b>15</b>	<b>SCHEDULE 40</b>					
	"LEAD FREE" PVC PLUMBING SYSTEMS (100% SAFE FOR DRINKING WATER) PVC PIPES are as per ASTM D 1785, PVC FITTINGS are as per ASTM D 2466, PVC BRASS SCH 80 FITTINGS are as per ASTM D 2467, PVC SOLVENT as per ASTM D 2564					
	<b>PVC Lead Free White Pipes SCH 40 (..... Kg/cm2)</b>	m.				
	1/2" dia. (42.19 Kg/cm2)	”	114	114	114	
	3/4" dia. (33.75 Kg/cm2)	”	147	147	147	
	1" dia. (31.64 Kg/cm2)		226	226	226	
	1-1/4" dia. (26.01 Kg/cm2)	”	279	279	279	
	1-1/2" dia. (23.20 Kg/cm2)	”	342	342	342	
	2" dia. (19.69 Kg/cm2)		485	485	485	
	2-1/2" dia. (21.09 Kg/cm2)	”	678	678	678	
	3" dia. (18.28 Kg/cm2)	”	856	856	856	
	4" dia. (15.47 Kg/cm2)		1256	1256	1256	
	6" dia. (12.66 Kg/cm2)	”	2616	2616	2616	
	<b>PVC Tee - Soc</b>	गोटा				
	1/2"	”	32	32	32	
	3/4"	”	44	44	44	
	1"	”	69	69	69	
	1-1/4"	”	109	109	109	
	1-1/2"	”	143	143	143	
	2"	”	221	221	221	
	2-1/2"	”	633	633	633	
	3"	”	831	831	831	
	4"	”	1503	1503	1503	
	6"	”	8336	8336	8336	
	<b>PVC Reducer Tee - Soc</b>	गोटा				
	3/4 x 1/2	”	63	63	63	
	1 x 1/2	”	97	97	97	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)बाहेक			कैफियत
			आ.व. ०७३/७४	आ.व. ०७४/७५	आ.व. ०७५/७६	
	1 x 3/4	”	97	97	97	
	1-1/2 X 1/2	”	329	329	329	
	1-1/2 X 3/4	”	329	329	329	
	1-1/2 X 1	”	329	329	329	
	1-1/2 X 1-1/4	”	329	329	329	
	2 X 1/2	”	406	406	406	
	2 X 3/4	”	406	406	406	
	2 X 1	”	406	406	406	
	2 X 1-1/4	”	406	406	406	
	2 X 1-1/2	”	406	406	406	
	2-1/2 X 1/2	”	1043	1043	1043	
	2-1/2 X 3/4	”	1043	1043	1043	
	2-1/2 X 1	”	1043	1043	1043	
	2-1/2 X 1-1/4	”	1043	1043	1043	
	2-1/2 X 1-1/2	”	1043	1043	1043	
	2-1/2 X 2	”	1043	1043	1043	
	3 X 1/2	”	1523	1523	1523	
	3 X 3/4	”	1523	1523	1523	
	3 X 1	”	1523	1523	1523	
	3 X 1-1/4	”	1523	1523	1523	
	3 X 1-1/2	”	1523	1523	1523	
	3 X 2	”	1523	1523	1523	
	3 X 2-1/2	”	1523	1523	1523	
	6 X 1-1/4	”	8007	8007	8007	
	6 X 1-1/2	”	8007	8007	8007	
	6 X 2	”	8007	8007	8007	
	6 X 2-1/2	”	8007	8007	8007	
	6 X 3	”	8007	8007	8007	
	6 X 4	”	8007	8007	8007	
	<b>PVC Brass Tee - Soc x Fipt SCH 80</b>	गोटा				
	1/2"		161	161	161	
	3/4"		292	292	292	
	3/4" X 1/2"		237	237	237	
	1" X 1/2"		420	420	420	
	<b>PVC 90° Elbow - Soc</b>	गोटा				
	1/2"		26	26	26	
	3/4"		30	30	30	
	1"		53	53	53	
	1-1/4"		93	93	93	
	1-1/2"		109	109	109	
	2"		167	167	167	
	2-1/2"		496	496	496	
	3"		594	594	594	
	4"		1216	1216	1216	



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)बाहेक			कैफियत
			आ.व. ०७३/७४	आ.व. ०७४/७५	आ.व. ०७५/७६	
	6"		5121	5121	5121	
	<b>PVC Brass 90° Elbow Soc x Fipt SCH 80</b>	गोटा				
	1/2"	"	173	173	173	
	3/4"	"	242	242	242	
	3/4" X 1/2"	"	250	250	250	
	<b>PVC 45° Elbow - Soc</b>	गोटा				
	1/2"	"	55	55	55	
	3/4"	"	86	86	86	
	1"	"	102	102	102	
	1-1/4"	"	143	143	143	
	1-1/2"	"	180	180	180	
	2"	"	234	234	234	
	2-1/2"	"	669	669	669	
	3"	"	1040	1040	1040	
	4"	"	1866	1866	1866	
	6"	"	5135	5135	5135	
	<b>PVC Coupling - Soc</b>	गोटा				
	1/2"	"	17	17	17	
	3/4"	"	26	26	26	
	1"	"	41	41	41	
	1-1/4"	"	56	56	56	
	1-1/2"	"	76	76	76	
	2"	"	117	117	117	
	2-1/2"	"	247	247	247	
	3"	"	386	386	386	
	4"	"	604	604	604	
	6"	"	2420	2420	2420	
	<b>PVC Reducer Coupling - Soc</b>	गोटा				
	3/4 X 1/2	"	42	42	42	
	1 X 3/4	"	73	73	73	
	1-1/2 X 1-1/4	"	131	131	131	
	2 X 1-1/2	"	208	208	208	
	4 x 2	"	1392	1392	1392	
	4 X 3	"	1392	1392	1392	
	6 X 4	"	2895	2895	2895	
	<b>PVC Reducer Bushing - (Flush Style)</b>	गोटा				
	3/4 X 1/2	"	35	35	35	
	1 X 1/2	"	50	50	50	
	1 X 3/4	"	50	50	50	
	1-1/4 X 1/2	"	86	86	86	
	1-1/4 X 3/4	"	86	86	86	
	1-1/4 X 1	"	86	86	86	
	1-1/2 X 1/2	"	90	90	90	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)बाहेक			कैफियत
			आ.व. ०७३/७४	आ.व. ०७४/७५	आ.व. ०७५/७६	
	1-1/2 X 3/4	”	90	90	90	
	1-1/2 X 1	”	90	90	90	
	1-1/2 X 1-1/4	”	90	90	90	
	2 X 1/2	”	165	165	165	
	2 X 3/4	”	165	165	165	
	2 X 1	”	165	165	165	
	2 X 1-1/4	”	165	165	165	
	2 X 1-1/2	”	165	165	165	
	2-1/2 X 1-1/4	”	232	232	232	
	2-1/2 X 1-1/2	”	232	232	232	
	2-1/2 X 2	”	232	232	232	
	3 X 1-1/2	”	344	344	344	
	3 X 2	”	344	344	344	
	3 X 2-1/2	”	344	344	344	
	4 X 2	”	676	676	676	
	4 X 3	”	676	676	676	
	6 X 2	”	2271	2271	2271	
	6 X 3	”	2271	2271	2271	
	6 X 4	”	2271	2271	2271	
	<b>PVC Cap - Soc</b>	गोटा				
	1/2"	”	24	24	24	
	3/4"	”	30	30	30	
	1"	”	42	42	42	
	1-1/4"	”	60	60	60	
	1-1/2"	”	66	66	66	
	2"	”	79	79	79	
	2-1/2"	”	254	254	254	
	3"	”	278	278	278	
	4"	”	633	633	633	
	6"	”	2498	2498	2498	
	<b>PVC Union - Soc With EPDM O-Ring Seal</b>	गोटा				
	1/2"	”	254	254	254	
	3/4"	”	291	291	291	
	1"	”	298	298	298	
	1-1/4"	”	960	960	960	
	1-1/2"	”	1001	1001	1001	
	2"	”	1350	1350	1350	
	2-1/2"	”	1889	1889	1889	
	3"	”	3018	3018	3018	
	4"	”	4178	4178	4178	
	<b>PVC Male Adaptor - Soc x MBSP</b>	गोटा				
	1/2"	”	46	46	46	
	3/4"	”	54	54	54	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)बाहेक			कैफियत
			आ.व. ०७३/७४	आ.व. ०७४/७५	आ.व. ०७५/७६	
	1"	”	71	71	71	
	1-1/4"	”	87	87	87	
	1-1/2"	”	121	121	121	
	2"	”	156	156	156	
	2-1/2"	”	545	545	545	
	3"	”	648	648	648	
	4"	”	1025	1025	1025	
	6"	”	2359	2359	2359	
	<b>PVC Brass Male Adapter - Soc x Mipt SCH 80</b>	गोटा				
	1/2"	”	262	262	262	
	3/4"	”	350	350	350	
	1"	”	527	527	527	
	<b>PVC Female Adaptor - Soc x FBSP</b>	गोटा				
	1/2"	”	59	59	59	
	3/4"	”	61	61	61	
	1"	”	64	64	64	
	1-1/4"	”	167	167	167	
	1-1/2"	”	245	245	245	
	2"	”	238	238	238	
	<b>PVC Brass Female Adapter - Soc x Fipt SCH 80</b>	गोटा				
	1/2"	”	220	220	220	
	3/4"	”	311	311	311	
	1"	”	399	399	399	
	<b>PVC Ball Valve - Soc</b>	गोटा				
	1/2"	”	881	881	881	
	3/4"	”	1048	1048	1048	
	1"	”	1466	1466	1466	
	1-1/4"	”	1985	1985	1985	
	1-1/2"	”	3027	3027	3027	
	2"	”	3828	3828	3828	
	2-1/2"	”	6323	6323	6323	
	3"	”	10018	10018	10018	
	4"	”	16556	16556	16556	
	6"	”	35961	35961	35961	
	<b>PVC Adhesive Solution (Med. Bonded 705)</b>	गोटा				
	118ML	”	306	306	306	
	237ML	”	439	439	439	
	473ML	”	795	795	795	
	946ML	”	1308	1308	1308	
	<b>PVC Adhesive Solution (Heavy Bonded 717)</b>	गोटा				
	118ML	”	492	492	492	
	237ML	”	649	649	649	
	473ML	”	1138	1138	1138	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)बाहेक			कैफियत
			आ.व. ०७३/७४	आ.व. ०७४/७५	आ.व. ०७५/७६	
	946ML	„	1969	1969	1969	
<b>16</b>	<b>Rainwater Collection System sintex or Prince Brand Roof)</b>					
	<b>140 mm Dia.</b>					
	ROOF WATER PIPES (HALF ROUND) To collect the water from the roof and convey to the down line pipes. Available in 3 mtrs. Length.	Rm.	159	159	159	
	JOINT BRACKET To connect two lengths of roof water	Pc.	257	257	257	
	RUNNING OUTLET To provide an outlet for water anywhere along the length of roof water pipe line which is connected to the down line pipe.	Pc.	352	352	352	
	90° ELBOW (without outlet) To change the direction of roof water pipe line through 90°, normally at the corners.	Pc.	432	432	432	
	90° ELBOW (with outlet) To change the direction of roof water pipe line through 90°, and also provide an outlet for water which is connected with down line pipe.	Pc.	432	432	432	
	SHORT STOP END To close the end of roof water pipe line.	Pc.	95	95	95	
	STOP END OUTLET To close the end of the roof water pipe line and also provide an outlet for water, which is connected to the down line pipe.	Pc.	305	305	305	
	SUPPORT BRACKET To support pipes and fittings wherever necessary and strengthen the roof water pipe line.	Pc.	77	77	77	
	TOP BRACKET To locate the support bracket and rafter bracket together and ensure proper connection between them.	Pc.	50	50	50	
	CLAMP To ensure perfect fixing between pipe and fittings.	Pc.	32	32	32	
	RAFTER BRACKETS (TOP/SIDE) To support the complete roof water pipe line with rafters. Available for top and side supports.	Pc.	77	77	77	
	RUBBER GASKET To provide leak proof joints.	Pc.	30	30	30	
	<b>75 mm dia.</b>				0	
	PIPE CLIP To provide support and ensure proper fixing of down line pipe on the wall.	Pc.	63	63	63	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)बाहेक			कैफियत
			आ.व. ०७३/७४	आ.व. ०७४/७५	आ.व. ०७५/७६	
	RUBBER SEALS To ensure, leak proof joint of single socket elbow.	Pc.	38	38	38	
	SINGLE SOCKET ELBOW To join the roof water outlet with down line pipe.	Pc.	126	126	126	
	<b>180 mm dia.</b>				0	
	ROOF WATER PIPES (HALF ROUND) To collect the water from the roof and convey to the down line pipes. Available in 3 mtrs. Length.	Pc.	302	302	302	
	JOINT BRACKET To connect two lengths of roof water	Pc.	358	358	358	
	RUNNING OUTLET To provide an outlet for water anywhere along the length of roof water pipe line which is connected to the down line pipe.	Pc.	518	518	518	
	90° ELBOW (without outlet) To change the direction of roof water pipe line through 90°, normally at the corners.	Pc.	592	592	592	
	90° ELBOW (with outlet) To change the direction of roof water pipe line through 90°, and also provide an outlet for water which is connected with down line pipe.	Pc.	592	592	592	
	SHORT STOP END To close the end of roof water pipe line.	Pc.	140	140	140	
	STOP END OUTLET To close the end of the roof water pipe line and also provide an outlet for water, which is connected to the down line pipe.	Pc.	424	424	424	
	SUPPORT BRACKET To support pipes and fittings wherever necessary and strengthen the roof water pipe line.	Pc.	108	108	108	
	TOP BRACKET To locate the support bracket and rafter bracket together and ensure proper connection between them.	Pc.	91	91	91	
	CLAMP To ensure perfect fixing between pipe and fittings.	Pc.	51	51	51	
	RAFTER BRACKETS (TOP/SIDE) To support the complete roof water pipe line with rafters. Available for top and side supports.	Pc.	110	110	110	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)बाहेक			कैफियत
			आ.व. ०७३/७४	आ.व. ०७४/७५	आ.व. ०७५/७६	
	RUBBER GASKET To provide leak proof joints.	Pc.	41	41	41	
	<b>110 mm dia.</b>				0	
	PIPE CLIP To provide support and ensure proper fixing of down line pipe on the wall.	Pc.	68	68	68	
	RUBBER SEALS To ensure, leak proof joint of single socket elbow.	Pc.	44	44	44	
	SINGLE SOCKET ELBOW To join the roof water outlet with down line pipe.	Pc.	243	243	243	
	<b>250 mm dia.</b>					
	ROOF WATER PIPES (HALF ROUND) To collect the water from the roof and convey to the down line pipes. Available in 3 mtrs. Length.	Pc.	585	585	585	
	JOINT BRACKET To connect two lengths of roof water	Pc.	614	614	614	
	RUNNING OUTLET To provide an outlet for water anywhere along the length of roof water pipe line which is connected to the down line pipe.	Pc.	965	965	965	
	90° ELBOW (without outlet) To change the direction of roof water pipe line through 90°, normally at the corners.	Pc.	1387	1387	1387	
	90° ELBOW (with outlet) To change the direction of roof water pipe line through 90°, and also provide an outlet for water which is connected with down line pipe.	Pc.	1387	1387	1387	
	SHORT STOP END To close the end of roof water pipe line.	Pc.	302	302	302	
	STOP END OUTLET To close the end of the roof water pipe line and also provide an outlet for water, which is connected to the down line pipe.	Pc.	802	802	802	
	SUPPORT BRACKET To support pipes and fittings wherever necessary and strengthen the roof water pipe line.	Pc.	300	300	300	
	TOP BRACKET To locate the support bracket and rafter bracket together and ensure proper connection between them.	Pc.	164	164	164	
	CLAMP To ensure perfect fixing between pipe and fittings.	Pc.	122	122	122	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)बाहेक			कैफियत
			आ.व. ०७३/७४	आ.व. ०७४/७५	आ.व. ०७५/७६	
	RAFTER BRACKETS (TOP/SIDE) To support the complete roof water pipe line with rafters. Available for top and side supports.	Pc.	318	318	318	
	RUBBER GASKET To provide leak proof joints.	Pc.	166	166	166	
	<b>160 mm dia.</b>					
	PIPE CLIP To provide support and ensure proper fixing of down line pipe on the wall.	Pc.	82	82	82	
	RUBBER SEALS To ensure, leak proof joint of single socket elbow.	Pc.	191	191	191	
	SINGLE SOCKET ELBOW To join the roof water outlet with down line pipe.	Pc.	437	437	437	
	<b>ASTRAL "DWV" UPVC DRAIN, WASTE &amp; VENT SYSTEM and Ashirvad SWR</b>					
<b>17</b>	<b>Systems</b>					
	<b>ASTRAL DWV FOAM CORE PIPING SYSTEM (ABOVE GROUND) GREY</b>					
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-4 75mm	per mtr.	247	247	247	
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-8	"	438	438	438	
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-4	"	262	262	262	
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-8	"	470	470	470	
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-4 110mm	"	447	447	447	
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-8	"	673	673	673	
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-4	"	473	473	473	
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-8	"	696	696	696	
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-2 160 mm dia	"	959	959	959	
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-4	"	1196	1196	1196	
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-2	"	1022	1022	1022	
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-4	"	1350	1350	1350	
	<b>ASTRAL DWV AND ASHIRVAD SWR FITTINGS (ABOVE GROUND) GREY</b>					
	DWV Bend 45 Degree <b>75 mm size</b>	pcs	140	140	140	
	DWV Bend 87.5 Degree	"	177	177	177	
	DWV Bend 87.5 Degree with Door	"	81	81	81	
	DWV Socket Plug	"	189	189	189	
	DWV Cleansing Pipe	"	114	114	114	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)बाहेक			कैफियत
			आ.व. ०७३/७४	आ.व. ०७४/७५	आ.व. ०७५/७६	
	DWV Coupler	"	202	202	202	
	DWV Single Tee	"	222	222	222	
	DWV Single Tee with Door	"	349	349	349	
	DWV Cross Tee	"	491	491	491	
	DWV Cross Tee with Door	"	361	361	361	
	DWV Double 'Y'	"	481	481	481	
	DWV Double 'Y' with Door	"	226	226	226	
	DWV Single 'Y'	"	288	288	288	
	DWV Single 'Y' with Door	"	12	12	12	
	DWV Pipe Clip	"	25	25	25	
	DWV Vent Cowel	"	230	230	230	
	DWV Bend 45 Degree <b>110mm size</b>	"	282	282	282	
	DWV Bend 87.5 Degree	"	323	323	323	
	DWV Bend 87.5 Degree with Door	"	103	103	103	
	DWV Socket Plug	"	370	370	370	
	DWV Cleansing Pipe	"	206	206	206	
	DWV Coupler	"	684	684	684	
	DWV Double 'Y'	"	808	808	808	
	DWV Double 'Y' with Door	"	566	566	566	
	DWV Cross Tee	"	642	642	642	
	DWV Cross Tee with Door	"	370	370	370	
	DWV Single Tee	"	437	437	437	
	DWV Single Tee with Door	"	453	453	453	
	DWV Single 'Y'	"	475	475	475	
	DWV Single 'Y' with Door	"	47	47	47	
	DWV Vent Cowel	"	161	161	161	
	DWV Reducer <b>110*75 mm</b>	"	36	36	36	
	DWV Pipe Clip <b>110mm size</b>	"	436	436	436	
	DWV W.C. Connectore (Straight type)	"	348	348	348	
	DWV W.C. Connectore (Bend type)	"	174	174	174	
	DWV Nahani Trap - 3" Height without Jali75 mm	"	24	24	24	
	DWV Nahani Trap Jali	"	539	539	539	
	DWV P-Trap with Leap Ring <b>10*110 mm</b>	"	773	773	773	
	DWV P-Trap with Leap Ring <b>25*110 mm</b>	"	232	232	232	
	DWV Multi Floor Trap 4" w/o Jali <b>75 mm</b>	"	470	470	470	
	DWV Reducer <b>60*110 mm</b>	"	449	449	449	
	DWV Coupler <b>160mm size</b>	"	1077	1077	1077	
	DWV Single Tee	"	1157	1157	1157	
	DWV Single Tee with Door	"	2016	2016	2016	
	DWV Single 'Y'	"	2118	2118	2118	
	DWV Single 'Y' with Door	"	742	742	742	
	DWV Bend 87.5 Degree	"	988	988	988	
	DWV Bend 87.5 Degree with Door	"	864	864	864	
<b>18</b>	<b>FOAMCORE PIPING SYSTEMS (UNDER GROUND) GOLDEN BROWN COLOR</b>					



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)बाहेक			कैफियत
			आ.व. ०७३/७४	आ.व. ०७४/७५	आ.व. ०७५/७६	
	FOAMCORE Plain Both End (3mtrs length) SN-8 110 mm	per mtr.	584	584	584	
	FOAMCORE Single Socket (R/R) (3mtrs length) SN-8	"	606	606	606	
	FOAMCORE Double Socket (R/R) (3mtrs length) SN-8	"	630	630	630	
	FOAMCORE Single Socket Self Fit (3mtrs length) SN-8	"	593	593	593	
	FOAMCORE Double Socket Self Fit (3mtrs length) SN-8	"	604	604	604	
	FOAMCORE Plain Both End (3mtrs length) SN-4 160 mm	"	1078	1078	1078	
	FOAMCORE Single Socket (R/R) (3mtrs length) SN-4	"	1120	1120	1120	
	FOAMCORE Double Socket (R/R) (3mtrs length) SN-4	"	1163	1163	1163	
	FOAMCORE Single Socket Self Fit (3mtrs length) SN-4	"	1096	1096	1096	
	FOAMCORE Double Socket Self Fit (3mtrs length) SN-4	"	1116	1116	1116	
	FOAMCORE Plain Both End (3mtrs length) SN-4 200 mm	"	1688	1688	1688	
	FOAMCORE Single Socket Self Fit (3mtrs length) SN-4	"	1718	1718	1718	
	FOAMCORE Double Socket Self Fit (3mtrs length) SN-4	"	1746	1746	1746	
	FOAMCORE Plain Both End (3mtrs length) SN-4	"	2801	2801	2801	
	FOAMCORE Single Socket Self Fit (3mtrs length) SN-4	"	2849	2849	2849	
	FOAMCORE Double Socket Self Fit (3mtrs length) SN-4	"	2899	2899	2899	
	FOAMCORE Plain Both End (3mtrs length) SN-2 315 mm	"	3709	3709	3709	
	FOAMCORE Single Socket Self Fit (3mtrs length) SN-2	"	3773	3773	3773	
	FOAMCORE Double Socket Self Fit (3mtrs length) SN-2	"	3838	3838	3838	
	FOAMCORE Plain Both End (3mtrs length) SN-4	"	4583	4583	4583	
	FOAMCORE Single Socket Self Fit (3mtrs length) SN-4	"	4663	4663	4663	
	FOAMCORE Double Socket Self Fit (3mtrs length) SN-4	"	4743	4743	4743	
	FOAMCORE Plain Both End (6mtrs length) SN-8	"	583	583	583	
	FOAMCORE Single Socket (R/R) (6mtrs length) SN-8	"	598	598	598	
	FOAMCORE Double Socket (R/R) (6mtrs length) SN-8	"	613	613	613	
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-8	"	594	594	594	
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-8	"	605	605	605	
	FOAMCORE Plain Both End (6mtrs length) SN-4	"	1077	1077	1077	

सि.नं.	निर्माण सामाग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)बाहेक			कैफियत
			आ.व. ०७३/७४	आ.व. ०७४/७५	आ.व. ०७५/७६	
	FOAMCORE Single Socket (R/R) (6mtrs length) SN-4	"	1109	1109	1109	
	FOAMCORE Double Socket (R/R) (6mtrs length) SN-4	"	1139	1139	1139	
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-4	"	1097	1097	1097	
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-4	"	1116	1116	1116	
	FOAMCORE Plain Both End (6mtrs length) SN-4	"	1688	1688	1688	
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-4	"	1718	1718	1718	
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-4	"	1747	1747	1747	
	FOAMCORE Plain Both End (6mtrs length) SN-4	"	2801	2801	2801	
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-4	"	2849	2849	2849	
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-4	"	2898	2898	2898	
	FOAMCORE Plain Both End (6mtrs length) SN-2	"	3709	3709	3709	
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-2	"	3773	3773	3773	
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-2	"	3838	3838	3838	
	FOAMCORE Plain Both End (6mtrs length) SN-4	"	4583	4583	4583	
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-4	"	4663	4663	4663	
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-4	"	4743	4743	4743	
	<b>ASTRAL FOAMCORE PIPING SYSTEMS (UNDER GROUND) GOLDEN BROWN COLOR</b>					
	DWV Coupler SN-8 110mm	per pc	294	294	294	
	DWV Coupler SN-4 160 mm	"	708	708	708	
	DWV Coupler SN-4 200 mm	"	1447	1447	1447	
	DWV Coupler SN-4 250 mm	"	2697	2697	2697	
	DWV Coupler SN-2 315mm	"	4338	4338	4338	
	DWV Coupler SN-4 315 mm	"	4736	4736	4736	
	DWV Long Radius Bend - 90 Degree SN-8 110mm	"	1001	1001	1001	
	DWV Long Radius Bend - 90 Degree SN-4 160 mm	"	2787	2787	2787	
	DWV Long Radius Bend - 90 Degree SN-4 200mm	"	5205	5205	5205	
	DWV Long Radius Bend - 90 Degree SN-4 250 mm	"	11668	11668	11668	
	DWV Long Radius Bend - 90 Degree SN-4 315 mm	"	27705	27705	27705	
	<b>19 Multilayer Composite Pipe (Sanghai, or eqv.)</b>					
	<b>Cold Water Pipe (White)</b>					
	<b>12-16 mm ½"</b>	Rm	101	101	101	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)बाहेक			कैफियत
			आ.व. ०७३/७४	आ.व. ०७४/७५	आ.व. ०७५/७६	
	14-18 mm ½"	"	111	111	111	
	16-20 mm ½"	"	119	119	119	
	20-25 mm ¾"	"	180	180	180	
	26-32 mm 1"	"	281	281	281	
	32-40 mm 1¼"	"	446	446	446	
	41-50 mm 1½"	"	653	653	653	
	<b>Hot Water Pipe (Orange)</b>					
	12-16 mm ½"	Rm	111	111	111	
	14-18 mm ½"	"	123	123	123	
	16-20 mm ½"	"	141	141	141	
	20-25 mm ¾"	"	208	208	208	
	26-32 mm 1"	"	302	302	302	
	32-40 mm 1¼"	"	465	465	465	
	<b>Gas Lines Pipe (Yellow)</b>					
	12-16 mm ½"	Rm	87	87	87	
	14-18 mm ½"	"	87	87	87	
	<b>MULTILAYER COMPOSITE Fittings</b>					
	<b>a. Equal Straight Union</b>					
	½"ø (16mm ø)	गोटा	133	133	133	
	½"ø (18mm ø)	"	140	140	140	
	½"ø (20mm ø)	"	154	154	154	
	¾" ø (25 mm ø)	"	225	225	225	
	1" ø (32 mm ø)	"	351	351	351	
	1¼" ø (40 mm ø)	"	1296	1296	1296	
	1½" ø (50 mm ø)	"	1958	1958	1958	
	<b>b. Unequal Straight Union</b>					
	25 - 16 mm ø	"	252	252	252	
	25 - 18 mm ø	"	261	261	261	
	25 - 20 mm ø	"	275	275	275	
	32 - 16 mm ø	"	338	338	338	
	32 - 18 mm ø	"	356	356	356	
	32 - 20 mm ø	"	383	383	383	
	32 - 25 mm ø	"	410	410	410	
	40 - 32 mm ø	"	1121	1121	1121	
	50 - 20 mm ø	"	1634	1634	1634	
	50 - 32 mm ø	"	1958	1958	1958	
	50 - 40 mm ø	"	1845	1845	1845	
	<b>c. Male Union</b>					
	16mm x ½"M	गोटा	95	95	95	
	18mm x ½"M	"	110	110	110	
	20mm x ½"M	"	126	126	126	
	25mm x ½"M	"	153	153	153	
	25mm x ¾"M	"	194	194	194	
	25mm x 1"M	"	248	248	248	
	32mm x ¾"M	"	284	284	284	
	32mm x 1"M	"	311	311	311	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)बाहेक			कैफियत
			आ.व. ०७३/७४	आ.व. ०७४/७५	आ.व. ०७५/७६	
	32mm x 1½"M	"	315	315	315	
	40mm x 1"M	"	995	995	995	
	40mm x 1½"M	"	1030	1030	1030	
	50mm x 1"M	"	1563	1563	1563	
	50mm x 1¼"M	"	1590	1590	1590	
	50mm x 1½"M	"	2160	2160	2160	
	50mm x 2"M	"	1623	1623	1623	
	<b>d. Female Straight Union</b>					
	16mm x ½"F	गोटा	104	104	104	
	18mm x ½"F	"	113	113	113	
	20mm x ½"F	"	122	122	122	
	25mm x ½"F	"	162	162	162	
	25mm x ¾"F	"	194	194	194	
	25mm x 1"F	"	198	198	198	
	32mm x ½"F	"	203	203	203	
	32mm x ¾"F	"	207	207	207	
	32mm x 1"F	"	293	293	293	
	40mm x 1½"F	"	1168	1168	1168	
	50mm x 1¼"F	"	1575	1575	1575	
	50mm x 1½"F	"	2160	2160	2160	
	50mm x 2"F	"	1638	1638	1638	
	<b>e. Equal Elbow</b>					
	½"ø (16mm ø)	गोटा	126	126	126	
	½"ø (18mm ø)	"	153	153	153	
	½"ø (20mm ø)	"	207	207	207	
	¾" ø (25 mm ø)	"	315	315	315	
	1" ø (32 mm ø)	"	509	509	509	
	1¼" ø (40 mm ø)	"	1656	1656	1656	
	1½" ø (50 mm ø)	"	2565	2565	2565	
	<b>f. Unequal Elbow</b>					
	40 - 32 mm ø	"	1836	1836	1836	
	50 - 20 mm ø	"	2115	2115	2115	
	50 - 40 mm ø	"	2156	2156	2156	
	<b>g. Female Elbow</b>					
	16mm x ½"F	गोटा	167	167	167	
	18mm x ½"F	"	185	185	185	
	20mm x ½"F	"	203	203	203	
	25mm x ½"F	"	225	225	225	
	25mm x ¾"F	"	279	279	279	
	25mm x 1"F	"	306	306	306	
	32mm x ¾"F	"	329	329	329	
	32mm x 1"F	"	410	410	410	
	50mm x 1¼"F	"	2115	2115	2115	
	<b>h. Male Elbow</b>					
	25mm x ¾"M	"	225	225	225	
	25mm x 1"M	"	293	293	293	
	32mm x ¾"M	"	221	221	221	
	32mm x 1"M	"	374	374	374	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)बाहेक			कैफियत
			आ.व. ०७३/७४	आ.व. ०७४/७५	आ.व. ०७५/७६	
	40mm x 1"M	"	1215	1215	1215	
	50mm x 1"M	"	1732	1732	1732	
	<b>i. Equal Tee</b>					
	½"Ø (16mm Ø)	गोटा	225	225	225	
	½"Ø (18mm Ø)	"	252	252	252	
	½"Ø (20mm Ø)	"	315	315	315	
	¾" Ø (25 mm Ø)	"	455	455	455	
	1" Ø (32 mm Ø)	"	711	711	711	
	1¼" Ø (40 mm Ø)	"	2658	2658	2658	
	1½" Ø (50 mm Ø)	"	3884	3884	3884	
	<b>j. Unequal Tee</b>					
	20 mm x 16 mm x 20 mm	"	203	203	203	
	20 mm x 18 mm x 20 mm	"	225	225	225	
	25 mm x 16 mm x 25 mm	"	338	338	338	
	25 mm x 18 mm x 25 mm	"	383	383	383	
	25 mm x 20 mm x 25 mm	"	396	396	396	
	32 mm x 16 mm x 32 mm	"	653	653	653	
	32 mm x 18 mm x 32 mm	"	675	675	675	
	32 mm x 20 mm x 32 mm	"	702	702	702	
	32 mm x 25 mm x 32 mm	"	720	720	720	
	40 mm x 32 mm x 32 mm	"	1967	1967	1967	
	40 mm x 32 mm x 40 mm	"	2278	2278	2278	
	50 mm x 20 mm x 50 mm	"	3105	3105	3105	
	50 mm x 32 mm x 32 mm	"	2047	2047	2047	
	50 mm x 32 mm x 50 mm	"	3137	3137	3137	
	50 mm x 40 mm x 40 mm	"	3147	3147	3147	
	50 mm x 40 mm x 50 mm	"	3595	3595	3595	
	<b>k. Female Tee</b>					
	16mm x ½"F x 16mm	गोटा	225	225	225	
	18mm x ½"F x 18mm	"	234	234	234	
	20mm x ½"F x 20mm	"	252	252	252	
	25mm x ½"F x 25mm	"	237	237	237	
	25mm x ¾"F x 25mm	"	261	261	261	
	25mm x 1"F x 25mm	"	338	338	338	
	32mm x ½"F x 32mm	"	365	365	365	
	32mm x ¾"F x 32mm	"	374	374	374	
	32mm x 1"F x 32mm	"	507	507	507	
	40mm x ¾"F x 32mm	"	1496	1496	1496	
	50mm x ¾"F x 40mm	"	2219	2219	2219	
	<b>l. Equal Ball Valve Union</b>					
	½"Ø (16mm Ø)	गोटा	262	262	262	
	½"Ø (18mm Ø)	"	291	291	291	
	½"Ø (20mm Ø)	"	383	383	383	
	¾" Ø (25 mm Ø)	"	635	635	635	
	1" Ø (32 mm Ø)	"	882	882	882	
	1¼" Ø (40 mm Ø)	"	2882	2882	2882	
	1½" Ø (50 mm Ø)	"	4159	4159	4159	
	<b>m. Female Ball Valve Union</b>					

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)बाहेक			कैफियत
			आ.व. ०७३/७४	आ.व. ०७४/७५	आ.व. ०७५/७६	
	16mm x 1/2"F	गोटा	244	244	244	
	18mm x 1/2"F	"	280	280	280	
	20mm x 1/2"F	"	313	313	313	
	20mm x 3/4"F	"	351	351	351	
	25mm x 3/4"F	"	653	653	653	
	25mm x 1"F	"	666	666	666	
	32mm x 1"F	"	702	702	702	
	<b>n. Plug</b>					
	1 1/4" ø (40 mm ø)	"	1440	1440	1440	
	1 1/2" ø (50 mm ø)	"	1980	1980	1980	
	<b>p. Wall Plated Female Elbow</b>					
	16mm x 1/2"F	गोटा	189	189	189	
	18mm x 1/2"F	"	207	207	207	
	20mm x 1/2"F	"	225	225	225	
	<b>q. Nipple</b>					
	N 1/2F*1/2F	गोटा	49	49	49	
	N 1/2M*1/2M	"	49	49	49	
	N 3/4F*1/2F	"	68	68	68	
	N 1F*1/2F	"	77	77	77	
	N 1F*3/4F	"	87	87	87	
	N 3/4M*1/2M	"	68	68	68	
	N 1M*1/2M	"	77	77	77	
	N 1M*3/4M	"	87	87	87	
	N 1/2F*1/2M	"	59	59	59	
	N 1/2F*3/4M	"	68	68	68	
	N 1/2F*1M	"	107	107	107	
	N 1/2M*3/4F	"	68	68	68	
	N 1/2M*1F	"	112	112	112	
	N 3/4F*3/4M	"	87	87	87	
	N 3/4F*1M	"	96	96	96	
	N 3/4M*1F	"	127	127	127	
	<b>Supplying laying &amp; jointing of Nepal Plastic ( Blue colour slotted )Pvc pipe for different size of Ordinary Boring work by manually</b>					
	<b>a.1)</b> 1.5" Pvc pipe ordinary Boring with necessary materials etc. upto 150'	र.मि	486	486	486	
	<b>a.2)</b> Failure chagre per well	संख्या	1350	1350	1350	
	<b>b.1)</b> 2" Pvc pipe ordinary Boring with necessary materials etc. upto 150'	र.मि	693	693	693	
	<b>b.2)</b> Failure chagre per well	संख्या	3600	3600	3600	
	<b>c.1)</b> 3" Pvc pipe ordinary Boring with necessary materials etc. upto 150'	र.मि	1323	1323	1323	
	<b>c.2)</b> Failure chagre per well	संख्या	4680	4680	4680	
	<b>d.1)</b> 4" Pvc pipe ordinary Boring with necessary materials etc.	र.मि	1872	1872	1872	
	<b>d.2)</b> Failure chagre per well	संख्या	5400	5400	5400	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)बाहेक			कैफियत
			आ.व. ०७३/७४	आ.व. ०७४/७५	आ.व. ०७५/७६	
	Submercible pump installation fixing position with GI touching wire all complete work	संख्या	1575	1575	1575	
<b>20</b>	<b>R.C.C. Hume Pipe &amp; Hume Pipe Collar</b>					
	<b>PIPES</b>					
	<b>a) NP-2</b>					
	150 mm dia.	R.m	518	518	543	
	200 mm dia.	"	673	673	705	
	250 mm dia.	"	843	843	883	
	300 mm dia.	"	1142	1142	1198	
	350 mm dia.	"	1262	1262	1323	
	375 mm dia.	"	1382	1382	1449	
	400 mm dia.	"	1589	1589	1666	
	450 mm dia.	"	1682	1682	1764	
	500 mm dia.	"	1887	1887	1979	
	600 mm dia.	"	2490	2490	2610	
	700 mm dia.	"	3249	3249	3406	
	750 mm dia.	"	3513	3513	3684	
	800 mm dia.	"	3921	3921	4112	
	900 mm dia.	"	5298	5298	5556	
	1000 mm dia.	"	6182	6182	6482	
	1200 mm dia.	"	7540	7540	7906	
	1500 mm dia.	"	15851	15851	16620	
	<b>b) NP-3</b>					
	150 mm dia.	र.मि	1156	1156	1248	
	200 mm dia.	"	1540	1540	1663	
	250 mm dia.	"	1925	1925	2079	
	300 mm dia.	"	2767	2767	2988	
	350 mm dia.	"	3104	3104	3352	
	375 mm dia.	"	3318	3318	3583	
	400 mm dia.	"	3536	3536	3819	
	450 mm dia.	"	3969	3969	4287	
	500 mm dia.	"	4425	4425	4779	
	600 mm dia.	"	5468	5468	5905	
	700 mm dia.	"	6602	6602	7130	
	750 mm dia.	"	7583	7583	8190	
	800 mm dia.	"	8276	8276	8938	
	900 mm dia.	"	10734	10734	11593	
	1000 mm dia.	"	11927	11927	12881	
	1200 mm dia.	"	14196	14196	15332	
	1500 mm dia.	"	22307	22307	24092	
	<b>R.C.C. Hume Pipe Collar</b>					
	<b>a) NP-2</b>					
	150 mm dia.	गोटा	129	129	139	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)बाहेक			कैफियत
			आ.व. ०७३/७४	आ.व. ०७४/७५	आ.व. ०७५/७६	
	200 mm dia.	„	170	170	184	
	250 mm dia.	„	211	211	228	
	300 mm dia.	„	286	286	309	
	350 mm dia.	„	315	315	340	
	375 mm dia.	„	346	346	374	
	400 mm dia.	„	398	398	430	
	450 mm dia.	„	420	420	454	
	500 mm dia.	„	472	472	510	
	600 mm dia.	„	623	623	673	
	700 mm dia.	„	812	812	877	
	750 mm dia.	„	878	878	948	
	800 mm dia.	„	980	980	1058	
	900 mm dia.	„	1324	1324	1430	
	1000 mm dia.	„	1545	1545	1669	
	1200 mm dia.	„	1885	1885	2036	
	1500 mm dia.	„	3962	3962	4279	
	<b>b) NP-3</b>					
	150 mm dia.	„	289	289	312	
	200 mm dia.	„	385	385	416	
	250 mm dia.	„	481	481	519	
	300 mm dia.	„	691	691	746	
	350 mm dia.	„	776	776	838	
	375 mm dia.	„	829	829	895	
	400 mm dia.	„	883	883	954	
	450 mm dia.	„	993	993	1072	
	500 mm dia.	„	1107	1107	1196	
	600 mm dia.	„	1368	1368	1477	
	700 mm dia.	„	1650	1650	1782	
	750 mm dia.	„	1895	1895	2047	
	800 mm dia.	„	2068	2068	2233	
	900 mm dia.	„	2683	2683	2898	
	1000 mm dia.	„	2982	2982	3221	
	1200 mm dia.	„	3549	3549	3833	
	1500 mm dia.	„	5577	5577	6023	
	<b>R.C.C.Spigot Pipes (Socket System)</b>					
	<b>b) NP-3</b>					
	150 mm dia.	R.m	1306	1306	1410	
	200 mm dia.	„	1772	1772	1914	
	250 mm dia.	„	2213	2213	2390	
	300 mm dia.	„	3181	3181	3435	
	400 mm dia.	„	4067	4067	4392	
	450 mm dia.	„	4566	4566	4931	
	500 mm dia.	„	5089	5089	5496	
	600 mm dia.	„	6288	6288	6791	
	700 mm dia.	„	7593	7593	8200	
	800 mm dia.	„	9517	9517	10278	
	900 mm dia.	„	12346	12346	13334	
	1000 mm dia.	„	13717	13717	14814	



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)बाहेक			कैफियत
			आ.व. ०७३/७४	आ.व. ०७४/७५	आ.व. ०७५/७६	
<b>21</b>	<b>High Density Polythene Pipe NS-40</b>					
	Pipes of different sizes, series & pressure					
	Pipes of different sizes, series & pressure	kg			240	
	<b>2.5Kg/cm<sup>2</sup> Series II</b>					
	63 mm (0.403 Avg.wt. Kg/m)	Rm	101	101	97	
	75 mm (0.557 Avg.wt Kg/m)	„	139	139	134	
	90 mm (0.799 Avg.wt Kg/m)	„	200	200	192	
	110 mm (1.185 Avg.wt Kg/m)	„	296	296	284	
	125 mm (1.530 Avg.wt Kg/m)	„	382	382	367	
	140 mm (1.897 Avg.wt Kg/m)	„	474	474	455	
	160 mm (2.453 Avg.wt Kg/m)	„	613	613	589	
	180 mm (3.148 Avg.wt Kg/m)	„	787	787	756	
	200 mm (3.875 Avg.wt Kg/m)	„	969	969	930	
	225 mm (4.822 Avg.wt Kg/m)	„	1205	1205	1157	
	250 mm (6.012 Avg.wt Kg/m)	„	1503	1503	1443	
	280 mm (7.471 Avg.wt Kg/m)	„	1868	1868	1793	
	315 mm (9.417 Avg.wt Kg/m)	„	2354	2354	2260	
	355 mm ( 11.957 Avg.wt Kg/m)	„	2989	2989	2870	
	400 mm (15.221 Avg.wt Kg/m)		3805	3805	3653	
	450 mm (19.163 Avg.wt Kg/m)		4791	4791	4599	
	<b>4 Kg/cm<sup>2</sup> Series III</b>					
	40 mm (0.251 Avg.wt Kg/m)	Rm	63	63	60	
	50 mm (0.378 Avg.wt Kg/m)	„	94	94	91	
	63 mm (0.585 Avg.wt Kg/m)	„	146	146	140	
	75 mm (0.846 Avg.wt Kg/m)	„	211	211	203	
	90 mm (1.220 Avg.wt Kg/m)	„	305	305	293	
	110 mm (1.703 Avg.wt Kg/m)	„	426	426	409	
	125 mm (2.289 Avg.wt Kg/m)	„	572	572	549	
	140 mm (2.901 Avg.wt Kg/m)	„	725	725	696	
	160 mm (3.773 Avg.wt Kg/m)	„	943	943	906	
	180 mm (4.762 Avg.wt Kg/m)	„	1190	1190	1143	
	200 mm (5.890 Avg.wt Kg/m)	„	1472	1472	1414	
	225 mm (7.445 Avg.wt Kg/m)	„	1861	1861	1787	
	250 mm (9.187 Avg.wt Kg/m)	„	2297	2297	2205	
	280 mm (11.455 Avg.wt Kg/m)	„	2864	2864	2749	
	315 mm (14.508 Avg.wt Kg/m)	„	3627	3627	3482	
	355 mm ( 18.382 Avg.wt Kg/m)	„	4595	4595	4412	
	400 mm ( 23.343 Avg.wt Kg/m)	„	5836	5836	5602	
	450mm ( 29.351Avg.wt Kg/m)	„	7338	7338	7044	
	<b>6 Kg/cm<sup>2</sup> Series IV</b>					
	32 mm (0.226 Avg.wt Kg/m)	Rm	56	56	54	
	40 mm (0.350 Avg.wt Kg/m)	„	87	87	84	
	50 mm (0.542 Avg.wt Kg/m)	„	135	135	130	
	63 mm (0.850 Avg.wt Kg/m)	„	212	212	204	
	75 mm (1.191 Avg.wt Kg/m)	„	298	298	286	
	90 mm (1.717 Avg.wt Kg/m)	„	429	429	412	
	110 mm (2.545 Avg.wt Kg/m)	„	636	636	611	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)बाहेक			कैफियत
			आ.व. ०७३/७४	आ.व. ०७४/७५	आ.व. ०७५/७६	
	125 mm (3.293 Avg.wt Kg/m)	„	823	823	790	
	140 mm (4.150 Avg.wt Kg/m)	„	1037	1037	996	
	160 mm (5.355 Avg.wt Kg/m)	„	1339	1339	1285	
	180 mm (6.800 Avg.wt Kg/m)	„	1700	1700	1632	
	200 mm (8.391 Avg.wt Kg/m)	„	2098	2098	2014	
	225 mm (10.544 Avg.wt Kg/m)	„	2636	2636	2531	
	250 mm (13.041 Avg.wt Kg/m)	„	3260	3260	3130	
	280 mm (16.327 Avg.wt Kg/m)	„	4082	4082	3918	
	315 mm (20.694 Avg.wt Kg/m)	„	5173	5173	4967	
	355 mm ( 26.243 Avg.wt Kg/m)	„	6561	6561	6298	
	400 mm ( 33.309 Avg.wt Kg/m)		8327	8327	7994	
	450 mm ( 42.065 Avg.wt Kg/m)		10516	10516	10096	
	<b>10 Kg/cm<sup>2</sup> Series VI</b>					
	16 mm (0.092 Avg.wt Kg/m)	Rm	23	23	22	
	20 mm (0.134 Avg.wt Kg/m)	„	33	33	32	
	25 mm (0.202 Avg.wt Kg/m)	„	50	50	48	
	32 mm (0.334 Avg.wt Kg/m)	„	83	83	80	
	40 mm (0.514 Avg.wt Kg/m)	„	128	128	123	
	50 mm (0.796 Avg.wt Kg/m)	„	199	199	191	
	63 mm (1.269 Avg.wt Kg/m)	„	317	317	305	
	75 mm (1.782 Avg.wt Kg/m)	„	445	445	428	
	90 mm (2.568 Avg.wt Kg/m)	„	642	642	616	
	110 mm (3.801 Avg.wt Kg/m)	„	950	950	912	
	125 mm (4.962 Avg.wt Kg/m)	„	1240	1240	1191	
	140 mm (6.209 Avg.wt Kg/m)	„	1552	1552	1490	
	160 mm (8.079 Avg.wt Kg/m)	„	2020	2020	1939	
	180 mm (10.256 Avg.wt Kg/m)	„	2564	2564	2461	
	200 mm (12.620 Avg.wt Kg/m)	„	3155	3155	3029	
	225 mm (16.014 Avg.wt Kg/m)	„	4003	4003	3843	
	250 mm (19.757 Avg.wt Kg/m)	„	4939	4939	4742	
	280 mm (24.708 Avg.wt Kg/m)	„	6177	6177	5930	
	315 mm (31.16 Avg.wt Kg/m)	„	7790	7790	7478	
	355 mm ( 39.635 Avg.wt Kg/m)	„	9909	9909	9512	
	400 mm ( 50.344 Avg.wt Kg/m)	„	12586	12586	12083	
	450 mm ( 63.598 Avg.wt Kg/m)	„	15899	15899	15264	
	<b>22 UPVC (Pipe NS 206/046</b>					
	<b>A) pipe 2.5 kg /cm<sup>2</sup> pressure</b>					
	a) 90 mm	र.मी	141	141	137	
	b) 110 mm	"	209	209	204	
	c) 125 mm	"	266	266	260	
	d) 140 mm	"	328	328	321	
	e) 160 mm	"	429	429	419	
	f) 180 mm	"	549	549	537	
	g) 200 mm	"	671	671	657	
	<b>B) PVC Pipe 4 kg / cm<sup>2</sup></b>		0			
	a) 63mm	र.मी	112	112	109	
	b) 75 mm	"	154	154	150	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)बाहेक			कैफियत
			आ.व. ०७३/७४	आ.व. ०७४/७५	आ.व. ०७५/७६	
	c) 90 mm	"	219	219	215	
	d) 110 mm	"	301	301	295	
	e) 125 mm	"	415	415	406	
	f) 140 mm	"	527	527	516	
	g) 160 mm	"	683	683	667	
	h) 180 mm	"	877	877	858	
	i) 200 mm	"	1064	1064	1041	
	<b>C) PVC Pipe 6 Kg/ cm<sup>2</sup> pressure</b>					
	a) 40 mm	र.मी	66	66	64	
	b) 50 mm	"	99	99	97	
	c) 63 mm	"	159	159	156	
	d) 75 mm	"	222	222	217	
	e) 90 mm	"	320	320	312	
	f) 110 mm	"	462	462	452	
	g) 125 mm	"	616	616	602	
	h) 140 mm	"	766	766	750	
	i) 160 mm	"	982	982	960	
	j) 180 mm	र.मी	1252	1252	1225	
	k) 200 mm	"	1534	1534	1500	
	<b>C) PVC Pipe 10 Kg/ cm<sup>2</sup> pressure</b>					
	a) 20 mm	र.मी	25	25	25	
	b) 25 mm	"	40	40	40	
	c) 32mm	"	65	65	65	
	a) 40 mm	"	98	98	98	
	b) 50 mm	"	155	155	155	
	c) 63 mm	"	246	246	246	
	d) 75 mm	"	351	351	351	
	e) 90 mm	"	501	501	501	
	f) 110 mm	"	742	742	742	
	g) 125 mm	"	950	950	950	
	h) 140 mm	"	1199	1199	1199	
	i) 160 mm	"	1542	1542	1542	
	j) 180 mm	"	1966	1966	1966	
	k) 200 mm	"	2431	2431	2431	
<b>23</b>	<b>UPVC fittings :</b>					
	<b>Coupler</b>					
	50 mm	गोटा	31	31	31	
	75 mm	"	75	75	75	
	110 mm	"	128	128	128	
	<b>Bend 87.5 degree</b>					
	50 mm	गोटा	46	46	46	
	75 mm	"	108	108	108	
	110 mm	"	200	200	200	
	<b>Bend 45 degree</b>					

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)बाहेक			कैफियत
			आ.व. ०७३/७४	आ.व. ०७४/७५	आ.व. ०७५/७६	
	50 mm	गोटा	45	45	45	
	75 mm	"	88	88	88	
	110 mm	"	158	158	158	
	<b>Single Tee</b>					
	50 mm	गोटा	68	68	68	
	75 mm	"	147	147	147	
	110 mm	"	279	279	279	
	<b>Pipe clip</b>					
	50 mm	गोटा	14	14	14	
	75 mm	"	28	28	28	
	110 mm	"	37	37	37	
	<b>Bend 87.5 degree with door</b>		0			
	75 mm	गोटा	139	139	139	
	110 mm	"	242	242	242	
	<b>Single Tee with door</b>					
	75 mm	गोटा	198	198	198	
	110 mm	"	364	364	369	
	<b>Double Tee</b>					
	75 mm	गोटा	322	322	322	
	110 mm	"	510	510	510	
	<b>Double Tee with door</b>					
	75 mm	गोटा	427	427	427	
	110 mm	"	662	662	662	
	<b>Vent cowl</b>					
	75 mm	गोटा	53	53	53	
	110 mm	"	87	87	87	
	<b>Socket plug</b>					
	75 mm	गोटा	66	66	66	
	110 mm	"	108	108	108	
	<b>Single "Y"</b>					
	75 mm	गोटा	168	168	168	
	110 mm	"	363	363	363	
	<b>Single "Y" with door</b>					
	75 mm	गोटा	230	230	230	
	110 mm	"	438	438	438	
	<b>Double "Y"</b>					
	75 mm	गोटा	253	253	253	
	110 mm	"	499	499	499	
	<b>Double "Y" with door</b>					
	75 mm	गोटा	325	325	325	
	110 mm	"	523	523	523	
	<b>Cleaning pipe</b>					
	75 mm	"	147	147	147	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)बाहेक			कैफियत
			आ.व. ०७३/७४	आ.व. ०७४/७५	आ.व. ०७५/७६	
	110 mm	”	284	284	284	
	<b>Reducer</b>					
	110x 75 mm	”	131	131	131	
	75X50 mm	”	69	69	69	
	<b>P -Trap</b>					
	125mmx110mm	”	539	539	539	
	110mmx110mm	”	505	505	505	
	75mmx75mm	”	193	193	193	
	<b>Multi-Floor -Trap</b>					
	110mmx75mm	”	280	280	280	
	<b>Nahani-Trap</b>					
	110mmx75mm	”	255	255	255	
	<b>W.C. Connector (bent type)</b>	”	261	261	261	
	<b>Square tile with jali</b>	”	84	84	84	
	<b>Round jali</b>	”	38	38	38	
	<b>End cap 50mm</b>	”	25	25	25	
<b>24.0</b>	<b>G.I Pipe threaded , 6 m. length With Cap</b>					
	<b>a) Light class</b>					
	i. ½ " (15 mm)	र.मी	102	117	137	
	ii. ¾" (20 mm)	”	138	159	186	
	iii. 1" (25 mm)	”	195	224	262	
	iv. 1 ¼" (32 mm)	”	250	288	336	
	v. 1 ½ " (40 mm)	”	310	357	417	
	vi. 2" (50 mm)	”	475	546	639	
	vii. 2 ½ " (65 mm)	”	540	621	727	
	viii. 3" (80 mm)	”	635	730	854	
	ix. 4" (100 mm)	”	913	1050	1229	
	x. 5" (125 mm)	”	1385	1593	1864	
	xi. 6" (150 mm)	”	1703	1959	2292	
	xii. 8" (200 mm)	”	2453	2821	3301	
	<b>b) Medium class</b>					
	i. ½ " (15 mm)	र.मी	120	138	161	
	ii. ¾" (20 mm)	”	152	174	204	
	iii. 1" (25 mm)	”	230	265	309	
	iv. 1 ¼" (32 mm)	”	300	345	404	
	v. 1 ½ " (40 mm)	र.मि	345	397	464	
	vi. 2" (50 mm)	”	473	544	637	
	vii. 2 ½ " (65 mm)	”	605	696	814	
	viii. 3" (80 mm)	”	752	864	1011	
	ix. 4" (100 mm)	”	1458	1677	1962	
	x. 5" (125 mm)	”	1517	1744	2041	
	xi. 6" (150 mm)	”	1835	2110	2469	
	xii. 8" (200 mm)	”	2805	3226	3774	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)बाहेक			कैफियत
			आ.व. ०७३/७४	आ.व. ०७४/७५	आ.व. ०७५/७६	
	<b>c) Heavy duty</b>					
i.	½ " (15 mm)	र.मि	143	165	193	
ii.	¾" (20 mm)	"	178	205	240	
iii.	1" (25 mm)	"	253	291	341	
iv.	1 ¼" (32 mm)	"	345	397	464	
v.	1 ½ " (40 mm)	"	398	458	536	
vi.	2" (50 mm)	"	585	673	787	
vii.	2 ½ " (65 mm)	"	730	840	982	
viii.	3" (80 mm)	"	862	991	1159	
ix.	4" (100 mm)	"	1325	1524	1783	
x.	5" (125 mm)	"	1708	1965	2299	
xi.	6" (150 mm)	"	1600	1840	2153	
xii.	8" (200 mm)	"	2980	3427	4010	
<b>25</b>	<b>G.I. Pipe fittings ISI or NS Standard</b>					
	<b>a) G.M. Gate valve</b>					
i.	½ "	गोटा	802	802	938	
ii.	¾"	"	998	998	1168	
iii.	1"	"	1608	1608	1881	
iv.	1 ¼"	"	2294	2294	2683	
v.	1 ½ "	"	2889	2889	3380	
vi.	2"	"	4599	4599	5381	
vii.	2 ½ "	"	9509	9509	11125	
viii.	3"	"	11823	11823	13833	
ix.	4"	"	19365	19365	22657	
	<b>b) G.M Check valve</b>					
i.	½ "	गोटा	744	744	870	
ii.	¾"	"	1000	1000	1170	
iii.	1"	"	1479	1479	1731	
iv.	1 ¼"	"	2186	2186	2558	
v.	1 ½ "	"	2529	2529	2959	
vi.	2"	"	4194	4194	4908	
vii.	2 ½ "	"	8521	8521	9970	
viii.	3"	"	11381	11381	13316	
ix.	4"	"	16084	16084	18818	
	<b>c) G.I. Ebow</b>					
i.	½ "	गोटा	43	43	50	
ii.	¾"	"	78	78	91	
iii.	1"	"	121	121	142	
iv.	1 ¼"	"	183	183	214	
v.	1 ½ "	"	257	257	301	
vi.	2"	"	387	387	453	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)बाहेक			कैफियत
			आ.व. ०७३/७४	आ.व. ०७४/७५	आ.व. ०७५/७६	
vii.	2 ½ "	"	671	671	786	
viii.	3"	"	1044	1044	1221	
ix.	4"	"	1799	1799	2104	
x.	5"	"	4452	4452	5209	
xi.	6"	"	5358	5358	6268	
<b>d) G.I. Tee</b>						
i.	½ "	गोटा	67	67	78	
ii.	¾"	"	106	106	124	
iii.	1"	"	154	154	181	
iv.	1 ¼"	"	247	247	289	
v.	1 ½ "	"	342	342	400	
vi.	2"	"	559	559	654	
vii.	2 ½ "	"	878	878	1027	
viii.	3"	"	1187	1187	1389	
ix.	4"	"	2156	2156	2523	
x.	5"	"	5967	5967	6981	
xi.	6"	"	6915	6915	8090	
<b>e) G.I Union</b>						
i.	½ "	गोटा	141	141	165	
ii.	¾"	"	198	198	232	
iii.	1"	"	291	291	341	
iv.	1 ¼"	"	400	400	468	
v.	1 ½ "	"	495	495	579	
vi.	2"	"	737	737	862	
vii.	2 ½ "	"	1507	1507	1764	
viii.	3"	"	2030	2030	2376	
ix.	4"	"	2675	2675	3130	
x.	5"	"	5967	5967	6981	
xi.	6"	"	7219	7219	8446	
<b>f) G.I. Socket</b>						
i.	½ "	गोटा	39	39	45	
ii.	¾"	"	61	61	71	
iii.	1"	"	83	83	97	
iv.	1 ¼"	"	128	128	150	
v.	1 ½ "	"	173	173	202	
vi.	2"	"	255	255	298	
vii.	2 ½ "	"	462	462	540	
viii.	3"	"	681	681	797	
ix.	4"	"	1179	1179	1379	
x.	5"	"	2945	2945	3446	
xi.	6"	"	3960	3960	4633	
<b>g) C.I. Plug</b>						
i.	½ "	गोटा	25	25	29	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)बाहेक			कैफियत
			आ.व. ०७३/७४	आ.व. ०७४/७५	आ.व. ०७५/७६	
ii.	¾"	॥	33	33	39	
iii.	1"	॥	41	41	48	
iv.	1 ¼"	॥	82	82	96	
v.	1 ½ "	॥	103	103	121	
vi.	2"	॥	124	124	145	
vii.	2 ½ "	॥	178	178	208	
viii.	3"	॥	364	364	425	
ix.	4"	॥	698	698	817	
<b>h) Hex Nipple</b>						
i.	½ "	गोटा	47	47	55	
ii.	¾"	॥	72	72	84	
iii.	1"	॥	116	116	136	
iv.	1 ¼"	॥	181	181	211	
v.	1 ½ "	॥	229	229	268	
vi.	2"	॥	341	341	399	
vii.	2 ½ "	॥	625	625	731	
viii.	3"	॥	807	807	945	
ix.	4"	॥	1237	1237	1447	
<b>i) Reducing Tee</b>						
					0	
i.	¾"	गोटा	116	116	136	
ii.	1"	॥	170	170	199	
iii.	1 ¼"	॥	271	271	317	
iv.	1 ½ "	॥	376	376	440	
v.	2"	॥	614	614	719	
vi.	2 ½ "	॥	967	967	1131	
vii.	3"	॥	1307	1307	1529	
viii.	4"	॥	2388	2388	2794	
x.	5"	॥	6570	6570	7686	
xi.	6"	॥	7605	7605	8898	
<b>i) Reducing Elbow</b>						
i.	¾"	गोटा	86	86	100	
ii.	1"	॥	133	133	156	
iii.	1 ¼"	॥	203	203	237	
iv.	1 ½ "	॥	285	285	334	
v.	2"	॥	426	426	499	
vi.	2 ½ "	॥	736	736	861	
vii.	3"	॥	1134	1134	1327	
viii.	4"	॥	2008	2008	2350	
x.	5"	॥	4898	4898	5731	
xi.	6"	॥	5894	5894	6896	
<b>j) Reducing socket</b>						
i.	¾"	गोटा	67	67	79	
ii.	1"	॥	90	90	105	



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)बाहेक			कैफियत
			आ.व. ०७३/७४	आ.व. ०७४/७५	आ.व. ०७५/७६	
iii.	1 ¼"	॥	140	140	164	
iv.	1 ½ "	॥	188	188	220	
v.	2"	॥	281	281	329	
vi.	2 ½ "	॥	502	502	588	
vii.	3"	॥	717	717	839	
viii.	4"	॥	1293	1293	1513	
x.	5"	॥	3697	3697	4326	
xi.	6"	॥	4347	4347	5086	
<b>K) Short bend</b>						
i.	½ "	गोटा	116	116	135	
ii.	¾"	॥	178	178	208	
iii.	1"	॥	273	273	319	
iv.	1 ¼"	॥	525	525	614	
v.	1 ½ "	॥	793	793	928	
vi.	2"	॥	1161	1161	1359	
vii.	2 ½ "	॥	2980	2980	3486	
viii.	3"	॥	4620	4620	5406	
ix.	4"	॥	6546	6546	7659	
<b>D) Cross Tee</b>						
i.	½ "	गोटा	109	109	128	
ii.	¾"	॥	155	155	181	
iii.	1"	॥	244	244	286	
iv.	1 ¼"	॥	424	424	496	
v.	1 ½ "	॥	509	509	596	
vi.	2"	॥	825	825	965	
vii.	2 ½ "	॥	1392	1392	1629	
viii.	3"	॥	2017	2017	2360	
ix.	4"	॥	2723	2723	3186	
<b>M) Tank nipple</b>						
i.	½ "	गोटा	128	128	150	
ii.	¾"	॥	178	178	209	
iii.	1"	॥	266	266	311	
iv.	1 ¼"	॥	400	400	468	
v.	1 ½ "	॥	509	509	596	
vi.	2"	॥	825	825	965	
vii.	2 ½ "	॥	1588	1588	1858	
viii.	3"	॥	2115	2115	2474	
ix.	4"	॥	2806	2806	3283	
<b>G.I. Nipple Medium Class ISI or NS</b>						
<b>2" Long</b>						
i.	½ "	गोटा	21	21	25	
ii.	¾"	॥	31	31	37	
iii.	1"	॥	42	42	50	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)बाहेक			कैफियत
			आ.व. ०७३/७४	आ.व. ०७४/७५	आ.व. ०७५/७६	
iv.	1 ¼"	॥	57	57	67	
v.	1 ½ "	॥	69	69	81	
vi.	2"	॥	106	106	124	
<b>3" Long</b>						
i.	½ "	गोटा	31	31	37	
ii.	¾"	॥	47	47	55	
iii.	1"	॥	63	63	74	
iv.	1 ¼"	॥	85	85	99	
v.	1 ½ "	॥	105	105	123	
vi.	2"	॥	157	157	184	
vii.	2 ½ "	॥	216	216	252	
viii.	3"	॥	315	315	368	
<b>4" Long</b>						
i.	½ "	गोटा	42	42	50	
ii.	¾"	॥	62	62	73	
iii.	1"	॥	84	84	98	
iv.	1 ¼"	॥	113	113	133	
v.	1 ½ "	॥	138	138	161	
vi.	2"	॥	211	211	246	
vii.	2 ½ "	॥	289	289	338	
viii.	3"	॥	421	421	492	
ix.	4"	॥	541	541	633	
<b>6" Long</b>						
i.	½ "	गोटा	63	63	74	
ii.	¾"	॥	94	94	110	
iii.	1"	॥	126	126	147	
iv.	1 ¼"	॥	171	171	200	
v.	1 ½ "	॥	211	211	246	
vi.	2"	॥	316	316	370	
vii.	2 ½ "	॥	432	432	505	
viii.	3"	॥	618	618	723	
ix.	4"	॥	764	764	894	
<b>9" Long</b>						
i.	½ "	गोटा	94	94	110	
ii.	¾"	॥	139	139	163	
iii.	1"	॥	168	168	197	
iv.	1 ¼"	॥	256	256	300	
v.	1 ½ "	॥	344	344	402	
vi.	2"	॥	474	474	555	
vii.	2 ½ "	॥	640	640	749	
viii.	3"	॥	947	947	1108	
ix.	4"	॥	1130	1130	1322	
<b>12" Long</b>						

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)बाहेक			कैफियत
			आ.व. ०७३/७४	आ.व. ०७४/७५	आ.व. ०७५/७६	
i.	1/2 "	गोटा	126	126	147	
ii.	3/4"	"	184	184	216	
iii.	1"	"	209	209	245	
iv.	1 1/4"	"	342	342	400	
v.	1 1/2 "	"	421	421	492	
vi.	2"	"	631	631	739	
vii.	2 1/2 "	"	852	852	997	
viii.	3"	"	1262	1262	1476	
ix.	4"	"	1507	1507	1763	
<b>18" Long</b>						
i.	1/2 "	गोटा	189	189	221	
ii.	3/4"	"	233	233	272	
iii.	1"	"	315	315	368	
iv.	1 1/4"	"	512	512	599	
v.	1 1/2 "	"	629	629	736	
vi.	2"	"	947	947	1108	
vii.	2 1/2 "	"	1280	1280	1498	
viii.	3"	"	1874	1874	2192	
ix.	4"	"	2286	2286	2674	
<b>G.I./G.I. Flange</b>						
i.	1 1/4"	गोटा	803	803	939	
ii.	1 1/2 "	"	988	988	1156	
iii.	2"	"	1211	1211	1417	
iv.	2 1/2 "	"	1416	1416	1656	
v.	3"	"	1577	1577	1845	
vi.	4"	"	1957	1957	2290	
vii.	5"	"	2798	2798	3273	
viii.	6"	"	2907	2907	3401	
ix.	8"	"	5790	5790	6775	
<b>G.I./HDP Flange</b>						
i.	1 1/4"	गोटा	865	865	1011	
ii.	1 1/2 "	"	1102	1102	1289	
iii.	2"	"	1302	1302	1523	
iv.	2 1/2 "	"	1520	1520	1778	
v.	3"	"	1625	1625	1901	
vi.	4"	"	2005	2005	2345	
vii.	5"	"	2798	2798	3273	
viii.	6"	"	2921	2921	3418	
ix.	8"	"	6356	6356	7436	
<b>HDP/HDP Flange set with adaptor</b>						
i.	1 1/4"	गोटा	865	865	908	
ii.	1 1/2 "	"	1102	1102	1157	
iii.	2"	"	1302	1302	1367	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)बाहेक			कैफियत
			आ.व. ०७३/७४	आ.व. ०७४/७५	आ.व. ०७५/७६	
iv.	2 ½ "	॥	1520	1520	1596	
v.	3"	॥	1625	1625	1706	
vi.	4"	॥	2005	2005	2105	
vii.	5"	॥	3178	3178	3337	
viii.	6"	॥	2921	2921	3067	
ix.	8"	॥	6356	6356	6673	
<b>Brass tap ½"</b>						
i.	½ " (Wt. 400 gm)	गोटा	755	755	793	
ii.	½ " ordinary	गोटा	171	171	180	
<b>Globe Valve (GM)</b>						
i.	½ "	गोटा	770	770	808	
ii.	¾"	॥	1254	1254	1317	
iii.	1"	॥	1549	1549	1626	
iv.	1 ¼"	॥	2461	2461	2584	
v.	1 ½ "	॥	3097	3097	3252	
vi.	2"	॥	3867	3867	4060	
vii.	2 ½ "	॥	7595	7595	7975	
viii.	3"	॥	12550	12550	13177	
ix.	4"	॥	20292	20292	21307	
<b>Float Valve</b>						
i.	½ "	गोटा	945	945	993	
ii.	¾"	॥	1069	1069	1122	
iii.	1"	॥	1297	1297	1362	
iv.	1 ¼"	॥	2242	2242	2354	
v.	1 ½ "	॥	3368	3368	3536	
vi.	2"	॥	4484	4484	4708	
<b>C.I. Air valve (Heavy)</b>						
i.	½ "	गोटा	3130	3130	3287	
ii.	¾"	॥	4318	4318	4534	
iii.	1"	॥	4788	4788	5027	
<b>Brass Union with Adopter</b>						
i.	½ "	गोटा	204	204	214	
ii.	¾"	॥	314	314	329	
iii.	1"	॥	475	475	499	
iv.	1 ¼"	॥	618	618	648	
v.	1 ½ "	॥	1102	1102	1157	
vi.	2"	॥	1634	1634	1716	
<b>Saddle Ferrule</b>						
i.	1 ½ "	गोटा	295	295	309	
ii.	2"	॥	390	390	409	
iii.	2 ½ "	॥	1088	1088	1142	
iv.	3"	॥	1439	1439	1511	
v.	4"	॥	2052	2052	2155	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)बाहेक			कैफियत
			आ.व. ०७३/७४	आ.व. ०७४/७५	आ.व. ०७५/७६	
	<b>Flow Regulating Valve (G.M.)</b>					
	i. 1/2"	गोटा	1102	1102	1157	
	<b>C.I Sluice Valve</b>					
	i. 1 1/2 "	गोटा	5705	5705	5990	
	ii. 2"	"	7610	7610	7990	
	iii. 2 1/2 "	"	9505	9505	9980	
	iv. 3"	"	11409	11409	11979	
	v. 4"	"	15208	15208	15968	
	v. 5"	"	23114	23114	24269	
	v. 6"	"	27740	27740	29127	
	v. 8"	"	38836	38836	40778	
	<b>Brass Ferrule Cock</b>					
	i. 1/2 "	गोटा	1254	1254	1317	
	ii. 3/4"	"	1634	1634	1716	
	iii. 1"	"	2399	2399	2519	
	<b>Ball valve</b>					
	a) 15mm	गोटा	428	428	449	
	b) 20 mm	"	542	542	569	
	c) 25 mm	"	727	727	763	
	d) 32 mm	"	876	876	920	
	e) 40 mm	"	1696	1696	1781	
	f) 50 mm	"	2784	2784	2923	
<b>26</b>	<b>Supplying of Rcc ring for construction of well</b>					
	<b>Ring</b>					
	i) 28" dia. R.C.C. ring 20 cm ht ,5 cm thick	गोटा	563	563	579	
	ii) 36" dia. R.C.C. ring 20 cm ht ,5 cm thick	"	697	697	717	
	iii) 42" dia. R.C.C. ring 20 cm ht ,5 cm thick	"	811	811	835	
	iv) 48" dia. R.C.C. ring 20 cm ht ,5 cm thick	"	1074	1074	1106	
	<b>Supplying &amp; fixing of metal frame and Rcc cover</b>					
	i) 28" dia. 60m thick R.C.C. ring cover with metal frame	गोटा	1700	1700	1751	
	i) 36" dia. 60m thick R.C.C. ring cover with metal frame	"	2250	2250	2317	
	i) 42" dia. 60m thick R.C.C. ring cover with metal frame	"	2470	2470	2544	
	i) 48" dia. 60m thick R.C.C. ring cover with metal frame	"	2950	2950	3038	
<b>27</b>	<b>ईनार खन्नको लागि R.C.C. रिङ्ग आपूर्ति गरि माटो खन्ने ,आवश्यक फिल्टर सामग्री राख्ने तथा जडान समेतको सवै कार्यहरु (२० देखि २५फीट सम्म को गहीराइमा ढक्कन बाहेक)</b>					
	i) 28" dia. R.C.C. Ring	र.मी	3715	3715	3901	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)बाहेक			कैफियत
			आ.व. ०७३/७४	आ.व. ०७४/७५	आ.व. ०७५/७६	
	ii) 36" dia. R.C.C. Ring	„	4715	4715	4951	
	iii) 42" dia. R.C.C. Ring	„	5489	5489	5763	
	iv) 48" dia. R.C.C. Ring	„	6770	6770	7109	
<b>28</b>	<b>२५ फीट देखि माथीको गहीराइ भएमा</b>					
	ईनार खन्नको लागि R.C.C. रिङ्ग आपूर्ति गरि माटो खन्ने ,आवश्यक फिल्टर सामग्री राख्ने तथा जडान समेतको सबै कार्यहरू (२५ फीट देखि माथीको गहीराइ भएमा मात्र ढक्कन बाहेक)					
	i) 28" dia. R.C.C. Ring	र.मी	5223	5223	5484	
	ii) 36" dia. R.C.C. Ring	„	8832	8832	9273	
	iii) 42" dia. R.C.C. Ring	„	10690	10690	11224	
	iv) 48" dia. R.C.C. Ring	„	12843	12843	13485	
<b>29</b>	<b>Accessories for Deep boring works by machine .</b>					
	Bentonite	kg			9	
	Barite	kg			11	
	Drill bit	No			34500	
	Oxygen gas	Cylinder			575	
	Acetylene gas	Cylinder			575	
	Piston rod	No			5750	
	Gland Packing	set			115	
	Swivel Packing	set			115	
	V-Packing	set			115	
	Valve seat	No			575	
	Valve Packing	No			115	
	Valve / steel ball	No			575	
	Drilling of tube well by DTH Method					
	Drilling of holecin all formation (6 inch)	मी.			5459	
	Drilling of holecin all formation (8 inch)	मी.			6386	
<b>30</b>	<b>Sanitary Tools</b>					
	Adjustable spanner					
	10"	Pc	248	248	255	
	12"	Pc	468	468	482	
	15"	Pc	1348	1348	1388	
	18"	Pc	1595	1595	1643	
	Blow Torch					
	1/2 pint	Pc	1392	1392	1434	
	1 pint	Pc	1716	1716	1767	
	Building Trowel	Pc	77	77	79	
	Chain Pipe wrench					
	50mm	Pc	1595	1595	1643	
	75mm	Pc	1898	1898	1955	
	100mm	Pc	2228	2228	2295	
	150mm	Pc	3135	3135	3229	
	200mm	Pc	5335	5335	5495	
	Chain Pulley in Ton					

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)बाहेक			कैफियत
			आ.व. ०७३/७४	आ.व. ०७४/७५	आ.व. ०७५/७६	
	3 ton	Pc	17050	17050	17562	
	5 ton	Pc	28160	28160	29005	
	Stone Chisel 1"x12"	Pc	358	358	369	
	Die teeth oil with cane (250 ml size)	Pc	275	275	283	
	Smooth steel file half round					
	8"	Pc	523	523	539	
	10"	Pc	1001	1001	1031	
	Flat file 10"	Pc	523	523	539	
	Hacksaw Blade					
	Single	Pc	4	4	4	
	double	Pc	9	9	9	
	Hacksaw Frame 6mm	Pc	187	187	193	
	Handle die set					
	25 mm	Pc	3108	3108	3201	
	50 mm	Pc	3520	3520	3626	
	60 mm	Pc	9350	9350	9631	
	Heating Plate					
	80 mm	Pc	935	935	963	
	100 mm	Pc	1073	1073	1105	
	125 mm	Pc	1375	1375	1416	
	150 mm	Pc	1639	1639	1688	
	200 mm	Pc	2651	2651	2731	
	250 mm	Pc	3212	3212	3308	
	300 mm	Pc	3751	3751	3864	
	Iron Brush 12"	Pc	72	72	74	
	Iron Pan (madium)	Pc	253	253	261	
	Pick Axe 1.7 Kg.	Pc	418	418	431	
	Pipe Cutter					
	15-50 mm	Pc	1980	1980	2039	
	65-80 mm	Pc	3080	3080	3172	
	100 mm	Pc	4950	4950	5099	
	125 mm	Pc	5500	5500	5665	
	150 mm	Pc	9790	9790	10084	
	Pipe Jack Machine (Heavy)	Pc	31350	31350	32291	
	Pipe Vice					
	2"	Pc	2420	2420	2493	
	3"	Pc	3520	3520	3626	
	4"	Pc	5308	5308	5467	
	5"	Pc	9845	9845	10140	
	Pipe Wrench					
	10"	Pc	308	308	317	
	12"	Pc	572	572	589	
	14"	Pc	682	682	702	
	18"	Pc	1084	1084	1117	
	24"	Pc	1496	1496	1541	
	36"	Pc	5280	5280	5438	
	48"	Pc	9350	9350	9631	
	Plumb Bob Line	Pc	88	88	91	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)बाहेक			कैफियत
			आ.व. ०७३/७४	आ.व. ०७४/७५	आ.व. ०७५/७६	
	Rachet Die Set					
	1/2"-1"	Pc	4180	4180	4305	
	11/4" -2"	Pc	7810	7810	8044	
	21/2"-3"	Pc	17050	17050	17562	
	Round File 10"	Pc	358	358	369	
	Screw Driver 12"	Pc	198	198	204	
	Shovel 1.5 Kg	Pc	358	358	369	
	Slide wrench					
	10"	Pc	352	352	363	
	12"	Pc	473	473	487	
	15"	Pc	1381	1381	1422	
	Spade	Pc	429	429	442	
	Spare Die Teeth					
	15 mm	Pc	572	572	589	
	20 mm	Pc	572	572	589	
	25 mm	Pc	572	572	589	
	32 mm	Pc	908	908	935	
	40 mm	Pc	1551	1551	1598	
	50 mm	Pc	1568	1568	1615	
	65 mm	Pc	1815	1815	1869	
	80 mm	Pc	2035	2035	2096	
	Telflon Cover					
	5'x5'	Pc	303	303	312	
	7'x7'	Pc	413	413	425	
	Telflon Cloth	m	3328	3328	3428	
	Telflon Tape 10 mm roll	Roll	17	17	18	
	Thermochrome Crayon					
	Indian	Pc	743	743	765	
	Tool Box (14"x8"x22")	Pc	2041	2041	2102	
<b>31</b>	<b>Anaerobic treatment for waste water ( sintex/ equivalent)As per ASTM-D-2583 (. Should be FRP based Septic tank along with fixed film aeration tank, Should operate in zero load as well. Exterior/Interior surface shall be reasonably smooth No fibers loosely attached minimum Internal Vacuum test As per UL-1316/CSI Each tank to withstand internal partial vacuum without rupture as under Vacuum as per equation in Std. UL-1316Clause18 Deformation test As per Product Specifications ≤37.5 mm Interior surface shall be resin rich with no exposed fibers &amp; should be free of De lamination,Cracks etc.)</b>					
	800 lts for 4 persons	nos	63750	63750	63750	
	1200 lts for 6 people	nos	79050	79050	79050	
	1600 lts for 10 persons	nos	95200	95200	95200	
<b>32</b>	<b>Irrigation Works excluding pipes including installation ( Rainbird or equivalent)</b>					



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)बाहेक			कैफियत
			आ.व. ०७३/७४	आ.व. ०७४/७५	आ.व. ०७५/७६	
	Supply flexible, <b>kink resistant</b> pressure compensating inline tubing and resistance to UV damage and algae growth brown in colour with discharge 0.9GPH XF series pressure rating 0.58 to 4.1 bar wall thickness 1.2mm	Rm	150.00	150.00	150.00	
	Supplyof <b>Xeri bug emitter pressure compensating</b> with selfpiercing barbs,flow rates 1.89LPH to7.57LPH UV resistant colour coded with working pressure 1.0to 3.5bar	Nos	30.00	30.00	30.00	
<b>SPRINKLERS &amp; ACCESSORIES</b>						
	Unispray	No.	660.00	660	660	
	Providing of <b>Pop up spray head</b> having <b>and two piece stem ratchet</b> ( 0 to 360 degrees)nozzle capable of covering 1.2*8.5 Bars with a <b>STRIP NOZZLE</b> discharge rate of 0.075lps.The Spray Head body, stem, nozzle ,ratchet and screen shall be constructed f heavy-duty, ultraviolet resistant plastic and stainless steel with multifunctional wiper seal with small exposed cover 15SST	No.	1,200	1,200	1,200	
	Providing of <b>Shrub</b> spray head having <b>variable adjustable arc</b> ( 0 to 360 degrees)nozzle capable of covering 4.5-5.4m at 2.0 Bars with a discharge rate of 0.23- 0.33lps.The Spray nozzle and screen shall be constructed heavy-duty, ultraviolet resistant plastic and stainless steel with multifunctional wiper seal with small exposed cover <b>PA series</b>	No.	1,200	1,200	1,200	
	gear rotors 5004	No.	3100.00	3,100	3,100	
	Providing of 1/2" Pop up Connecting <b>Swing joint Assembly</b> . The tubing shall be made of polyethylene having wall thickness of 2.3mm ,a working pressure of 5.5 kg/cm2 at 43°C and a surge pressure of 16.6 kg/cm2. The fittings shall be made of UV resistant thermo plastic. <b>SA Series</b>	No.	390.00	390	390	
	Providing of 3/4" Pop up Connecting <b>Swing joint Assembly</b> . The tubing shall be made of polyethylene having wall thickness of 2.3mm ,a working pressure of 5.5 kg/cm2 at 43°C and a surge pressure of 16.6 kg/cm2. The fittings shall be made of UV resistant thermo plastic. <b>SA</b>	No.	480.00	480.00	480.00	
	Providing and fixing of <b>HDPE service saddle</b> of varying size		850.00	850.00	850.00	
<b>VALVES &amp; ACCESSORIES</b>						
	Providing and fixing <b>PVC Ball Valve</b> ,security pivot to maintain lever in space,double water tight joint,direct injection stem non mechanical ,with a base which permits maximum penetration into the valve of size 63mm.	No.	1800.00	1800.00	1800.00	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)बाहेक			कैफियत
			आ.व. ०७३/७४	आ.व. ०७४/७५	आ.व. ०७५/७६	
	Providing & fixing of a double acting <b>Air release valve 3/4"</b> made of high strength aluminium / plastic with fibre glass reinforced . The Air release valve shall be capable of both releasing and admitting air from and into the line. The working pressure shall be 5 bar.	No.	2100.00	2100.00	2100.00	
	12" Rectangular Valve Box with <b>greenlid and corrugated structure</b> with unique shovel access slot and bolt hole knockout	No.	7500.00	7500.00	7500.00	
	6"Round box.	No.	1250.00	1250.00	1250.00	
	Quick coupling valve made up of solid brass with locking cover corrosion resistant and stainless steel spring <b>3RC</b>	No.	13500.00	13500.00	13500.00	
	Key threads into top of QCV to provide water access <b>33DK</b>	No.	9750.00	9750.00	9750.00	
<b>33</b>	Miscellaneous					
	Lead	kg		1482.00	1482.00	
	Sun	kg		685.00	685.00	
	<b>MS+HDPE Flange</b>					
	150 mm	set		6637.00	6637.00	
	200 mm	set		11947.00	11947.00	
	250 mm	set		15486.00	15486.00	
	<b>Mechanical coupling with nut, bolt, washer</b>	set				
	150 mm	set		6696.00	6696.00	
	200 mm	set		9026.00	9026.00	
	250 mm	set		16437.00	16437.00	
	300 mm	set		33185.00	33185.00	
	350 mm	set		59734.00	59734.00	
	400 mm	set		75663.00	75663.00	
	500 mm	set		78318.00	78318.00	
	UPVC coupling 50 mm	set		3097.00	3097.00	
	<b>Flange Tailpiece</b>					
	80 mm	Pc		3716.00	3716.00	
	100 mm	Pc		4867.00	4867.00	
	150 mm	Pc		7256.00	7256.00	
	200 mm	Pc		9026.00	9026.00	
	250 mm	Pc		16991.00	16991.00	

<b>Electrical Works</b>							
सि.नं	सब सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक			कैफियत
				आ.व ०७३/०७४	आ.व ०७४/०७५	आ.व ०७५/०७६	
1		<b>Dyana White Plate series SWITCH SOCKET ANCHOR / CPL /NG/Flux OR ISI EQUIVALENT</b>					
	1	One Gang one way switch	सेट	54	54	54	
	2	One Gang two way switch	सेट	62	62	62	
	3	One way bell switch	सेट	64	64	64	
	4	Two gang one way switch	सेट	92	92	92	
	5	Two gang one way switch with one bell push	सेट	96	96	96	
	6	Two gang Full two way switch	सेट	96	96	96	
	7	Three Gang one way switch	सेट	118	118	118	
	8	Four gang one way switch	सेट	144	144	144	
	9	Six gang one way switch ( 3x5 )	सेट	236	236	236	
	10	Eight gang one way switch	सेट	282	282	282	
	11	Dimmer single 300 watt	सेट	270	270	270	
	12	Dimmer single 750 watt	सेट	403	403	403	
	13	5 Step humming free dimmer	सेट	395	395	395	
	14	16Amp 3 Pin Plug Top	सेट	81	81	81	
	15	1 switch with dimmer	सेट	357	357	357	
	16	6/16 Amp , 2/3 Pin Power sockets with switch & indicator	सेट	116	116	116	
	17	6/16 Amp , Power sockets with switch , indicator & safety shutter	सेट	116	116	116	
	18	20/25 A Single phase A.C. motor Starter with 6/16 Amp safty shutter power socket	सेट	360	360	360	
	19	32A D.P. switch with fuse & indicator Surface Mounting	सेट	146	146	146	
	20	6 Gang ( 86 mm x 220 mm ) switch 2/3 pin switch socket shuttered socket & 2 nos. Humming free 5 steps fan dimmer with indicator	सेट	593	593	593	
	21	Blanking plate single	सेट	39	39	39	
	22	Telephone socket single	सेट	108	108	108	
	23	Telephone socket Double	सेट	152	152	152	
	24	Angle / bottom holder	सेट	34	34	34	
	25	Ceiling Rose	सेट	34	34	34	
	26	Buzzer	सेट	94	94	94	
	27	Musical bell	सेट	216	216	216	
	28	T.V.antena single Socket	सेट	73	73	73	
	29	6A 2/3 Pin unshuttered multi switch socket	सेट	118	118	118	
	30	RJ 45 Computer Socket for modem	सेट	163	163	163	
	31	Flush Mounting metallic Box for Plate Series switch / socket(78mm x 78mm x 50mm)	सेट	34	34	34	
	32	Flush Mounting metallic Box for Plate Series switch / socket 78 x 140 x 50	सेट	61	61	61	
	33	Flush Mounting metallic Box for Plate Series switch / socket 78 x 205 x 50	सेट	95	95	95	

<b>Electrical Works</b>							
सि.नं	सब सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक			कैफियत
				आ.व ०७३/०७४	आ.व ०७४/०७५	आ.व ०७५/०७६	
		<b>Switch / socket outlet, Plate series</b> having round switch buttons & white surrounding plate, suitable to fix on box size 3"x3" . ORANGE, CLIPSAL, Legrand or Equivalent	सेट				
1.	1	10A 1gang 1way Switch	सेट	81	81	81	
	2	10A 2gang 1way Switch	सेट	158	158	158	
	3	10A 3gang 1way Switch	सेट	210	210	210	
	4	10A 4gang 1way Switch	सेट	340	340	340	
	5	10A 5gang 1way Switch	सेट	360	360	360	
	6	10A 6gang 1way Switch	सेट	599	599	599	
	7	10A 1gang 2way Switch	सेट	140	140	140	
	8	10A 2gang 2way Switch	सेट	270	270	270	
	9	10A 3gang 2way Switch	सेट	395	395	395	
	10	10A 4gang 2way Switch	सेट	595	595	595	
	11	T V Socket outlet	सेट	290	290	290	
	12	Telephone Socket	सेट	260	260	260	
	13	13A Universal socket outlet	सेट	450	450	450	
	14	13A Socket	सेट	265	265	265	
	15	15A switched Socket outlet	सेट	430	430	430	
	16	5A Socket	सेट	330	330	330	
	17	RJ 45 8way Computer Socket	सेट	800	800	800	
	18	TV and Telephone Socket	सेट	575	575	575	
	19	7+2 PIN SOCKET OUTLET	सेट	900	900	900	
	20	3+2 PIN SOCKET OUTLET	सेट	560	560	560	
	21	X5 2+2 - 2 PIN SOCKET OUTLET	सेट	760	760	760	
	22	SCHUKO SOCKET WITH ONE SWITCH	सेट	490	490	490	
	23	Bell Press	सेट	230	230	230	
	24	Blank Plate	सेट	90	90	90	
	25	400W Light Dimmer W/ Switch	सेट	880	880	880	
	26	400W Fan Controller / Multi Step Dimmer	सेट	890	890	890	
	27	5 Step Fan Controller	सेट	870	870	870	
	28	2 Pin Socket W/ Switch	सेट	440	440	440	
	29	13A Twin Socket	सेट	660	660	660	
1		<b>White Plate series modular type(polycarbonate) SWITCH SOCKET power pack, Bentex, Premier, Rathi, Ohms EQUIVALENT</b>					
	1	One Gang one way switch	सेट	54	54	54	
	2	One Gang two way switch	सेट	62	62	62	
	3	One way bell switch	सेट	64	64	64	
	4	Two gang one way switch	सेट	92	92	92	

<b>Electrical Works</b>							
सि.नं	सब सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक			कैफियत
				आ.व ०७३/०७४	आ.व ०७४/०७५	आ.व ०७५/०७६	
	5	Two gang one way switch with one bell push	सेट	96	96	96	
	6	Two gang Full two way switch	सेट	96	96	96	
	7	Three Gang one way switch	सेट	118	118	118	
	8	Four gang one way switch	सेट	144	144	144	
	9	Six gang one way switch	सेट	236	236	236	
	10	Eight gang one way switch	सेट	282	282	282	
	11	Dimmer single 300 watt	सेट	270	270	270	
	15	1 switch with dimmer	सेट	378	378	378	
	16	6/16 Amp , 2/3 Pin Power sockets with switch & indicator	सेट	116	116	116	
	17	6/13 Amp , Power sockets with switch , indicator	सेट	116	116	116	
	18	20 A D.P. switch with fuse & indicator Surface Mounting	सेट	146	146	146	
	19	4 Gang ( 86 mm x 220 mm ) switch 2/3 pin switch socket with indicator	सेट	380	380	380	
	20	6 Gang ( 86 mm x 220 mm ) switch 2/3 pin switch socket with indicator	सेट	460	460	460	
	21	Blanking plate single	सेट	39	39	39	
	22	Telephone socket single	सेट	108	108	108	
	23	Telephone socket Double	सेट	152	152	152	
	24	T.V. antenna single Socket	सेट	73	73	73	
	25	RJ 45 Computer Socket for modem	सेट	163	163	163	
	26	CAT-6 Computer Socket for modem	सेट	312	312	312	
<b>2</b>		<b>Modular Type Switch Socket set</b> ' LEGRAND/PHILIPS/NORTH-WEST/' NORYSIS' /ABB /SCHNIEDER KOLORS/INDO ASIAN/ GOLD MEDAL/ANCHOR WOODS/ANCHOR ROMA/VIMAL WAVE or ISI Equivalent					
	1	1P – 6A/10A 1 way switch	No.	135	135	135	
	2	1P – 16A/20A 1 way switch	No.	216	216	216	
	3	1P – 25A 1 way switch	No.	316	316	316	
	4	1P – 6A/10A 2 way switch	No.	162	162	162	
	5	1P – 16A/20A 2 way switch	No.	245	245	245	
	6	1P – 6A push button	No.	179	179	179	
	7	1 gang blanking module	No.	42	42	42	
	8	2 gang blanking module	No.	83	83	83	
	9	<b>FAN REGULATOR / DIMMER</b>					
	10	Step type fan regulator	No.	620	620	620	
	11	60 – 500 W dimmer	No.	774	774	774	
	12	1000 W dimmer	No.	1198	1198	1198	
		<b>SOCKETS / TELEPHONE / COMPUTER SOCKETS / TV SOCKETS</b>					
	13	6A – multi socket 5 pin	No.	188	188	188	
	14	6/16A twin socket 3 pin (flushed)	No.	257	257	257	

<b>Electrical Works</b>							
सि.नं	सब सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक			कैफियत
				आ.व ०७३/०७४	आ.व ०७४/०७५	आ.व ०७५/०७६	
	15	6/16A twin socket 3 pin (projected)	No.	257	257	257	
	16	25A 3 pin socket	No.	360	360	360	
	17	13A 3 pin socket	No.	262	262	262	
	18	RJ 11 telephone jack	No.	137	137	137	
	19	RJ 45 cat.6e computer socket	No.	541	541	541	
	20	TV socket	No.	137	137	137	
		<b>HOSPITALITY RANGE</b>					
	21	250V/110V shaver socket	No.	1061	1061	1061	
	22	Indicator (DO NOT DISTUURB)	No.	175	175	175	
	23	LED yellow night lamp	No.	544	544	544	
	24	LED Blue night lamp	No.	544	544	544	
		<b>FRONT PLATE (COMPATIBLE TO MARKET BOXES)</b>					
		<b>(White)</b>					
	25	1 module front plate	No.	60	60	60	
	26	2 module front plate	No.	60	60	60	
	27	3 module front plate	No.	77	77	77	
	28	4 module front plate	No.	86	86	86	
	29	6 module front plate	No.	111	111	111	
	30	8 module front plate(4+4)	No.	120	120	120	
	31	8 module front plate (Horizontal)	No.	120	120	120	
	32	12 module front plate	No.	154	154	154	
	33	18 module front plate	No.	339	339	339	
	<b>2.2</b>	<b>Modular Type Switch Socket</b> NORTH-WEST' NORYSIS' ABB 'SCHNIEDER' ANCHOR RIDER or ISI Equivalent					
		<b>Seperate Module for Modular Switch &amp; Socket</b>					
	1	1P – 6A/10A 1 way switch	No.	84	84	84	
	3	1P – 16A/20A 1 way switch	No.	140	140	140	
	7	1P – 6A/10A 2 way switch	No.	130	130	130	
	8	1P – 16A/20A 2 way switch	No.	170	170	170	
	9	1P – 6A push button	No.	130	130	130	
	11	1 gang blanking module	No.	40	40	40	
	12	2 gang blanking module	No.	76	76	76	
		<b>FAN REGULATOR / DIMMER</b>					
	13	Step type fan regulator	No.	680	680	680	
	14	60 – 500 W dimmer	No.	580	580	580	
		<b>SOCKETS / TELEPHONE / COMPUTER SOCKETS / TV SOCKETS</b>					
	16	6A – multi socket 5 pin	No.	180	180	180	
	17	6/16A twin socket 3 pin (flushed)	No.	280	280	280	
	18	6/16A twin socket 3 pin (projected)	No.	280	280	280	
	20	13A 3 pin socket	No.	180	180	180	

<b>Electrical Works</b>							
सि.नं	सब सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक			कैफियत
				आ.व ०७३/०७४	आ.व ०७४/०७५	आ.व ०७५/०७६	
	21	RJ 11 telephone jack	No.	140	140	140	
	22	RJ 45 cat.6e computer socket	No.	230	230	230	
	23	TV socket	No.	140	140	140	
	40	1 module front plate	No.	60	60	60	
	41	2 module front plate	No.	60	60	60	
	42	3 module front plate	No.	77	77	77	
	43	4 module front plate	No.	86	86	86	
	44	6 module front plate	No.	111	111	111	
	45	8 module front plate(4+4)	No.	120	120	120	
	46	8 module front plate (Horizontal)	No.	120	120	120	
	47	12 module front plate	No.	154	154	154	
	48	18 module front plate	No.	440	440	440	
		<b>Flush mounting galvanized Metal box for modular type switch &amp; socket</b>					
	1	1module metal box having L x B x Depth =(78x78x45)mm	सेट	50	50	50	
	2	2 module " " =(78x78x45)mm	सेट	50	50	50	
	3	3 gang " " " =(78x100x45)mm	सेट	54	54	54	
	4	4 gang " " =(78x140x50)mm	सेट	66	66	66	
	5	5 gang " " =(78x205x50)mm	सेट	130	130	130	
	6	6 gang " " =(78x205x50)mm	सेट	132	132	132	
	7	8 module metal box (4+4) =(78x230x60)mm	सेट	176	176	176	
	8	8 module metal box (Horizontal) =(135x120x60)mm	सेट	176	176	176	
	9	12 module metal box =(135x120x60)mm	सेट	224	224	224	
	10	TV socket metal box	सेट	50	50	50	
	11	Telephone socket metal box	सेट	50	50	50	
		<b>METAL Junction BOX SHANGRI-LA/ Ankur metal or Equivalent</b>					
	1	4"x4"	गोटा	97	97	97	
	2	4"x6"	गोटा	145	145	145	
	3	6"x8"	गोटा	230	230	230	
	4	8"x10"	गोटा	339	339	339	
	5	8"x12"	गोटा	339	339	339	
		<b>PVC Junction Box Ankur metal or Equivalent</b>					
	1	4"x4"	गोटा	33	33	33	
	2	4"x6"	गोटा	30	30	30	
	3	6"x8"	गोटा	45	45	45	
	4	8"x10"	गोटा	65	65	65	
	5	8" x12"	गोटा	125	125	125	

<b>Electrical Works</b>							
सि.नं	सब सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक			कैफियत
				आ.व ०७३/०७४	आ.व ०७४/०७५	आ.व ०७५/०७६	
		Junction box cover	गोटा	140	140		
5		<b>PVC Listy Double Lock { 6'length =1 no.(गोटा)}</b>					
	1	½ " breadth	गोटा	30	30	30	
	2	¾"	गोटा	45	45	45	
	3	1"	गोटा	65	65	65	
	4	1 1/2"	गोटा	125	125	125	
	5	2"	गोटा	140	140	140	
6		<b>PVC Conduit Pipe BEC MAKE</b>		0	0	0	
	1	1) ½ " diameter	र.मी	30	30	30	
	2	2) ¾"	र.मी	45	45	45	
	3	3) 1"	र.मी	65	65	65	
7		<b>Listy Pipe Accessories</b>					
	1	½"-2" size Saddle	र.मी	8	8	8	
	2	Grips (Denmark)	गोटा	6	6	6	
	3	Steel screws	गोटा	2	2	2	
	4	PVC Tape	गोटा	15	15	15	
8		<b>Distribution board (DB) Ankur metal or Equivalent</b>					
		With busbar Neutral link Earth bar and Din Rail Conforming IS13032 , IS8632, Powder coated 14SWG CRCA sheet steel housing housing. ABB, SIEMENS, HAGER LEGRAND/LS/INDO ASIAN or Equivalent					
	1	4 way SPN DB Double Cover	सेट	1050	1050	1050	
	2	6 way SPN DB " "	सेट	1102	1102	1102	
	3	8 way SPN DB " "	सेट	1374	1374	1374	
	4	12 way SPN DB " "	सेट	1630	1630	1630	
	5	16 way SPN DB " "	सेट	1742	1742	1742	
	6	3-4 way TPN DB Double Cover	सेट	2590	2590	2590	
	7	6 way TPN " " "	सेट	2910	2910	2910	
	8	8 way TPN " " " Vertical	सेट	5630	5630	5630	
	9	12 way TPN " " " Vertical	सेट	7502	7502	7502	
	10	50 Pair Telephone D.B.with crown tag	सेट	5287	5287	5287	
9		<b>PVC Box for MCB</b>	सेट				
	1	1-pole PVC box GPS	सेट	78	78	78	
	2	2- pole PVC " "	सेट	78	78	78	
	3	3 and 4-pole PVC " "	सेट	126	126	126	
10.1		<b>Miniature Circuits Breaker (MCB) , LEGRAND/LS or equivalent</b>					
	1	6-32 amp MCB SP (single pole)	गोटा	171	171	171	
	2	6-32 amp MCB DP (Double pole)	गोटा	749	749	749	
	3	6-32 amp MCB TP (Triple pole)	गोटा	1070	1070	1070	



<b>Electrical Works</b>							
सि.नं	सब सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक			कैफियत
				आ.व ०७३/०७४	आ.व ०७४/०७५	आ.व ०७५/०७६	
10	4	32 amp MCB TPN	गोटा	1926	1926	1926	
	5	40-63 amp MCB DP	गोटा	963	963	963	
	6	40-63 amp MCB TP	गोटा	1471	1471	1471	
	7	40-63 amp MCB TPN	गोटा	2033	2033	2033	
	10.2	<b>Miniature Circuits Breaker (MCB) abb, siemens, hager, legrend, north-west INDO ASIAN/C&amp;S/DELTON/SHIP/AECO MEFA/RATHI/VIMAL/SKN BENTEX or equivalent</b>					
	1	0.5-5 amp MCB SP (single pole)	गोटा	250	250	250	
	2	6-32 amp MCB SP (single pole)	गोटा	160	160	160	
	3	6-32 amp MCB DP (Double pole)	गोटा	600	600	600	
	4	6-32 amp MCB TP (Triple pole)	गोटा	1070	1070	1070	
	5	32 amp MCB TPN	गोटा	1450	1450	1450	
11		<b>Residual Current Circuit Breaker (RCCB) abb, siemens, hager, legrend, north-west INDO ASIAN/C&amp;S/DELTON/SHIP/AECO MEFA/RATHI/VIMAL/SKN BENTEX or equivalent</b>					
	1	25A to 40A ,(30mA,100,300mA) DP RCCB	गोटा	2670	2670	2670	
	2	63A 30mA DP RCCB	"	3182	3182	3182	
	3	63A 100mA DP RCCB	"	2926	2926	2926	
	4	63A 300mA DP RCCB	"	2974	2974	2974	
	5	25A to 40A ,(30mA,100,300mA) FP RCCB	"	3278	3278	3278	
	6	63A 30mA Four Pole RCCB	"	3598	3598	3598	
	7	63A 100mA Four Pole RCCB	"	3598	3598	3598	
	8	63A 300mA Four Pole RCCB	"	3598	3598	3598	
			<b>Moulded Case Circuit Breaker abb, siemens, hager, legrend, north-west INDO ASIAN/C&amp;S/DELTON/SHIP/AECO MEFA/RATHI/VIMAL/SKN BENTEX or equivalent</b>				
		16AMP- 63AMP TP MCCB 16KA		5500	5500	5500	
		80AMP TP MCCB 16KA		5500	5500	5500	
		100AMP TP MCCB 16KA		6200	6200	6200	
		125AMP TP MCCB 16KA		8000	8000	8000	
		160AMP TP MCCB 16KA		9500	9500	9500	
		16AMP- 63AMP TP MCCB 25KA		6200	6200	6200	

<b>Electrical Works</b>							
सि.नं	सब सि.नं	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT) बाहेक			कैफियत
				आ.व ०७३/०७४	आ.व ०७४/०७५	आ.व ०७५/०७६	
		80AMP TP MCCB 25KA		6840	6840	6840	
		100AMP TP MCCB 25KA		6840	6840	6840	
		125AMP TP MCCB 25KA		11000	11000	11000	
		160AMP TP MCCB 25KA		13000	13000	13000	
		200AMP TP MCCB 25KA(Adjustable)		20500	20500	20500	
		200AMP TP MCCB 36KA(Adjustable)		22500	22500	22500	
		250AMP TP MCCB 36KA(Adjustable)		26500	26500	26500	
		400AMP TP MCCB 50KA(Adjustable)		34500	34500	34500	
		630AMP TP MCCB 50KA(Adjustable)		47000	47000	47000	
		800AMP TP MCCB 50KA(Adjustable)		62100	62100	62100	
<b>12</b>		<b>Manual Changeover Panel Type</b>					
		Make ABB,Siemens,Hager DELTON or Equivalent					
		63 Amp FP	„	11280	11280	11280	
		80 Amp FP	„	12480	12480	12480	
		100 Amp FP	„	17680	17680	17680	
		125 Amp FP	„	18640	18640	18640	
		160 Amp FP	„	24480	24480	24480	
		200 Amp FP	„	25280	25280	25280	
		250 Amp FP	„	26880	26880	26880	
		315 Amp FP	„	34000	34000	34000	
<b>13</b>							
		<b><u>Dome light Make Homedec, Decon, Fumagalli OR equivalent</u></b>					
	i	6" Milky type decorative dome light	सेट	175	175	175	
	ii	6 " Brass base decorative dome light	„	715	715	715	
	iii	8"Milky type decorative dome light	„	220	220	220	
	iv	8 " Brass base decorative dome light	„	850	850	850	
	v	8" Silver cast Milky base Decorative Dome Light	„	1075	1075	1075	
	vi	6) 8" Silver cast Black Base base Decorative Dome Light	„	550	550	550	
	vii	Decorative Ceiling luminary with round opal cover suitable for housing the one number of CFL lamp of 9W /13W/18W including CFL (Surface Mounting Dome light)	„	1178	1178	1178	
	viii	<b><u>Wall bracket/spout light/mirror light bulk head</u></b> ordinary .Make Homedec,Decon,Fumagalli	„	225	225	225	
	ix	Wall bracket/spot light/mirror light /bulk head medium decorative.	„	350	350	350	
	x	Wall bracket/spout light/mirror light / bulk head best quality with 11/13W CFL	„	800	800	800	

<b>Electrical Works</b>							
सि.नं	सब सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक			कैफियत
				आ.व ०७३/०७४	आ.व ०७४/०७५	आ.व ०७५/०७६	
	xi	1 x 11/13 watt CFL <b>DOWN LIGHT</b> with reflector & diffuser (conceal light) Complete Set Wipro WCG22060	”	940	940	940	
	xii	1 x 18 watt CFL <u>Down light</u> with reflector & diffuser (conceal light) Complete Set Wipro WCP23118	”	1470	1470	1470	
	xiii	Dining lamp.	”	1650	1650	1650	
	xiv	<b>Chandlers</b> 6-8 lamp Medium	”	14650	14650	14650	
	xv	Chandlers 3-5 lamp Medium	”	10450	10450	10450	
	xvi	Mirror Light Euro Light Wipro WRF21111	”	450	450	450	
	xvii	Picture light Euro Light POO2	”	650	650	650	
	xvii i	Wall spot Light E27 60W Euro or eqv.	”	350	350	350	
	xix	Exit Light safety sign(8.24)W Make Samcon	सेट	800	800	800	
		<b><u>Post top Lanterns</u></b>					
	xx	Bollard Garden light small Size with CFL ,choke & clear polycarbonate dome all complete set prewired upto terminal block	”	2500	2500	2500	
	xxi	Bollard Garden light medium Size with CFL ,choke & clear polycarbonate dome all complete set prewired upto terminal	”	3000	3000	3000	
	xxii	Bollard Garden light Full Size with CFL ,choke & clear polycarbonate dome all complete set prewired upto terminal	”	3375	3375	3375	
	xxii i	8" Globe type Post top Lamp complete set	”	1375	1375	1375	
	xxi v	10" Globe type Post top Lamp complete set	”	2625	2625	2625	
<b>14</b>		<b>Roadway light luminaires</b> <b>Wipro, Philips or Equivalent</b>					
	I	1 x 36 W FTL <u>street light</u> fixture with acrylic diffuser complete set	”	2560	2560	2560	
	II	2 x 36 W FTL street light fixture with acrylic diffuser complet set	”	3755	3755	3755	
	III	300/500 watt halogen weather proof <b>FLOOD LIGHT</b> with glass cover Complete set	”	1500	1500	1500	
	IV	1000 watt halogen weather proof <b>flood light</b> with glass cover Complete set	”	3000	3000	3000	
	V	150 watt <b>HPSV</b> weather proof flood light with glass cover lamp Complete Set	”	9000	9000	9000	
	VI	250 watt <b>HPSV</b> weather proof flood light with glass cover lamp Complete Set	”	11050/-	11050/-	11050/-	

<b>Electrical Works</b>							
सि.नं	सब सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक			कैफियत
				आ.व ०७३/०७४	आ.व ०७४/०७५	आ.व ०७५/०७६	
	VII	Single Piece deep drawn aluminum POT optics <b>road light luminaries</b> with clear acrylic cover 70W HPSV lamp etc. complete with all accessories,	सेट	5100	5100	5100	
	VIII	2X18W CFL-4 Pin street light fixture with acrylic diffuser	सेट	2205	2205	2205	
	IX	1X125W HPSV <b>street light</b> fixture with acrylic diffuser	"	4970	4970	4970	
	X	2X60/100W GLS <b>aviation light</b> fixture all complete set	"	5520	5520	5520	
		<b>CEILING FANS &amp; EXHAUST Fans,</b> BAJAJ/KHAITAN/ORIENT/CROMPTON/POWERPA CK or equivalent					
15	a	36" size ceiling Fan	गोटा	2100	2100	2100	
	b	42" size " "	"	2200	2200	2200	
	c	48" size " "	"	2250	2250	2250	
	d	56" size " "	"	2500	2500	2500	
	e	6" Exhaust Fan	"	1450	1450	1450	
	f	9" Exhaust Fan	"	1750	1750	1750	
	g	16" size wall fan	"	2750	2750	2750	
	h	12" size exhaust fan	"	2500	2500	2500	
		<b>BELL INDICATOR</b>				0	
16	a	4 way bell indicator with plate	सेट	1219	1219	1219	
	b	6 way " " " "	"	1990	1990	1990	
	c	8 way " " " "	"	2768	2768	2768	
	d	12 way " " " "	"	4267	4267	4267	
		<b>Materials For Earthing &amp; Lightning Protection (sp.gr. copper =8930kg/m<sup>3</sup>)</b>					
17	a	Copper plate	के.जी	890	890	890	
	b	Copper Strip (25 x 3)mm (Appox 60"=1kg)	के.जी	1050	1050	1050	
	c	Copper Strip (20mm breadth x 3mm thick)	के.जी	1050	1050	1050	
	d	Copper Strip (12 x 3)mm	के.जी	1050	1050	1050	
	e	Lightning rod copper conductor Air termination set	गोटा	2650	2650	2650	
	f	8 SWG bare copper wire	र. मी	140	140	140	
	g	29 mm Diameter GI Pipe of 1m length	र. मी	245	245	245	
	h	30 Cm x 30 Cm Cast Iron Cover for water pouring into pit	गोटा	600	600	600	
	i	5/16 nuts & bolt with spring washer cadmium maker	गोटा	15	15	15	
	j	1/2" Diameter GI pipe for protecting the earth conductor 1.5 m in length	गोटा	190	190	190	
	k	Funnel with wire mesh	गोटा	350	350	350	
	l	Charcoal	ब्याग	300	300	300	
	m	Salt	के.जी	12	12	12	

<b>Electrical Works</b>							
सि.नं	सब सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक			कैफियत
				आ.व ०७३/०७४	आ.व ०७४/०७५	आ.व ०७५/०७६	
<b>18</b>		<b>STEEL TUBELAR POLE / WOODEN POLE</b>					
		<b>Steel Tubular Poles</b> with welded plate on top and bottom ( <b>medium Gauge</b> non Galvanized with folding System and accessories )					
	a	7 Mtr. ( Bottom : 115 mm Dia 3300 mm height, 90mm Dia 2400mm height & 76 mm Dia , 1650mm height with overlapping of 200mm & 150 mm Respectively	No	11706	11706	11706	
	b	9 Mtr. ( Bottom : 134 mm Dia. 3300 mm height, 115mm Dia 2250mm height , 90 mm Dia 2250mm height & 76mm Dia. 1650 mm height with overlapping of 200mm, 150mm, 100mm Respectively	No	12600	12600	12600	
	c	Steel Tubular Poles 7 Mtr. (115 mm Dia. 3100 mm height, 90mm Dia 2300mm height & 76 mm Dia and 1600mm height) with welded plate on top and bottom ( <b>medium Gauge</b> non Galvanized with welded joints )	No	12120	12120	12120	
	d	7 mtr.length Wooden Pole	No	4850	4850	4850	
	e	9 mtr.length Wooden Pole	No	6600	6600	6600	
<b>19</b>		<b>Modular ceiling Luminaries</b>		--	--	--	
		<b>Fluorescent Tube light (FTL)</b> set including Tube, condenser, starter , lamp holder, channel/batten made with pre-phosphated & powder coated CRCA steel all complete accessories pre wired upto a terminal block . PHILIPS, BAJAJ, HAVELLS, OSRAM, CROMPTION, MIDEA, ORIENT, PREMIER, OHMS or equivalent				0	
	a	1×20 watt FTL (Patti fittings)	सेट	450	450	450	
	b	1×40 watt FTL ,Energy saving electronic striplite with electronic choke(ballast) Surface mounting (Patti Fitting)	„	752	752	752	
	c	1×20 watt FTL (Mirrolta) WRF 20120	„	850	850	850	
	d	1×40 watt FTL with attractive & functional decorative battens WRF20140	„	990	990	990	
	e	1×40 watt FTL box fittings WIF 14140	„	1125	1125	1125	
	f	2×40 watt FTL box fittings WIF 14240	„	1700	1700	1700	
	g	1×40 watt FTL Industrial channel WIF 36140	„	1730	1730	1730	
	h	2×40 watt FTL Industrial channel WIF 36240	„	2220	2220	2220	
	i	1×40 watt FTL, opalite with opal Arcylic dissuser . WCF51140	„	1800	1800	1800	
	j	2×40 watt FTL, oplite with opal Arcylic dissuser WCF51240	„	3000	3000	3000	

<b>Electrical Works</b>							
सि.नं	सब सि.नं	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT) बाहेक			कैफियत
				आ.व ०७३/०७४	आ.व ०७४/०७५	आ.व ०७५/०७६	
k		4×20 watt FTL, oplite WCF 93418	”	5252	5252	5252	
l		4×20 watt FTL <b>mirror optic</b> , surface/recessed mounting WCF93418	”	5252	5252	5252	
m		1×40 watt FTL mirror optic with electronic choke. Surface / recessed mounting WCF 82136	”	3450	3450	3450	
n		2×40 watt FTL <b>mirror optic</b> . surface/recessed mounting with electronic choke WVP40236	”	4200	4200	4200	
o		4 x 14 watt FTL T5 with electronic ballast direct / indirect , surface / recessed with paralite P5 louver Complete set WVF20414	सेट	9110	9110	9110	
p		3X14W FTL-T5 low glare fixture with specular reflector, parabolic louvers & electronic ballast surface /recessed Armstrong ceiling WVF 20314	सेट	8005	8005	8005	
		<b>Compact Fluorescent Lamp (CFL) based Luminaries set all complete . PHILIPS, WIPRO BAJAJ, HAVELLS, OSRAM, CROMPTION, MIDEA or ISI equivalent .</b>					
q		2 x 18 W <b>CFL</b> recessed/surface mounting <b>mirror Optic</b> Complete Set WCP32218	”	2600	2600	2600	
r		1 x11 W CFL mirror Optic surface/recessed mounting complete set WVP 41111	सेट	1780	1780	1780	
s		2 x11 W CFL mirror Optic Surface mounting complete set WVP41211	सेट	2200	2200	2200	
t		2 x 36 watt CFL 4pin with electronic ballast direct / indirect , surface / recessed with louver Complete set WVP24236	सेट	5890	5890	5890	
u		3x36 W CFL -4 pin low glare fixture with P 5 louver & electronic ballast complete set WVP 24336	सेट	6625	6625	6625	
v		Recess mounting Direct Indirect LED luninare LM15-321-XXX-60-XX		10500	10500	10500	
w		Recess mounting Direct Indirect LED luninare LM11-291-XXX-57-XX		13650	13650	13650	
x		Recess Surface mounted LED luminate CRCO10R038HP57		12950	12950	12950	
y		Hight efficiency circular LED Down Lighter LD71		3150	3150	3150	
z		Designer LED Streetlight with pressure die cast housing suitable for secondary roads LR01		14175	14175	14175	
a		IP20 and IP 65 non intregal flexible LED Strip Light LS 06/26		1050	1050	1050	
b		Circular LED wall/Dome Light suitable for true ceiling LW01		3150	3150	3150	
c		Square LED Wall/Dome light suitable for true ceiling LW02-101-XXX-60-XX		3150	3150	3150	
d		Recess mounted indirect and direct luminaires WVP 64236		5950	5950	5950	
e		2x36 Watt CFL Surface Mirror Optic WVP44236		5950	5950	5950	
						0	

<b>Electrical Works</b>							
सि.नं	सब सि.नं	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT) बाहेक			कैफियत
				आ.व ०७३/०७४	आ.व ०७४/०७५	आ.व ०७५/०७६	
<b>20</b>	20.1	<b>Down Light Fiam Make</b>				0	
	1.1	FDL004 SMD7W-WWH Taiwan chip (120*90)		1260	1260	1260	
	1.2	FDL004 SMD7W-CW Taiwan chip		1260	1260	1260	
	1.3	FDL004 SMD9W-WWH Taiwan chip (145*90)		1803	1803	1803	
	1.4	FDL004 SMD9W-CW Taiwan chip		1803	1803	1803	
	1.5	FDL004 SMD15W-WWH Taiwan chip (175*90)		2745	2745	2745	
	1.6	FDL004 SMD15W-CW Taiwan chip		2745	2745	2745	
	1.7	FDL004 SMD30W-WWH Taiwan chip (200MM)		4943	4943	4943	
	1.8	FDL004 SMD30W-CW Taiwan chip		4943	4943	4943	
	1.9	FDL012 COB5W-WWH (90MM)		1264	1264	1264	
	2	FDL012 COB5W-CW		1264	1264	1264	
	2.1	FDL012 COB10W-WWH (120MM)		1922	1922	1922	
	2.2	FDL012 COB10W-CW		1922	1922	1922	
	2.3	FDL012 COB15W-WWH Taiwan chip (140MM)		4943	4943	4943	
	2.4	FDL012 COB15W-CW Taiwan chip		4943	4943	4943	
	2.5	FDL012 COB25W-WWH Taiwan chip (175MM)		6589	6589	6589	
	2.6	FDL012 COB25W-CW Taiwan chip		6589	6589	6589	
	2.7	FDL012 COB30W-WWH Taiwan chip (200MM)		8236	8236	8236	
	2.8	FDL012 COB30W-CW Taiwan chip		8236	8236	8236	
	2.9	FDL007 SMD12W-WWH Taiwan chip (130*110)		4062	4062	4062	
	3	FDL007 SMD12W-CW Taiwan chip		4062	4062	4062	
	3.1	FDL007 SMD18W-WWH Taiwan chip (165*145)		5930	5930	5930	
	3.2	FDL007 SMD18W-CW Taiwan chip		5930	5930	5930	
	3.3	FDL007 SMD24W-WWH Taiwan chip (195*175)		7412	7412	7412	
	3.4	FDL007 SMD24W-CW Taiwan chip		7412	7412	7412	
	3.5	FDL001 HP5W FBK-WWH Taiwan chip (95*110)		3074	3074	3074	
	3.6	FDL001 HP5W FBK-CW Taiwan chip		3074	3074	3074	
	3.7	FDL001 HP5W FWH-WWH Taiwan chip (80*120)		3074	3074	3074	
	3.8	FDL001 HP5W FWH-CW Taiwan chip		3074	3074	3074	
	3.9	FDL005 SMD7W-WWH Taiwan chip (123MM)		1264	1264	1264	
	4	FDL005 SMD7W-CW Taiwan chip		1264	1264	1264	
	4.1	FDL005 SMD12W-WWH Taiwan chip (165MM)		1646	1646	1646	
	4.2	FDL005 SMD12W-CW Taiwan chip		1646	1646	1646	
	4.3	FDL005 SMD20W-WWH Taiwan chip (200MM)		3021	3021	3021	
	4.4	FDL005 SMD20W-CW Taiwan chip		3021	3021	3021	
	4.5	FM3161 HP 18W-WWH Cree Led		6589	6589	6589	
	4.6	FM3161 HP 18W-CW Cree Led		6589	6589	6589	
	4.7	HD-5010-13-WWH Osram chip (86*75)		2033	2033	2033	
	4.8	HD-5010-13-CW Osram chip		2033	2033	2033	
	4.9	HD-5010-14-WWH Osram chip (115*105)		3074	3074	3074	
	5	HD-5010-14-CW Osram chip		3074	3074	3074	
	5.1	HD-5010-14-WWH Osram chip (140*125)		3844	3844	3844	

<b>Electrical Works</b>							
सि.नं	सब सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक			कैफियत
				आ.व ०७३/०७४	आ.व ०७४/०७५	आ.व ०७५/०७६	
	5.2	HD-5010-14-CW Osram chip		3844	3844	3844	
	5.3	HD-5010-18-WWH Osram chip (215*200)		7631	7631	7631	
	5.4	HD-5010-18-CW Osram chip		7631	7631	7631	
	5.5	LETI 100 ROUND BLACK OPAL GX53 LED LAMP					
		3W		2380	2380	2380	
	5.6	LETI 100 SQUARE BLACK OPAL GX53 LED LAMP					
		3W 3C1.000.000.		2380	2380	2380	
	5.7	LUCIA WHITE OPAL		1750	1750	1750	
	5.8	LUCIA BLACK OPAL		1750	1750	1750	
	5.9	LUCIA-GD WHITE OPAL		1750	1750	1750	
	6	LUCIA-GD BLACK OPAL		1750	1750	1750	
	6.1	REMI/LUCIA WHITE OPAL		2100	2100	2100	
	6.2	REMI/LUCIA BLACK OPAL		2100	2100	2100	
	6.3	REMI/LUCIA-EL WHITE OPAL		2100	2100	2100	
	6.4	REMI/LUCIA-EL BLACK OPAL		2100	2100	2100	
	6.5	REMI/LUCIA-GD WHITE OPAL		2100	2100	2100	
	6.6	REMI/LUCIA-GD BLACK OPAL		2100	2100	2100	
	6.7	MADDI BULKHEAD WHITE OPAL		1750	1750	1750	
	6.8	MADDI BULKHEAD BLACK OPAL		1750	1750	1750	
	6.9	MADDI-VE BULKHEAD WHITE OPAL		2450	2450	2450	
	7	MADDI-VE BULKHEAD BLACK OPAL		1750	1750	1750	
	7.1	MADDI-HL BULKHEAD WHITE OPAL		1750	1750	1750	
	7.2	MADDI-HL BULKHEAD BLACK OPAL		1750	1750	1750	
	7.3	REMI/MADDI WHITE OPAL		2100	2100	2100	
	7.4	REMI/MADDI BLACK OPAL		2100	2100	2100	
	7.5	REMI/MADDI-VE WHITE OPAL		2100	2100	2100	
	7.6	REMI/MADDI-VE BLACK OPAL		2100	2100	2100	
	7.7	REMI/MADDI-HL WHITE OPAL		2100	2100	2100	
	7.8	REMI/MADDI-HL BLACK OPAL		2100	2100	2100	
	7.9	GABRI/MADDI 1L BLACK OPAL		7000	7000	7000	
	8	MINIGABRI/MADDI 1L BLACK OPAL		6300	6300	6300	
	8.1	MINIGABRI REMI/MADDI-VE 1L WHITE OPAL		6300	6300	6300	
	8.2	GELMI WHITE OPAL E27		2800	2800	2800	
	8.3	GELMI BLACK OPAL E27		2800	2800	2800	
	8.4	GELMI-EL WHITE OPAL E27		2800	2800	2800	
	8.5	GELMI-EL BLACK OPAL E27		2800	2800	2800	
	8.6	DANZI WHITE OPAL E27		2800	2800	2800	
	8.7	DANZI BLACK OPAL E27		2800	2800	2800	
	8.8	STUCCHI WHITE OPAL E27		3150	3150	3150	
	8.9	STUCCHI BLACK OPAL E27		3150	3150	3150	
	9	CECCHI WHITE OPAL E27		3150	3150	3150	
	9.1	CECCHI BLACK OPAL E27		3150	3150	3150	



<b>Electrical Works</b>							
सि.नं	सब सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक			कैफियत
				आ.व ०७३/०७४	आ.व ०७४/०७५	आ.व ०७५/०७६	
	9.2	BISSO ANNA BLACK WITH OPAL DIFFUSER		3500	3500	3500	
	9.3	MIKROLOT ANNA BLACK W/OPAL DIFFUSER		3500	3500	3500	
	9.4	IESSE LANTERN BLACK W/OPAL DIFFUSER		3150	3150	3150	
	9.5	MIZAR/ANNA BLACK OPAL GX53 LED LAMP 3W		7000	7000	7000	
	20.2	<b>System Sensor Product (Honeywell)</b>					
	1	Photo Electric Smoke Detector		1820	1820	1820	
	2	Rate of Rise Heat Detector		1820	1820	1820	
	3	Fixed temperature Detector		2220	2220	2220	
	4	Base		360	360	360	
	5	Conv. MCP, Red, with LED, 470 Ohm, with BB, India		1440	1440	1440	
	6	Wall mount Horn+Strobe		4000	4000	4000	
	7	Ceiling mount Horn+Strobe		4000	4000	4000	
	8	Morley Control Panel		32000	32000	32000	
	9	Morley Control Panel		52000	52000	52000	
	20.3	<b>Exit Light Samcon make</b>					
	1	MODEL SLM 18		12000	12000	12000	
	2	MODEL ELS 28		12000	12000	12000	
	3	MODEL ETL 210H-4LA		12000	12000	12000	
21		<b>LUMINARIES Accessories</b> ( PHILIPS, HIMSTAR, BAJAJ, HAVELLS, OSRAM, GE, CROMPTION, MIDEA, ORIENT, RATHI, PREMIER, WIPRO, OHMS or ISI/CE Eqv.)					
	a	500 watt halogen rod	गोटा	225	225	225	
	b	1000 watt halogen rod	"	270	270	270	
	c	70Watt SON Lamp (Sodium Vapour)	"	810	810	810	
	d	150 watt sodium vapour bulb	"	1260	1260	1260	
	e	250 watt sodium vapour bulb	"	1650	1650	1650	
	f	20-40 watt FTL rod	"	78	78	78	
	g	20-40 watt FTL Copper chowk.	"	250	250	250	
	h	20-40W FTL Electronic Chowk with high power factor & instant flicker free start	"	400	400	400	
	i	Acrylic cover for 4x20 FTL	"	960	960	960	
	j	FTL starter	"	18	18	18	
	k	8 W to 11W, C.F.L. Direct fit	"	225	225	225	
	l	13 to 22W, C.F.L. Direct fit	"	290	290	290	
	m	15-100 watt bulb. ( ISI )	गोटा	25	25	25	
	n	PL-S 9W/86 (CFL)	"	160	160	160	
	o	PL-S 11W/86 (CFL)	"	170	170	170	
	p	PL-L 36W/86 (CFL)	"	405	405	405	
	q	125W HPL-N (Mercury Vapour)	"	360	360	360	
	r	250W HPL-N	"	850	850	850	

<b>Electrical Works</b>							
सि.नं	सब सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक			कैफियत
				आ.व ०७३/०७४	आ.व ०७४/०७५	आ.व ०७५/०७६	
		<b>Solar LED bulb</b>					
	s	12V/2W LED bulb	"	350	350	350	
	t	12V/3W LED bulb	"	400	400	400	
	u	12V/4W LED bulb	"	450	450	450	
		<b>COPPER CONDUCTOR / WIRE / CABLE (PER COIL=90 RM) NS marked</b>					
22	1	1/18 size p.v.c. insulated copper wire/ cable	क्वायल	920	920	920	
	2	3/22 " " "	"	1100	1100	1100	
	3	3/20 " " "	"	1750	1750	1750	
	4	7/22 " " "	"	2450	2450	2450	
	5	7/20 " " "	"	4000	4000	4000	
	6	7/18 " " "	"	6300	6300	6300	
	7	7/16 " " "	"	13000	13000	13000	
	8	19/18 " " "	"	17500	17500	17500	
	9	19/16 " " "	"	35000	35000	35000	
	10	2\20 " " "	"	1330	1330	1330	
	11	2\22 " " "	"	900	900	900	
23		<b>Multistrand Flexible wire for house wiring (90meter per coil ) NS marked Eqv.</b>					
	1	1.0 mm PVC insulated Copper wire	क्वायल	1000	1000	1000	
	2	1.5 mm PVC insulated Copper wire	"	1600	1600	1600	
	3	2.5 mm PVC insulated Copper wire	"	2350	2350	2350	
	4	4.0 mm PVC insulated Copper wire	"	3800	3800	3800	
	5	6.0 mm PVC insulated Copper wire	"	6000	6000	6000	
	6	10.0mm PVC insulated Copper wire	"	10000	10000	10000	
24		<b>Concentric cable NS marked Eqv.</b>	"				
	1	4mm size concentric cable	र.मी	22	22	22	
	2	6mm size " "	र.मी	25	25	25	
	3	10mm size concentric cable	र.मी	38	38	38	
	4	16mm size " "	र.मी	65	65	65	
	5	25mm size " "	र.मी	86	86	86	
	6	RG6 Coaxial cable	र.मी	22	22	22	
	7	RG59 Coaxial cable	र.मी	25	25	25	
	8	UTP cat -5 networking cable	र.मी	25	25	25	
25		<b>Telephone Drop wire/pair cable NS marked Eqv.</b>					
	1	<sup>2</sup> / <sub>20</sub> Telephone drop wire	क्वायल	960	960	960	
	2	<sup>2</sup> / <sub>22</sub> " "	क्वायल	650	650	650	
	3	2- pair cable wire (2×2×0.45) mm Heavy	र.मी	13	13	13	
	4	3- pair cable wire (3×2×0.45) mm Heavy	"	19	19	19	
	5	5- pair cable wire (5×2×0.45) mm Heavy	"	31	31	31	

<b>Electrical Works</b>							
सि.नं	सब सि.नं	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT) बाहेक			कैफियत
				आ.व ०७३/०७४	आ.व ०७४/०७५	आ.व ०७५/०७६	
	6	10- pair cable wire (10×2×0.45) mm Heavy	”	60	60	60	
	7	15- pair cable wire (15×2×0.45) mm Heavy	”	88	88	88	
	8	20- pair cable wire (20×2×0.45) mm Heavy	”	116	116	116	
	9	1mm drop wire	”	10	10	10	
	10	1-4 Line <b>EPABX</b> ,with 1set programmable master telephone set of corresponding brand Panasonic, Creative, Matrix Or Eqv.	सेट	7425	7425	7425	
	11	2-6 Line EPABX ”	”	17875	17875	17875	
	12	3-8 Line EPABX ”	”	19940	19940	19940	
	13	4-12 Line EPABX ”	”	35750	35750	35750	
	14	6-16 Line EPABX ”	”	48125	48125	48125	
	15	8-24 Line EPABX ”	”	82500	82500	82500	
	16	8-48 Line EPABX ”	”	88275	88275	88275	
	17	8-72 Line EPABX ”	”	94454	94454	94454	
		<b>Other Accessories</b>				0	
26	1	6" size Dome light glass	गोटा	63	63	63	
	2	8" size " " "	”	74	74	74	
	3	wall bracket glass	”	63	63	63	
	4	Fan regulator	”	263	263	263	
27		<b>Panel board</b> double door type with locking arrangement with 2 coat of red oxide metal prime & 3 stage quality paint before final coat of enamel paint (Three phase, Neutral link, earth link ) TPNE copper busbar including necessary accessories for internal wiring at the board .) (Rates of MCCB / MCB & measuring instrument are not included here .) Ankur metal or Equivalent					
	a	60/75/100 AMP, 9"×36"×48" size	सेट	20790	20790	20790	
	b	60/75/100 AMP "12×36"×48" size	”	24750	24750	24750	
	c	60/75/100 AMP 9"×48"×60" size	”	34650	34650	34650	
	d	60/75/100 AMP 12"×49"×60" size	”	41250	41250	41250	
	e	150/200 AMP 9"×38"×52" size	”	23100	23100	23100	
	f	150/200 AMP 12"×38"×52" size	”	23100	23100	23100	
	g	150/200 AMP 9"×42"×56 "size	”	25724	25724	25724	
	h	150/200 AMP 12"×42"×56" size	”	27358	27358	27358	
	i	250/300AMP 12"×48"×60"size	”	33500	33500	33500	
	j	250/300AMP 12"×52"×62" size	”	37501	37501	37501	
k	400 AMP 12"×52"×66" size	”	39920	39920	39920		
28		<b>Panel Board measurement instrument</b>					
	a	0-500 volt meter	पिस	993	993	993	
	b	60/100 Amp meter .	”	950	950	950	

<b>Electrical Works</b>							
सि.नं	सब सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक			कैफियत
				आ.व ०७३/०७४	आ.व ०७४/०७५	आ.व ०७५/०७६	
	c	Panel Indicator	„	230	230	230	
	d	2 Amp glass fuse with holder 12 mm size	„	130	130	130	
	e	AMP meter selector switch	„	630	630	630	
	f	volt meter selector switch	„	690	690	690	
	g	60/100 Amp C.T. coil per set 3 Pcs	„	1390	1390	1390	
	h	150-200AMP C.T coil. 3 PC / Set	गोटा	1730	1730	1730	
	i	250-300 AMP „ „	„	2350	2350	2350	
	j	400/500/600AMP „ „	„	3450	3450	3450	
	k	Kilo watt hour <b>energy meter</b> single phase	पिस	2205	2205	2205	
	l	Kilo watt hour energy meter 3 phase direct	„	9930	9930	9930	
		<b>Trailing Protected Industrial Plug IP44</b>					
29	a	16A 3P+E 400V Industrial plug	सेट	525	525	525	
	b	32 A 3p +N+E " Plug	सेट	780	780	780	
	c	32 A 3P+N+E water tight Plug IP67	सेट	1500	1500	1500	
30		<b>Access Controller</b> with record using card and pin, Having capacity 1000 cards and 25000events,responding distance 5 cm to 15 cm, dimensin 120 x88 x18 mm built in two relay operating door	सेट	20000	20000	20000	
		Access Controller with record using card and pin, Having capacity 1000 cards and 25000events,responding distance 5 cm to 15 cm, dimension 120 x88 x18 mm built in two relay operating door (Chinese)	सेट	13500	13500	13500	
32		<b>CABLE SHOE</b>					
	a	16 sq.mm cable shoe	गोटा	60	60	60	
	b	25 sq.mm " "	„	78	78	78	
	c	35 sq.mm " "	„	60	60	60	
	d	50 sq.mm " "	„	71	71	71	
	e	70 sq.mm " "	„	87	87	87	
	f	95 sq.mm " "	„	135	135	135	
	g	150 sq.mm " "	„	203	203	203	
	h	195 sq.mm " "	„	288	288	288	
	i	250 sq.mm " "	„	458	458	458	
33		<b>Copper Conductor Armoured Power Cables NS marked or eqv.</b>					
		<b>a) 2 Core</b>					
	1	1.5 mm <sup>2</sup>	र.मी	100	100	100	
	2	2.5 mm <sup>2</sup>	„	135	135	135	
	3	4.0 mm <sup>2</sup>	„	185	185	185	
	4	6.0 mm <sup>2</sup>	„	240	240	240	
	5	10.0 mm <sup>2</sup>	„	360	360	360	
	6	16.0 mm <sup>2</sup>	„	480	480	480	

<b>Electrical Works</b>							
सि.नं	सब सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक			कैफियत
				आ.व ०७३/०७४	आ.व ०७४/०७५	आ.व ०७५/०७६	
	7	25.0 mm <sup>2</sup>	”	700	700	700	
	8	35.0 mm <sup>2</sup>	”	930	930	930	
	9	50.0 mm <sup>2</sup>	”	1300	1300	1300	
		<b>b) 3 Core</b>	”				
	1	1.5 mm <sup>2</sup>	”	125	125	125	
	2	2.5 mm <sup>2</sup>	”	175	175	175	
	3	4.0 mm <sup>2</sup>	”	250	250	250	
	4	6.0 mm <sup>2</sup>	”	320	320	320	
	5	10.0 mm <sup>2</sup>	”	480	480	480	
	6	16.0 mm <sup>2</sup>	”	670	670	670	
	7	25.0 mm <sup>2</sup>	”	1020	1020	1020	
	8	35.0 mm <sup>2</sup>	”	1350	1350	1350	
	9	50.0 mm <sup>2</sup> Copper Conductor Armoured	”	1850	1850	1850	
	10	70.0 mm <sup>2</sup>	”	2600	2600	2600	
	11	95.0 mm <sup>2</sup>	”	3500	3500	3500	
	12	120.0 mm <sup>2</sup>	”	4400	4400	4400	
	13	150.0 mm <sup>2</sup>	”	5400	5400	5400	
	14	<b>c) 3.5 Core</b>	”				
	1	25.0 mm <sup>2</sup>	र.मी	1220	1220	1220	
	2	35.0 mm <sup>2</sup>	”	1550	1550	1550	
	3	50.0 mm <sup>2</sup>	”	2180	2180	2180	
	4	70.0 mm <sup>2</sup>	”	3000	3000	3000	
	5	95.0 mm <sup>2</sup>	”	4000	4000	4000	
	6	120.0 mm <sup>2</sup>	”	5250	5250	5250	
	7	150.0 mm <sup>2</sup>	”	6200	6200	6200	
	8	185.0 mm <sup>2</sup>	”	7700	7700	7700	
	9	240.0 mm <sup>2</sup>	”	10100	10100	10100	
	10	300.0 mm <sup>2</sup>	”	12800	12800	12800	
	11	400.0 mm <sup>2</sup>	”	16800	16800	16800	
		<b>d) 4 Core</b>	”				
	1	1.5 mm <sup>2</sup>	र.मी	150	150	150	
	2	2.5 mm <sup>2</sup>	”	215	215	215	
	3	4.0 mm <sup>2</sup>	”	310	310	310	
	4	6.0 mm <sup>2</sup>	”	400	400	400	
	5	10.0 mm <sup>2</sup>	”	600	600	600	
	6	16.0 mm <sup>2</sup>	”	875	875	875	
	7	25.0 mm <sup>2</sup>	”	1300	1300	1300	
	8	35.0 mm <sup>2</sup>	”	1750	1750	1750	
	9	50.0 mm <sup>2</sup>	”	2500	2500	2500	
	10	70.0 mm <sup>2</sup>	”	3400	3400	3400	
	11	95.0 mm <sup>2</sup> Copper Conductor Armoured	”	4600	4600	4600	
	12	120.0 mm <sup>2</sup>	”	5800	5800	5800	

<b>Electrical Works</b>							
सि.नं	सब सि.नं	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT) बाहेक			कैफियत
				आ.व ०७३/०७४	आ.व ०७४/०७५	आ.व ०७५/०७६	
	13	150.0 mm <sup>2</sup>	„	7200	7200	7200	
	14	185.0 mm <sup>2</sup>	„	8800	8800	8800	
	15	240.0 mm <sup>2</sup>	„	12000	12000	12000	
	16	300.0 mm <sup>2</sup>	„	14400	14400	14400	
	17	400.0 mm <sup>2</sup>	„	19500	19500	19500	
34		<b>Copper Conductor Unarmoured Power Cables NS marked or Eqv.</b>					
		<b>a) 1-core</b>					
	1	10 sq. mm.	र.मी	42	42	42	
	2	16 sq. mm.	„	63	63	63	
	3	25 sq. mm.	„	74	74	74	
	4	35 sq. mm.	„	88	88	88	
	5	50 sq. mm.	„	118	118	118	
	6	70 sq. mm.	„	153	153	153	
	7	95 sq. mm.	„	208	208	208	
	8	120 sq. mm.	„	252	252	252	
	9	150 sq. mm.	„	299	299	299	
			<b>b) 2-core</b>				
	1	1.5 sq.mm Copper Conductor Unarmoured	र.मी	69	69	69	
	2	2.5 sq.mm	„	92	92	92	
	3	4 sq.mm	„	140	140	140	
	4	6 sq.mm	„	190	190	190	
	5	10 sq.mm	„	300	300	300	
	6	16 sq.mm	„	415	415	415	
	7	25 sq.mm	„	640	640	640	
	8	35 sq.mm	„	870	870	870	
	9	50 sq.mm	„	1200	1200	1200	
	10	70 sq.mm	„	1700	1700	1700	
	11	95 sq.mm	„	2250	2250	2250	
	12	120 sq.mm	„	2950	2950	2950	
	13	150 sq.mm	„	3700	3700	3700	
		<b>c) 3-core</b>					
	1	1.5 sq.mm. 3- core copper conductor	र.मी	90	90	90	
	2	2.5 sq.mm	„	130	130	130	
	3	4 sq.mm	„	190	190	190	
	4	6 sq.mm	„	270	270	270	
	5	10 sq.mm	„	425	425	425	
	6	16 sq.mm	„	620	620	620	
	7	25 sq.mm	„	950	950	950	
	8	35 sq.mm	„	1280	1280	1280	
	9	50 sq.mm	„	1800	1800	1800	

<b>Electrical Works</b>							
सि.नं	सब सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक			कैफियत
				आ.व ०७३/०७४	आ.व ०७४/०७५	आ.व ०७५/०७६	
	10	70 sq.mm	„	2500	2500	2500	
	11	95 sq.mm	„	3400	3400	3400	
	12	120 sq.mm	„	4300	4300	4300	
	13	150 sq.mm	र.मी	5300	5300	5300	
		<b>d) 3.5 core</b>					
	1	25 sq.mm	र.मी	1170	1170	1170	
	2	35 sq.mm Copper Conductor Unarmoured	„	1500	1500	1500	
	3	50 sq.mm	„	2100	2100	2100	
	4	70 sq.mm	„	2925	2925	2925	
	5	95 sq.mm	„	3950	3950	3950	
	6	120 sq.mm	„	5200	5200	5200	
	7	150 sq.mm	„	6150	6150	6150	
		<b>e) 4-core Copper Conductor Unarmoured</b>					
	1	1.5 sq.mm	र.मी	110	110	110	
	2	2.5 sq.mm	„	165	165	165	
	3	4 sq.mm	„	245	245	245	
	4	6 sq.mm	„	340	340	340	
	5	10 sq.mm	„	540	540	540	
	6	16 sq.mm	„	820	820	820	
	7	25 sq.mm	„	1280	1280	1280	
	8	35 sq.mm	„	1720	1720	1720	
	9	50 sq.mm	„	2400	2400	2400	
	10	70 sq.mm	„	3350	3350	3350	
	11	95 sq.mm	„	4550	4550	4550	
	12	120 sq.mm	„	5750	5750	5750	
	13	150 sq.mm	„	7150	7150	7150	
	14	185 sq.mm	„	8800	8800	8800	
	15	240 Sq. mm	„	11900	11900	11900	
	16	300 Sq. mm	„	14400	14400	14400	
	17	400 Sq. mm	„	19500	19500	19500	
		<b>Aluminum conductor Armoured (Power) cable NS marked or eqv.</b>					
		<b>a) 2-core</b>					
	1	1.5 sq.mm	र.मी				
	2	2.5 sq.mm	र.मी	90	90	90	
	3	4 sq.mm	र.मी	115	115	115	
	4	6 sq.mm	र.मी	130	130	130	
	5	10 sq.mm	र.मी	155	155	155	
	6	16 sq.mm	र.मी	175	175	175	
	7	25 sq.mm	र.मी	210	210	210	
	8	35 sq.mm	र.मी	240	240	240	

<b>Electrical Works</b>							
सि.नं	सब सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक			कैफियत
				आ.व ०७३/०७४	आ.व ०७४/०७५	आ.व ०७५/०७६	
	9	50 sq.mm	र.मी	310	310	310	
	10	70 sq.mm	र.मी	385	385	385	
	11	95 sq.mm	र.मी	490	490	490	
		<b>b) 3-core</b>				0	
	1	2.5 sq.mm. Aluminum conductor Armoured	र.मी	105	105	105	
	2	4 sq.mm	र.मी	130	130	130	
	3	6 sq.mm	र.मी	145	145	145	
	4	10 sq.mm	र.मी	175	175	175	
	5	16 sq.mm	”	200	200	200	
	6	25 sq.mm Aluminum conductor Armoured	”	270	270	270	
	7	35 sq.mm	”	325	325	325	
	8	50 sq.mm	”	415	415	415	
	9	70 sq.mm	”	525	525	525	
	10	95 sq.mm	”	480	480	480	
	11	120 sq.mm	”	810	810	810	
	12	150 sq.mm	”	975	975	975	
	13	185 sq.mm	”	1200	1200	1200	
	14	240 sq.mm	”	1470	1470	1470	
	15	300 sq.mm	”	1800	1800	1800	
	16	400 sq.mm	”	2250	2250	2250	
		<b>c) 3.5 core</b>				0	
	1	25 sq.mm.	र.मी	310	310	310	
	2	35 sq.mm	”	360	360	360	
	3	50 sq.mm	”	475	475	475	
	4	70 sq.mm	”	610	610	610	
	5	95 sq.mm	”	780	780	780	
	6	120 sq.mm Aluminum conductor Armoured	”	950	950	950	
	7	150 sq.mm	”	1140	1140	1140	
	8	185 sq.mm	”	1380	1380	1380	
	9	240 sq.mm	”	1720	1720	1720	
	10	300 sq.mm	”	2150	2150	2150	
	11	400 sq.mm	”	2700	2700	2700	
		<b>d) 4-core</b>					
	1	2.5 sq.mm	र.मी	120	120	120	
	2	4 sq.mm	”	150	150	150	
	3	6 sq.mm	”	175	175	175	
	4	10 sq.mm	”	190	190	190	
	5	16 sq.mm	”	245	245	245	
	6	25 sq.mm	”	330	330	330	
	7	35 sq.mm	”	390	390	390	



<b>Electrical Works</b>							
सि.नं	सब सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक			कैफियत
				आ.व ०७३/०७४	आ.व ०७४/०७५	आ.व ०७५/०७६	
	8	50 sq.mm	”	532	532	532	
	9	70 sq.mm	”	680	680	680	
	10	95 sq.mm	”	875	875	875	
	11	120 sq.mm	”	1050	1050	1050	
	12	150 sq.mm	”	1330	1330	1330	
	13	185 sq.mm	”	1580	1580	1580	
	14	240sq.mm	”	1980	1980	1980	
	15	300 sq.mm Aluminum conductor Armoured	”	2450	2450	2450	
	16	400sq.mm	”	3100	3100	3100	
<b>37</b>		<b>Aluminium conductor unarmoured (power) cable NS marked or eqv.</b>					
		<b>a) 1-core</b>					
	1	16 sq.mm	र.मी	50	50	50	
	2	25 sq.mm	”	70	70	70	
	3	35 sq.mm	”	80	80	80	
	4	50 sq.mm	”	107	107	107	
	5	70 sq.mm	”	140	140	140	
	6	95 sq.mm	”	187	187	187	
	7	120 sq.mm	”	230	230	230	
	8	150 sq.mm	”	289	289	289	
	9	185 sq.mm	”	348	348	348	
	10	240 sq.mm	”	430	430	430	
	11	300 sq.mm	”	520	520	520	
		<b>b) 2-core Aluminium conductor unarmoured</b>					
	1	2.5 sq.mm	र.मी	43	43	43	
	2	4 sq.mm	”	54	54	54	
	3	6 sq.mm	र.मी	64	64	64	
	4	10 sq.mm	”	86	86	86	
	5	16 sq.mm	”	96	96	96	
	6	25 sq.mm	”	134	134	134	
	7	35 sq.mm	”	171	171	171	
	8	50 sq.mm	”	225	225	225	
	9	70 sq.mm	”	290	290	290	
	10	95 sq.mm 2 core	”	385	385	385	
		<b>c) 3-core</b>					
	1	2.5 sq.mm	र.मी	48	48	48	
	2	4 sq.mm	”	64	64	64	
	3	6 sq.mm	”	80	80	80	
	4	10 sq.mm	”	102	102	102	
	5	16 sq.mm	”	134	134	134	
	6	25 sq.mm	”	198	198	198	

<b>Electrical Works</b>							
सि.नं	सब सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक			कैफियत
				आ.व ०७३/०७४	आ.व ०७४/०७५	आ.व ०७५/०७६	
	7	35 sq.mm	”	241	241	241	
	8	50 sq.mm	”	330	330	330	
	9	70 sq.mm	”	439	439	439	
	10	95 sq.mm	”	567	567	567	
	11	120 sq.mm	”	696	696	696	
	12	150 sq.mm	”	840	840	840	
	13	185 sq.mm	”	1070	1070	1070	
	14	240 sq.mm	”	1338	1338	1338	
	15	300 sq.mm Aluminium conductor unarmoured	”	1659	1659	1659	
		<b>d) 3.5-core</b>					
	1	25 sq.mm	र.मी	250	250	250	
	2	35 sq.mm	”	294	294	294	
	3	50 sq.mm	”	400	400	400	
	4	70 sq.mm	”	535	535	535	
	5	95 sq.mm	”	706	706	706	
	6	120 sq.mm	”	883	883	883	
	7	150 sq.mm	”	1038	1038	1038	
	8	185 sq.mm	”	1327	1327	1327	
	9	240 sq.mm	”	1659	1659	1659	
	10	300 sq.mm	”	2033	2033	2033	
		<b>e) 4-core core aluminium unarmoured</b>					
	1	2.5 sq.mm	र.मी	59	59	59	
	2	4 sq.mm	”	75	75	75	
	3	6 sq.mm	”	91	91	91	
	4	10 sq.mm	”	128	128	128	
	5	16 sq.mm	र.मी	190	190	190	
	6	25 sq.mm	”	280	280	280	
	7	35 sq.mm	”	332	332	332	
	8	50 sq.mm	”	455	455	455	
	9	70 sq.mm 4	”	599	599	599	
	10	95 sq.mm	”	803	803	803	
	11	120 sq.mm	”	974	974	974	
	12	150 sq.mm	”	1198	1198	1198	
	13	185 sq.mm	”	1498	1498	1498	
	14	240 sq.mm	”	1894	1894	1894	
	15	300 sq.mm	”	2333	2333	2333	
<b>38</b>		<b>Security Gate System</b>					
	a	Metal Detector (ब्लाक स्कोपियन कम्पनी)	गोटा	16500	16500	16500	
		<b>General Lightig ANCHOR, C/G, Eqv.</b>				0	
	i	1 x 40 W FTL Patti fitting	सेट	245	245	245	
<b>३९</b>	ii	1 x 20 W FTL Patti fitting	सेट	225	225	225	

<b>Electrical Works</b>							
सि.नं	सब सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक			कैफियत
				आ.व ०७३/०७४	आ.व ०७४/०७५	आ.व ०७५/०७६	
३३	iii	1 x 40 W FTL Box Fitting	सेट	415	415	415	
	iv	1 x 20 W FTL Box fitting	सेट	405	405	405	
	v	9/11W Mini mirror light with electronic Blast	सेट	345	345	345	
40		<b>GEWISS PVC Conduit product of Italy</b>					
		<b>RK Range</b>					
	1	16 mm medium rigid conduit DX 25 316	Mtr.	85	85	85	
	2	20 mm medium rigid conduit DX 25 320	"	120	120	120	
	3	25 mm medium rigid conduit DX 25 325	"	170	170	170	
	4	32 mm medium rigid conduit DX 25 332	"	245	245	245	
	5	40 mm medium rigid conduit DX 25 340	"	335	335	335	
	6	50 mm medium rigid conduit DX 25 350	"	515	515	515	
	7	63 mm medium rigid conduit DX 25 363	"	970	970	970	
	8	16 mm heavy rigid conduit DX 25 716	"	160	160	160	
	9	20 mm heavy rigid conduit DX 25 720	"	210	210	210	
	10	25 mm heavy rigid conduit DX 25 725	"	280	280	280	
	11	32 mm heavy rigid conduit DX 25 732	"	420	420	420	
	12	40 mm heavy rigid conduit DX 25 740	"	570	570	570	
	13	50 mm heavy rigid conduit DX 25 750	"	770	770	770	
	14	63 mm heavy rigid conduit DX 25 763	"	1445	1445	1445	
	15	16 mm polymer cable gland GW 52 043 with fixing nut and screws	"	190	190	190	
	16	20 mm polymer cable gland GW 52 044 with fixing nut and screws	"	240	240	240	
	17	25 mm polymer cable gland GW 52 045 with fixing nut and screws	"	365	365	365	
	18	32 mm polymer cable gland GW 52 046 with fixing nut and screws	"	605	605	605	
	19	40 mm polymer cable gland GW 52 047 with fixing nut and screws	"	725	725	725	
	20	50 mm polymer cable gland GW 52 048 with fixing nut and screws	"	935	935	935	
	21	63 mm polymer cable gland GW 52 049 with fixing nut and screws	"	1165	1165	1165	
	22	16 mm shockproof polymer saddle collar clip GW 50 605	"	30	30	30	
	23	20 mm shockproof polymer saddle collar clip GW 50 606	"	35	35	35	
	24	25 mm shockproof polymer saddle collar clip GW 50 607	"	40	40	40	
	25	32 mm shockproof polymer saddle collar clip GW 50 608	"	60	60	60	
	26	40 mm shockproof polymer saddle collar clip GW 50 630	"	95	95	95	
	27	50 mm shockproof polymer saddle collar clip GW 50 631	"	115	115	115	
28	16 mm conduit coupler DX 40 016	"	35	35	35		
29	20 mm conduit coupler DX 40 020	"	45	45	45		

<b>Electrical Works</b>							
सि.नं	सब सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक			कैफियत
				आ.व ०७३/०७४	आ.व ०७४/०७५	आ.व ०७५/०७६	
	30	25 mm conduit coupler DX 40 025	"	55	55	55	
	31	32 mm conduit coupler DX 40 032	"	100	100	100	
	32	40 mm conduit coupler DX 40 040	"	135	135	135	
	33	50 mm conduit coupler DX 40 050	"	235	235	235	
	34	63 mm conduit coupler DX 40 063	"	445	445	445	
	35	16 mm tight bend DX 40 116	"	55	55	55	
	36	20 mm tight bend DX 40 120	"	80	80	80	
	37	25 mm tight bend DX 40 125	"	125	125	125	
	38	32 mm tight bend DX 40 132	"	230	230	230	
	39	40 mm tight bend DX 40 140	"	325	325	325	
	40	50 mm tight bend DX 40 150	"	585	585	585	
	41	63 mm tight bend DX 40 163	"	2290	2290	2290	
	42	4 way junction box DX 45 004	"	650	650	650	
	43	7 way junction box DX 45 007	"	780	780	780	
	44	10 way junction box DX 45 010	"	990	990	990	
	45	Closing cap for junction box DX 47 000	"	115	115	115	
	46	16 mm inspectionable T bend DX 40216	"	115	115	115	
	47	20 mm inspectionable T bend DX 40220	"	145	145	145	
	48	25 mm inspectionable T bend DX 40225	"	190	190	190	
	49	32 mm inspectionable T bend DX 40232	"	230	230	230	
	50	16 mm inspectionable bend DX 40 316	"	95	95	95	
	51	20 mm inspectionable bend DX 40 320	"	115	115	115	
	52	25 mm inspectionable bend DX 40 325	"	150	150	150	
	53	32 mm inspectionable bend DX 40 332	"	180	180	180	
		<b>GEWISS Cable Tray with Cover and Accessories BRN Range</b>					
	1	65X35 mm2 hot deep galvanised steel cable tray MV 40 100	R. Ft.	795	795	795	
	2	95X35 mm2 hot deep galvanised steel cable tray MV 40 101	"	945	945	945	
	3	125X35 mm2 hot deep galvanised steel cable tray MV 40 102	"	1140	1140	1140	
	4	155X35 mm2 hot deep galvanised steel cable tray MV 40 103	"	1280	1280	1280	
	5	185X35 mm2 hot deep galvanised steel cable tray MV 40 104	"	1495	1495	1495	
	6	215X35 mm2 hot deep galvanised steel cable tray MV 40 105	"	1660	1660	1660	
	7	245X35 mm2 hot deep galvanised steel cable tray MV 40 106	"	2075	2075	2075	
	8	305X35 mm2 hot deep galvanised steel cable tray MV 40 108	"	2440	2440	2440	
	9	365X35 mm2 hot deep galvanised steel cable tray MV 40 110	"	3000	3000	3000	
	10	395X35 mm2 hot deep galvanised steel cable tray MV 40 111	"	3185	3185	3185	

<b>Electrical Works</b>								
सि.नं	सब सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक			कैफियत	
				आ.व ०७३/०७४	आ.व ०७४/०७५	आ.व ०७५/०७६		
41	11	65X50 mm2 hot deep galvanised steel cable tray MV 40 120	"	955	955	955		
	12	95X50 mm2 hot deep galvanised steel cable tray MV 40 121	"	1145	1145	1145		
	13	125X50 mm2 hot deep galvanised steel cable tray MV 40 122	"	1260	1260	1260		
	14	155X50 mm2 hot deep galvanised steel cable tray MV 40 123	"	1425	1425	1425		
	15	185X50 mm2 hot deep galvanised steel cable tray MV 40 124	"	1615	1615	1615		
	16	215X50 mm2 hot deep galvanised steel cable tray MV 40 125	"	1805	1805	1805		
	17	245X50 mm2 hot deep galvanised steel cable tray MV 40 126	"	2210	2210	2210		
	18	305X50 mm2 hot deep galvanised steel cable tray MV 40 128	"	2580	2580	2580		
	19	365X50 mm2 hot deep galvanised steel cable tray MV 40 130	"	3355	3355	3355		
	20	395X50 mm2 hot deep galvanised steel cable tray MV 40 131	"	3640	3640	3640		
	21	515X50 mm2 hot deep galvanised steel cable tray MV 40 135	"	4450	4450	4450		
	22	95X65 mm2 hot deep galvanised steel cable tray MV 40 141	"	1275	1275	1275		
	23	215X65 mm2 hot deep galvanised steel cable tray MV 40 145	"	2060	2060	2060		
	24	305X65 mm2 hot deep galvanised steel cable tray MV 40 148	"	2700	2700	2700		
	25	395X65 mm2 hot deep galvanised steel cable tray MV 40 151	"	3740	3740	3740		
	26	515X65 mm2 hot deep galvanised steel cable tray MV 40 155	"	4695	4695	4695		
	27	605X65 mm2 hot deep galvanised steel cable tray MV 40 157	"	5290	5290	5290		
	28	125X80 mm2 hot deep galvanised steel cable tray MV 40 162	"	1450	1450	1450		
	29	215X80 mm2 hot deep galvanised steel cable tray MV 40 165	"	2205	2205	2205		
	30	305X80 mm2 hot deep galvanised steel cable tray MV 40 168	"	2800	2800	2800		
	31	395X80 mm2 hot deep galvanised steel cable tray MV 40 171	"	4030	4030	4030		
	32	515X80 mm2 hot deep galvanised steel cable tray MV 40 175	"	4870	4870	4870		
			<b>Intrusion Detection System</b>					
		i	<b>Main Controller</b>		37720	37720	37720	
			CONTROL, FIRE/BURG COMMERCIAL VISTA-128FBP	सेट			0	
		ii	<b>Smoke &amp; Heat Detector</b>		10238	10238	10238	
			Wireless Smoke and Head Detector	सेट			0	
		iii	<b>Door Contact</b>		2600	2600	2600	
				सेट				

<b>Electrical Works</b>							
सि.नं	सब सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक			कैफियत
				आ.व ०७३/०७४	आ.व ०७४/०७५	आ.व ०७५/०७६	
42	iii	Wireless Door Contact with transmitter	सेट			0	
		<b>Motion Detector</b>		4056	4056	4056	
	iv	Wireless Passive Infrared, Pet Immune Motion Detector	सेट			0	
		<b>Panic Switch</b>		4778	4778	4778	
	v	Wireless Panic Transmitter	सेट			0	
	vi	<b>Key</b>	सेट	4641	4641	4641	
		Wireless Key to Arm and Disarm the System				0	
43	vii	<b>Window Contact</b>	सेट	2730	2730	2730	
		Wired door Contact with transmitter slim				0	
43		<b>Earth Quake Detector( JDS Inc, USA)</b>	पिस	3496	3496	3496	
		Quake Alarm				0	
44		<b>Automatic Motor Operator for water motor</b>					
	i	Upto 1/2 HP single phase motor	सेट	4000	4000	4000	
	ii	Upto 1 HP single phase motor	सेट	5500	5500	5500	
	iii	Upto 5 HP three phase motor	सेट	9000	9000	9000	
45		<b>CCTV System</b>			0		
46	a	<b>Out door high speed Dome Integrated CAMERA</b> Multi Protocal ,480 TVL,128 preset points , automatic surveillance,360 degrees horizontal rotation , AC 240V power supply , integrated heating system , highest angle speed 360 degree/ sec ,weather resistance, water resistance, robust type.					
	i	CANON Integrated camera chip, normal colour, 23 times optical Zoom, 10 times digital zoom	सेट	55000	55000	55000	
	ii	CANON Integrated camera chip, day & night, 23 times optical Zoom, 10 times digital zoom	सेट	57200	57200	57200	
	b	<b>Indoor high speed Dome Integrated CAMERA</b>		0	0	0	
	i	CANON Integrated camera chip, normal colour, 23 times optical Zoom, 10 times digital zoom	सेट	52800	52800	52800	
	ii	CANON Integrated camera chip, day & night, 23 times optical Zoom, 10 times digital zoom	सेट	55000	55000	55000	
	c	<b>VISTA Box camera</b> with adoptor, IR view distance 25mm Mirror shutter;with mirror image switchable,white balance; auto,Horizontal resolution ; 480 TV line , system signal; NTSC/PALBlacklight compression :ON/OFF(Switchable) , AGC; ON/OFF	सेट	15000	15000	15000	
	d	7" Sphirical Shilded with bracket included chip excluded Camera		8120	8120	8120	
	e	<b>i) 8 Channel DVR</b> MJPEG Compression Type 8 Channel ionput 2 Channel output USB2.0Interface , Hard Disc > 200G, Multi-Record ,Motion Detector Function , Remote Control	सेट	33000	33000	33000	

<b>Electrical Works</b>							
सि.नं	सब सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक			कैफियत
				आ.व ०७३/०७४	आ.व ०७४/०७५	आ.व ०७५/०७६	
		ii) 16 Channel Alarm input , 16 Channel Record 8 channel Alarm output , Internate Explore, MPG-4 Record	सेट	49500	49500	49500	
f		17" LCD Monitor SAMSUNG or Korean Eqv.	सेट	10500	10500	10500	
		<b>Rates for ELC &amp; IGC Equipments.</b>				0	
	III	Ballast Heater & Tank				0	
	a	Water Heater with Tank 8 Kw/220 V 1 Ph.	Set	38000	38000	38000	
	b	Water Heater with Tank 9 Kw/220 V 1 Ph.	"	39000	39000	39000	
	c	Water Heater with Tank 10 Kw/220 V 1 Ph.	"	40000	40000	40000	
	d	Water Heater with Tank 12 Kw/220 V 3 Ph.	"	42000	42000	42000	
	e	Water Heater with Tank 15 Kw/220 V 3 Ph.	"	45000	45000	45000	
	f	Water Heater with Tank 18 Kw/220 V 3 Ph.	"	48000	48000	48000	
	g	Water Heater with Tank 24 Kw/220 V 3 Ph.	"	52000	52000	52000	
	h	Water Heater with Tank 27 Kw/220 V 3 Ph.	"	55000	55000	55000	
	i	Water Heater with Tank 30 Kw/220 V 3 Ph.	"	58000	58000	58000	
	j	Water Heater with Tank 36 Kw/220 V 3 Ph.	"	65000	65000	65000	
	k	Water Heater with Tank 45 Kw/220 V 3 Ph.	"	75000	75000	75000	
	l	Water Heater with Tank 54 Kw/220 V 3 Ph.	"	85000	85000	85000	
	m	Water Heater with Tank 72 Kw/220 V 3 Ph.	"	95000	95000	95000	
	IV	Over and under voltage trip with electromagnet for Jret deflector up to 100 KW	"	40000	40000	40000	
	V	Over and under voltage trip with excitation cut for Induction and Synchronous Generator up to 100 KW	"	35000	35000	35000	
	VI	Over and Under Frequency trip with relay contact out	"	27000	27000	27000	
	VII	Automatic Voltage Regulator (AVR) up to 200 KW for brushless Alternator	"	54000	54000	54000	
	VIII	Phase Sequence and single phase preventer	"	20000	20000	20000	
	IX	<b>Spare Parts.</b>				0	
	a	Rotating Diode of Generator	"	13500	13500	13500	
	b	Mother Board of ELC (3 Ph.)				0	
		i) 10 KW	No	40000	40000	40000	
		ii) 25 KW	"	42000	42000	42000	
		iii) 50 KW	"	45000	45000	45000	
	c.	Mother Board of ELC (1 Ph.)	"	34000	34000	34000	
	d	Mother Board of IGC-P-L/1Ph	"	27000	27000	27000	
	e	Mother Board of IGC-P-H/1Ph	"	27000	27000	27000	
	f	ELC's transformer					
		i) 12 - 0 - 12	No.	1350	1350	1350	
		ii) 18- 0 - 18	"	2000	2000	2000	
	g	Over/Under Voltage Trip	"	27000	27000	27000	
	h	Over/Under Voltage & Frequency Trip	"	27000	27000	27000	
	i	AVR	"	54000	54000	54000	
		<b>Mechanical Works at Micro-Hydropower</b>					

<b>Electrical Works</b>							
सि.नं	सब सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक			कैफियत
				आ.व ०७३/०७४	आ.व ०७४/०७५	आ.व ०७५/०७६	
48	I	Mild Stee Penstock Pipes of various diameter, with 4 mm thicknesses, Flanges with Gaskettes, C-Clamps, Nut Bolts, etc.	Kg	250	250	250	
	II	Expansion Joints of Assigned Expansion Length with following Dimensions.					
	a.	150 mm Dia	Set	27000	27000	27000	
	b.	200 mm Dia	"	32500	32500	32500	
	c.	250 mm Dia	"	32500	32500	32500	
	d.	300 mm Dia	"	32500	32500	32500	
	e.	350 mm Dia	"	32500	32500	32500	
	f.	400 mm Dia	"	32500	32500	32500	
	f.	PCD 450 mm	No	-	-	-	
	VIII	<b>Pulley</b> with Different Size, with grooves, Flat	-			0	
	a.	200 mm Ø	No	10500	10500	10500	
	b.	250 mm Ø	"	12000	12000	12000	
	c.	300 mm Ø	"	13500	13500	13500	
	d.	350 mm Ø	"	15000	15000	15000	
	e.	400 mm Ø	"	16500	16500	16500	
	f.	450 mm Ø	"	17500	17500	17500	
	g.	500 mm Ø	"	19000	19000	19000	
	h.	600 mm Ø	"	20000	20000	20000	
	IX	<b>Belt</b>					
		Flat (Habasit Belt) (0.20mx1m)					
		V. Belt					
		a. Class D	Mtr.	3300	3300	3300	
		b. Class C	"	4000	4000	4000	
		c. Class B	"	4700	4700	4700	
		d. Class A		5400	5400	5400	
	X	Base frame for Turbine and Generator with foundation Bolts	Set	41000	41000	41000	
	XI	<b>Butterfly Valve</b> with flange, nuts,bolts of following sizes					
	a.	100 mm Ø					
	b.	150 mm Ø	"	29000	29000	29000	
	c.	200 mm Ø	"	40000	40000	40000	
	d.	250 mm Ø	"	62000	62000	62000	
	e.	300 mm Ø	"	66000	66000	66000	
	XIII	<b>Flushing System</b> incl. flushing bucket with handle					
	a	400mmØ × 1200 mm (with 3 mm thickness)	Set	12000	12000	12000	
	b	300mmØ × 1200 mm (with 3 mm thickness)	"	10500	10500	10500	
	c	200Ø × 1200 mm (with 3 mm thickness)	"	9500	9500	9500	
	XIV	<b>Sluice Gate :</b>	"				



<b>Electrical Works</b>							
सि.नं	सब सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक			कैफियत
				आ.व ०७३/०७४	आ.व ०७४/०७५	आ.व ०७५/०७६	
	a	600 × 1000 Channel frame size 600 opening with 25 mm Ø Spindle, 5 mm thick plate (rubber sealed)	"	12350	12350	12350	
	b	500 × 800 Channel frame size 500 opening with 25 mm Ø Spindle, 5 mm thick plate (rubber sealed)	"	11500	11500	11500	
	<b>XV</b>	<b>Spare Parts</b>		---	---	---	
	a	Bearings for turbine (2 nos)	Set	36000	36000	36000	
	b	Gasketts	Kg.	350	350	350	
	c	Nut. Bolts (Required Size)	Kg.	225	225	225	
	d	Buckets of Pelton Trbine	No.	1800	1800	1800	
	e.	Runner Bucket for cross Flow.	No.	2000	2000	2000	
		<b>Electrical Equipments for micro hydropower</b>					
	i	Earthing Materials (ISI or other International Standard)					
	a	6 mm thick 600mm× 600 mm G.I. Plate	No.	2747	2747	2747	
	c	Funneling Mechanism with cover (mild steel)	set	600	600	600	
	d	3.2 mm thick 600mm× 600 mm Copper Plate	No.	9240	9240	9240	
	e	Copper wire (10 SWG)	Mtr.	150	150	150	
	ii	Service wire (Al)					
	a.	2.5 mm <sup>2</sup>	Mtr.	17	17	17	
	b.	4.0 mm <sup>2</sup>	"	22	22	22	
	c.	6.0 mm <sup>2</sup>	"	27	27	27	
	iii	<b>Lightening Arrestor for 3 Phase .</b>					
	a.	0.5 KV	Set	1200	1200	1200	
	b.	11 KV	Set	4200	4200	4200	
	c.	Cross Arms V Channel.	No	3000	3000	3000	
	iv	<b>Stay set with accessories.</b>					
	a.	GI wire	No	1148	1148	1148	
	b.	GI Plate	"	1150	1150	1150	
	c.	Gay Insulator.	"	54	54	54	
	d	Elbow		100	100	100	
	e	Rod , Nut	No	432	432	432	
	f	Grip	"	48	48	48	
	v	<b>Overhead Insulators (0.4KV)</b>					
	a.	Sackle Insulator	No	30	30	30	
	b.	D-Iron	"	90	90	90	
	c.	Nut Bolt (3" with 8 mm Ø)	"	15	15	15	
	d.	Nut Bolt (6" with 8 mm Ø) to clamp on Poles	"	22	22	22	
	vi	<b>Overhead Insulators with fixing accessories (11KV)</b>					
	a.	Pin Insulator	No	180	180	180	
	b.	Disc Insulator	"	960	960	960	

49

<b>Electrical Works</b>							
सि.नं	सब सि.नं	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT) बाहेक			कैफियत
				आ.व ०७३/०७४	आ.व ०७४/०७५	आ.व ०७५/०७६	
	c.	Cross Arms V Channel.	"	2640	2640	2640	
	vii	Sqarrel ACSR conductor 20mm <sup>2</sup>	Rm.	17	17	17	
	viii	weasel ACSR conductor 30 mm <sup>2</sup>	"	24	24	24	
	ix	Rabbit ACSR conductor 50 mm <sup>2</sup>	"	40	40	40	
	x	Dog ACSR conductor 100 mm <sup>2</sup>	"	80	80	80	
	xi	Supply of aluminium ABC cable					
		25mm square 4 core ABC cable	Rm.	150	150	150	
		50 mm square 4 core ABC cable	"	250	250	250	
		95 mm square 4 core ABC cable	"	490	490	490	
	xii	Alternator 3 Phase Brush less with compounded Excitation. (KEL)					
	C	<b>AMF with ATS palel for DG Ankur metal or Equivalent</b>					
	i	5KVA AMF with ATS palel	set	22000	22000	22000	
	ii	7.5KVA AMF with ATS palel	"	28000	28000	28000	
	iii	10KVA AMF with ATS palel	"	35000	35000	35000	
	iv	15KVA AMF with ATS palel	"	45000	45000	45000	
	v	20KVA AMF with ATS palel	"	65000	65000	65000	
	vi	25KVA AMF with ATS palel	"	75000	75000	75000	
	vii	30KVA AMF with ATS palel	"	90000	90000	90000	
	C	<b>Solar system\Backup Power</b>					
	a	<b>Pure sine wave inverter</b>					
	i	675 VA inverter	set	11149	11149	11149	
	ii	875 VA inverter	"	12234	12234	12234	
	iii	1500 VA inverter	"	18434	18434	18434	
	iv	3 KVA inverter	"	54317	54317	54317	
	b	<b>Exide Battery</b>					
		<b>tubular inverter Battery</b>					
	i	80 AH inverter Battery	set	9646	9646	9646	
	ii	100 AH inverter Battery	"	11610	11610	11610	
	iii	150 AH inverter Battery	"	16212	16212	16212	
	iv	200 AH inverter Battery	"	20141	20141	20141	
	v	75 AH tubular inverter Battery	"	12360	12360	12360	
	vi	100 AH tubular inverter Battery	"	16472	16472	16472	
	vii	150 AH tubular inverter Battery	"	24240	24240	24240	
	viii	200 AH tubular inverter Battery	"	30560	30560	30560	
	c	<b>Solar Panel</b>	watt	140	140	140	
		<b>Angel Eyes solar street light absorb energy</b>					
		AST 1205 (12 W pv 05w led, 12.8v 5.2 Ah motion sensor)	set	28606	28606	28606	
		AST 1805 (18 W pv 05w led, 12.8v 7.8 Ah motion sensor)	"	38586	38586	38586	
		AST 2505 (25 W pv 05w led, 12.8v 7.8 Ah motion sensor)	"	43798	43798	43798	

<b>Electrical Works</b>							
सि.नं	सब सि.नं	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT) बाहेक			कैफियत
				आ.व ०७३/०७४	आ.व ०७४/०७५	आ.व ०७५/०७६	
<b>52</b>		AST 3612 (36 W pv 012w led, 12.8v 13 Ah motion sensor)	"	60984	60984	60984	
		AE 2S18B8 (AE 2 off - grid power system, pv 18w 12.8v 7.8 Ah motion Sensor )	"	34705	34705	34705	
		AE 2S25B10 (AE 2 off - grid power system, pv 25w 12.8v 10.4 Ah motion Sensor )	"	43575	43575	43575	
		AE 2S36B13 (AE 2 off - grid power system, pv 36w 12.8v 13 Ah motion Sensor )	"	54331	54331	54331	
<b>53</b>		<b>MCB/ISOLATOR ORIENT or equivalent</b>					
		B CURVE MCB SP 6A-32A	pole	232	232	232	
		B CURVE MCB SP 40A	pole	273	273	273	
		B CURVE MCB SP 50A-63A	pole	273	273	273	
		C CURVE MCB SP 0.5-4A	pole	273	273	273	
		C CURVE MCB SP 6-32A	pole	232	232	232	
		C CURVE MCB SP 40A	pole	433	433	433	
		C CURVE MCB SP 50-63A	pole	433	433	433	
		C CURVE MCB SPN 0.5-4A	pole	465	465	465	
		C CURVE MCB SPN 6-32A	pole	498	498	498	
		C CURVE MCB SPN 40A	pole	545	545	545	
		C CURVE MCB SPN 50-63A	pole	545	545	545	
		C CURVE MCB DP 0.5-4A	pole	599	599	599	
		C CURVE MCB DP 6-32A	pole	548	548	548	
		C CURVE MCB DP 40A	pole	599	599	599	
		C CURVE MCB DP 50-63A	pole	599	599	599	
		C CURVE MCB TP 0.5-4A	pole	898	898	898	
		C CURVE MCB TP 6-32A	pole	822	822	822	
		C CURVE MCB TP 40A	pole	898	898	898	
		C CURVE MCB TP 50-63A	pole	898	898	898	
		C CURVE MCB TPN 0.5-4A	pole	1171	1171	1171	
		C CURVE MCB TPN 6-32A	pole	1071	1071	1071	
		C CURVE MCB TPN 40A	pole	1171	1171	1171	
		C CURVE MCB TPN 50-63A	pole	1171	1171	1171	
		C CURVE MCB FP 0.5-4A	pole	1253	1253	1253	
		C CURVE MCB FP 6-32A	pole	1146	1146	1146	
	C CURVE MCB FP 40A	pole	1253	1253	1253		
	C CURVE MCB FP 50-63A	pole	1253	1253	1253		
	ISOLATOR DP 40A	pole	535	535	535		
	ISOLATOR DP 63A	pole	535	535	535		
	ISOLATOR DP 80-100A	pole	559	559	559		
	ISOLATOR DP 125A	pole	593	593	593		
	ISOLATOR FP 40A	pole	876	876	876		
	ISOLATOR FP 63A	pole	876	876	876		
	ISOLATOR FP 80-100A	pole	969	969	969		

<b>Electrical Works</b>							
सि.नं	सब सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक			कैफियत
				आ.व ०७३/०७४	आ.व ०७४/०७५	आ.व ०७५/०७६	
		ISOLATOR FP 125A	pole	969	969	969	
		RCCB DP 25A 30mA	pole	3444	3444	3444	
		RCCB DP 40A 30mA	pole	3444	3444	3444	
		RCCB DP 63A 30mA	pole	3444	3444	3444	
		RCCB DP 25A 100mA	pole	3247	3247	3247	
		RCCB DP 40A 100mA	pole	3247	3247	3247	
		RCCB DP 63A 100mA	pole	3247	3247	3247	
		RCCB DP 25A 300mA	pole	3247	3247	3247	
		RCCB DP 40A 300mA	pole	3247	3247	3247	
		RCCB DP 63A 300mA	pole	3247	3247	3247	
		RCCB FP 25A 30mA	pole	4034	4034	4034	
		RCCB FP 40A 30mA	pole	4034	4034	4034	
		RCCB FP 63A 30mA	pole	4034	4034	4034	
		RCCB FP 25A 100mA	pole	3887	3887	3887	
		RCCB FP 40A 100mA	pole	3887	3887	3887	
		RCCB FP 63A 100mA	pole	3887	3887	3887	
		RCCB FP 25A 300mA	pole	3887	3887	3887	
		RCCB FP 40A 300mA	pole	3887	3887	3887	
		RCCB FP 63A 300mA	pole	3887	3887	3887	
		<b>Solar component</b>					
	1	Solar PV Module	Per watt	119	119	119	
	2	Solar Tubular Battery ( 200Ah@c20,12v)	Nos	28900	28900	28900	
	3	Solar Tubular Battery ( 150 Ah@c20,12v)	Nos	22100	22100	22100	
	4	Solar Tubular Battery ( 100 Ah@c20,12v)	Nos	15300	15300	15300	
	5	Tubular Gel @ C10-80AH Batery	Nos	29000	29000	29000	
	6	Tubular Gel @ C10-100AH Batery	Nos	30000	30000	30000	
	7	Lithium Ion 60-AH	Nos	40000	40000	40000	
	8	Lithium Ion 75-AH	Nos	45000	45000	45000	
	9	Solar Gel Battery ( 100 Ah@c20,12v)	Nos	30940	30940	30940	
	10	Solar Gel Battery ( 75 Ah@c20,12v)	Nos	23630	23630	23630	
	11	Solar Gel Battery ( 40 Ah@c20,12v)	Nos	13600	13600	13600	
	12	Charge controller (60Ah/24V)	Nos	30600	30600	30600	
	13	Charge controller 45Ah/12-24-48 V	Nos	22525	22525	22525	
	14	Charge controller 10a/12-24 V	Nos	2550	2550	2550	
	15	Charge controller 20a/12-24 V	Nos	3825	3825	3825	
	16	Solar dusk to down controller 20A/12Vwith driver curcit	Nos	4250	4250	4250	
	17	Solar street light 20W/10W- 12V DC with autodimming system	Nos	14450	14450	14450	
	18	Solar street light 40W/20W- 12V DC with autodimming system	Nos	29750	29750	29750	

<b>Electrical Works</b>							
सि.नं	सब सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक			कैफियत
				आ.व ०७३/०७४	आ.व ०७४/०७५	आ.व ०७५/०७६	
54	19	Ms pole 6 m high with rustproof enamel paint dimension 4" for buttom 3 m 3" for top 3 m	Nos	15725	15725	15725	
	20	Ms pole 9 m high with rustproof enamel paint dimension 4" for buttom m 6" for top 3 m	Nos	19550	19550	19550	
	21	Single Arm Pole Galvanized of size 7 m height (75kg)	Nos	21000	21000	21000	
	22	Single Arm Pole Galvanized of size 9 m height (120kg)	Nos	26000	26000	26000	
	23	40 watt solar street light	Nos	13600	13600	13600	
	24	30 watt LED Lamp solar street light Without autodimming	Nos	8000	8000	8000	
	25	40watt LED Lamp solar street light Without autodimming	Nos	9000	9000	9000	
	26	20 watt solar street light	Nos	8160	8160	8160	
	27	12 watt solar street light	Nos	5270	5270	5270	
	28	Pure sine wave inverter 250 VA /12 V	Nos	6800	6800	6800	
	29	Pure sine wave inverter 400 VA /12 V	Nos	12750	12750	12750	
	30	pure sine wave inverter 1400 VA	nos	22100	22100	22100	
	31	Ms light Arms	Set	2125	2125	2125	
	32	SPV mountaing frame	set	5525	5525	5525	
	33	Battery box	Set	4250	4250	4250	
	34	Battery stand	Set	4250	4250	4250	
	35	Pure sine wave solar hybrid 3000 VA Inverter with inbuilt 50A Charge controller	Set	65000	65000	65000	
	36	Pure sine wave solar hybrid 5000 VA Inverter with inbuilt 50A Charge controller	Set	130000	130000	130000	
37	12Ampere Charge controler with Dusk to Down Fuction	Set	6000	6000	6000		
38	15Ampere Charge controler with Dusk to Down Fuction	Set	7000	7000	7000		

### निर्णय नं. ३

माथि उल्लेख नभएका निर्माण सामाग्रीहरु तथा अन्य आवश्यक सामाग्रीहरुको हकमा जुन कार्यालयलाई आवश्यक भएको हो सोही कार्यालय बाटै नेपाल सरकारको स्वामित्वमा रहेको संघसंस्था कम्पनी आदि बिक्री गर्ने प्रचलित बजार दररेट तथा नेपाल सरकारको स्वामित्व रहेको संघ संस्था बाट दररेट उपलब्ध हुन नसक्ने निर्माण सामाग्रीहरुको बजार भाउ सर्वेक्षण गरि कम्तीमा ३(तीन) वटा कोटेशन लिई स्वीकृत नर्मस (Norms) को आधारमा दर विश्लेषण (Rate Analysis) गरि स्वीकृत गर्ने निर्णय गरियो ।

### निर्णय नं. ४

माथि उल्लेखीत ज्याला, निर्माण सामाग्रीहरु तथा अन्य आवश्यक सामाग्रीहरुको निर्धारित दररेटमा १० प्रतिशत भन्दा घटि तथा बढी भएमा यस गोदावरी नगरपालिकाको नगर कार्यपालिकाले उक्त ज्याला, निर्माण सामाग्रीहरु तथा अन्य आवश्यक सामाग्रीहरुको दररेट संशोधन गरि निर्धारण गर्न सकिने निर्णय गरियो ।